

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
12 April 2001 (12.04.2001)

PCT

(10) International Publication Number
WO 01/25272 A2

- (51) International Patent Classification⁷: **C07K 14/00**
- (21) International Application Number: **PCT/US00/27464**
- (22) International Filing Date: **4 October 2000 (04.10.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
60/157,455 **4 October 1999 (04.10.1999)** **US**
- (71) Applicant (for all designated States except US): **CORIXA CORPORATION** [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).
- (72) Inventors; and
- (73) Inventors/Applicants (for US only): **XU, Jiangchun** [US/US]; 15805 SE 43rd Place, Bellevue, WA 98006 (US). **SKEIKY, Yasir, A., W.** [CA/US]; 15106 SE 47th Place, Bellevue, WA 98006 (US). **REED, Steven, G.** [US/US]; 2843 - 122nd Place NE, Bellevue, WA 98005 (US). **CHEEVER, Martin, A.** [US/US]; 6210 Southeast 22nd, Mercer Island, WA 98040 (US).
- (74) Agents: **POTTER, Jane, E., R.** et al.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US).
- (81) Designated States (national): **AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**
- (84) Designated States (regional): **ARIPO** patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), **Eurasian** patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), **European** patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), **OAPI** patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
— Without international search report and to be republished upon receipt of that report.
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER**



(57) Abstract: Compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer, are disclosed. Compositions may comprise one or more prostate tumor proteins, immunogenic portions thereof, or polynucleotides that encode such portions. Alternatively, a therapeutic composition may comprise an antigen presenting cell that expresses a prostate tumor protein, or a T cell that is specific for cells expressing such a protein. Such compositions may be used, for example, for the prevention and treatment of diseases such as prostate cancer. Diagnostic methods based on detecting a prostate tumor protein, or mRNA encoding such a protein, in a sample are also provided.

WO 01/25272 A2

COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER

TECHNICAL FIELD

The present invention relates generally to therapy and diagnosis of cancer, such as prostate cancer. The invention is more specifically related to polypeptides comprising at least a portion of a prostate tumor protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for prevention and treatment of prostate cancer, and for the diagnosis and monitoring of such cancers.

BACKGROUND OF THE INVENTION

Prostate cancer is the most common form of cancer among males, with an estimated incidence of 30% in men over the age of 50. Overwhelming clinical evidence shows that human prostate cancer has the propensity to metastasize to bone, and the disease appears to progress inevitably from androgen dependent to androgen refractory status, leading to increased patient mortality. This prevalent disease is currently the second leading cause of cancer death among men in the U.S.

In spite of considerable research into therapies for the disease, prostate cancer remains difficult to treat. Commonly, treatment is based on surgery and/or radiation therapy, but these methods are ineffective in a significant percentage of cases. Two previously identified prostate specific proteins - prostate specific antigen (PSA) and prostatic acid phosphatase (PAP) - have limited therapeutic and diagnostic potential. For example, PSA levels do not always correlate well with the presence of prostate cancer, being positive in a percentage of non-prostate cancer cases, including benign prostatic hyperplasia (BPH). Furthermore, PSA measurements correlate with prostate volume, and do not indicate the level of metastasis.

In spite of considerable research into therapies for these and other cancers, prostate cancer remains difficult to diagnose and treat effectively. Accordingly, there is a need in the art for improved methods for detecting and treating

such cancers. The present invention fulfills these needs and further provides other related advantages.

SUMMARY OF THE INVENTION

Briefly stated, the present invention provides compositions and methods for the diagnosis and therapy of cancer, such as prostate cancer. In one aspect, the present invention provides polypeptides comprising at least a portion of a prostate tumor protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises at least an immunogenic portion of a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; (b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and (c) complements of any of the sequence of (a) or (b). In certain specific embodiments, such a polypeptide comprises at least a portion, or variant thereof, of a tumor protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380 and 383.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a prostate tumor protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and a non-specific immune response enhancer.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a prostate tumor protein; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a non-specific immune response enhancer.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a non-specific immune response enhancer.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate tumor protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a prostate tumor protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Isolated T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a prostate tumor protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be prostate cancer.

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein; (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount

detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE IDENTIFIERS

Figure 1 illustrates the ability of T cells to kill fibroblasts expressing the representative prostate tumor polypeptide P502S, as compared to control fibroblasts. The percentage lysis is shown as a series of effector:target ratios, as indicated.

Figures 2A and 2B illustrate the ability of T cells to recognize cells expressing the representative prostate tumor polypeptide P502S. In each case, the number of γ -interferon spots is shown for different numbers of responders. In Figure 2A, data is presented for fibroblasts pulsed with the P2S-12 peptide, as compared to fibroblasts pulsed with a control E75 peptide. In Figure 2B, data is presented for fibroblasts expressing P502S, as compared to fibroblasts expressing HER-2/*neu*.

Figure 3 represents a peptide competition binding assay showing that the P1S#10 peptide, derived from P501S, binds HLA-A2. Peptide P1S#10 inhibits HLA-A2 restricted presentation of fluM58 peptide to CTL clone D150M58 in TNF release bioassay. D150M58 CTL is specific for the HLA-A2 binding influenza matrix peptide fluM58.

Figure 4 illustrates the ability of T cell lines generated from P1S#10 immunized mice to specifically lyse P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat A2Kb targets, as compared to EGFP-transduced Jurkat A2Kb. The percent lysis is shown as a series of effector to target ratios, as indicated.

Figure 5 illustrates the ability of a T cell clone to recognize and specifically lyse Jurkat A2Kb cells expressing the representative prostate tumor polypeptide P501S, thereby demonstrating that the P1S#10 peptide may be a naturally processed epitope of the P501S polypeptide.

Figures 6A and 6B are graphs illustrating the specificity of a CD8⁺ cell line (3A-1) for a representative prostate tumor antigen (P501S). Figure 6A shows the results of a ⁵¹Cr release assay. The percent specific lysis is shown as a series of effector:target ratios, as indicated. Figure 6B shows the production of interferon-gamma by 3A-1 cells stimulated with autologous B-LCL transduced with P501S, at varying effector:target ratios as indicated.

SEQ ID NO: 1 is the determined cDNA sequence for F1-13

SEQ ID NO: 2 is the determined 3' cDNA sequence for F1-12

SEQ ID NO: 3 is the determined 5' cDNA sequence for F1-12

SEQ ID NO: 4 is the determined 3' cDNA sequence for F1-16

SEQ ID NO: 5 is the determined 3' cDNA sequence for H1-1

SEQ ID NO: 6 is the determined 3' cDNA sequence for H1-9

SEQ ID NO: 7 is the determined 3' cDNA sequence for H1-4

SEQ ID NO: 8 is the determined 3' cDNA sequence for J1-17

SEQ ID NO: 9 is the determined 5' cDNA sequence for J1-17

SEQ ID NO: 10 is the determined 3' cDNA sequence for L1-12

SEQ ID NO: 11 is the determined 5' cDNA sequence for L1-12

SEQ ID NO: 12 is the determined 3' cDNA sequence for N1-1862

SEQ ID NO: 13 is the determined 5' cDNA sequence for N1-1862

SEQ ID NO: 14 is the determined 3' cDNA sequence for J1-13

SEQ ID NO: 15 is the determined 5' cDNA sequence for J1-13

SEQ ID NO: 16 is the determined 3' cDNA sequence for J1-19

SEQ ID NO: 17 is the determined 5' cDNA sequence for J1-19

SEQ ID NO: 18 is the determined 3' cDNA sequence for J1-25

SEQ ID NO: 19 is the determined 5' cDNA sequence for J1-25

SEQ ID NO: 20 is the determined 5' cDNA sequence for J1-24

SEQ ID NO: 21 is the determined 3' cDNA sequence for J1-24
SEQ ID NO: 22 is the determined 5' cDNA sequence for K1-58
SEQ ID NO: 23 is the determined 3' cDNA sequence for K1-58
SEQ ID NO: 24 is the determined 5' cDNA sequence for K1-63
SEQ ID NO: 25 is the determined 3' cDNA sequence for K1-63
SEQ ID NO: 26 is the determined 5' cDNA sequence for L1-4
SEQ ID NO: 27 is the determined 3' cDNA sequence for L1-4
SEQ ID NO: 28 is the determined 5' cDNA sequence for L1-14
SEQ ID NO: 29 is the determined 3' cDNA sequence for L1-14
SEQ ID NO: 30 is the determined 3' cDNA sequence for J1-12
SEQ ID NO: 31 is the determined 3' cDNA sequence for J1-16
SEQ ID NO: 32 is the determined 3' cDNA sequence for J1-21
SEQ ID NO: 33 is the determined 3' cDNA sequence for K1-48
SEQ ID NO: 34 is the determined 3' cDNA sequence for K1-55
SEQ ID NO: 35 is the determined 3' cDNA sequence for L1-2
SEQ ID NO: 36 is the determined 3' cDNA sequence for L1-6
SEQ ID NO: 37 is the determined 3' cDNA sequence for N1-1858
SEQ ID NO: 38 is the determined 3' cDNA sequence for N1-1860
SEQ ID NO: 39 is the determined 3' cDNA sequence for N1-1861
SEQ ID NO: 40 is the determined 3' cDNA sequence for N1-1864
SEQ ID NO: 41 is the determined cDNA sequence for P5
SEQ ID NO: 42 is the determined cDNA sequence for P8
SEQ ID NO: 43 is the determined cDNA sequence for P9
SEQ ID NO: 44 is the determined cDNA sequence for P18
SEQ ID NO: 45 is the determined cDNA sequence for P20
SEQ ID NO: 46 is the determined cDNA sequence for P29
SEQ ID NO: 47 is the determined cDNA sequence for P30
SEQ ID NO: 48 is the determined cDNA sequence for P34
SEQ ID NO: 49 is the determined cDNA sequence for P36
SEQ ID NO: 50 is the determined cDNA sequence for P38

SEQ ID NO: 51 is the determined cDNA sequence for P39
SEQ ID NO: 52 is the determined cDNA sequence for P42
SEQ ID NO: 53 is the determined cDNA sequence for P47
SEQ ID NO: 54 is the determined cDNA sequence for P49
SEQ ID NO: 55 is the determined cDNA sequence for P50
SEQ ID NO: 56 is the determined cDNA sequence for P53
SEQ ID NO: 57 is the determined cDNA sequence for P55
SEQ ID NO: 58 is the determined cDNA sequence for P60
SEQ ID NO: 59 is the determined cDNA sequence for P64
SEQ ID NO: 60 is the determined cDNA sequence for P65
SEQ ID NO: 61 is the determined cDNA sequence for P73
SEQ ID NO: 62 is the determined cDNA sequence for P75
SEQ ID NO: 63 is the determined cDNA sequence for P76
SEQ ID NO: 64 is the determined cDNA sequence for P79
SEQ ID NO: 65 is the determined cDNA sequence for P84
SEQ ID NO: 66 is the determined cDNA sequence for P68
SEQ ID NO: 67 is the determined cDNA sequence for P80
SEQ ID NO: 68 is the determined cDNA sequence for P82
SEQ ID NO: 69 is the determined cDNA sequence for U1-3064
SEQ ID NO: 70 is the determined cDNA sequence for U1-3065
SEQ ID NO: 71 is the determined cDNA sequence for V1-3692
SEQ ID NO: 72 is the determined cDNA sequence for 1A-3905
SEQ ID NO: 73 is the determined cDNA sequence for V1-3686
SEQ ID NO: 74 is the determined cDNA sequence for R1-2330
SEQ ID NO: 75 is the determined cDNA sequence for 1B-3976
SEQ ID NO: 76 is the determined cDNA sequence for V1-3679
SEQ ID NO: 77 is the determined cDNA sequence for 1G-4736
SEQ ID NO: 78 is the determined cDNA sequence for 1G-4738
SEQ ID NO: 79 is the determined cDNA sequence for 1G-4741
SEQ ID NO: 80 is the determined cDNA sequence for 1G-4744

SEQ ID NO: 81 is the determined cDNA sequence for 1G-4734
SEQ ID NO: 82 is the determined cDNA sequence for 1H-4774
SEQ ID NO: 83 is the determined cDNA sequence for 1H-4781
SEQ ID NO: 84 is the determined cDNA sequence for 1H-4785
SEQ ID NO: 85 is the determined cDNA sequence for 1H-4787
SEQ ID NO: 86 is the determined cDNA sequence for 1H-4796
SEQ ID NO: 87 is the determined cDNA sequence for 1I-4807
SEQ ID NO: 88 is the determined cDNA sequence for 1I-4810
SEQ ID NO: 89 is the determined cDNA sequence for 1I-4811
SEQ ID NO: 90 is the determined cDNA sequence for 1J-4876
SEQ ID NO: 91 is the determined cDNA sequence for 1K-4884
SEQ ID NO: 92 is the determined cDNA sequence for 1K-4896
SEQ ID NO: 93 is the determined cDNA sequence for 1G-4761
SEQ ID NO: 94 is the determined cDNA sequence for 1G-4762
SEQ ID NO: 95 is the determined cDNA sequence for 1H-4766
SEQ ID NO: 96 is the determined cDNA sequence for 1H-4770
SEQ ID NO: 97 is the determined cDNA sequence for 1H-4771
SEQ ID NO: 98 is the determined cDNA sequence for 1H-4772
SEQ ID NO: 99 is the determined cDNA sequence for 1D-4297
SEQ ID NO: 100 is the determined cDNA sequence for 1D-4309
SEQ ID NO: 101 is the determined cDNA sequence for 1D.1-4278
SEQ ID NO: 102 is the determined cDNA sequence for 1D-4288
SEQ ID NO: 103 is the determined cDNA sequence for 1D-4283
SEQ ID NO: 104 is the determined cDNA sequence for 1D-4304
SEQ ID NO: 105 is the determined cDNA sequence for 1D-4296
SEQ ID NO: 106 is the determined cDNA sequence for 1D-4280
SEQ ID NO: 107 is the determined full length cDNA sequence for F1-12 (also referred to as P504S)
SEQ ID NO: 108 is the predicted amino acid sequence for F1-12
SEQ ID NO: 109 is the determined full length cDNA sequence for J1-17

SEQ ID NO: 110 is the determined full length cDNA sequence for L1-12
SEQ ID NO: 111 is the determined full length cDNA sequence for N1-1862
SEQ ID NO: 112 is the predicted amino acid sequence for J1-17
SEQ ID NO: 113 is the predicted amino acid sequence for L1-12
SEQ ID NO: 114 is the predicted amino acid sequence for N1-1862
SEQ ID NO: 115 is the determined cDNA sequence for P89
SEQ ID NO: 116 is the determined cDNA sequence for P90
SEQ ID NO: 117 is the determined cDNA sequence for P92
SEQ ID NO: 118 is the determined cDNA sequence for P95
SEQ ID NO: 119 is the determined cDNA sequence for P98
SEQ ID NO: 120 is the determined cDNA sequence for P102
SEQ ID NO: 121 is the determined cDNA sequence for P110
SEQ ID NO: 122 is the determined cDNA sequence for P111
SEQ ID NO: 123 is the determined cDNA sequence for P114
SEQ ID NO: 124 is the determined cDNA sequence for P115
SEQ ID NO: 125 is the determined cDNA sequence for P116
SEQ ID NO: 126 is the determined cDNA sequence for P124
SEQ ID NO: 127 is the determined cDNA sequence for P126
SEQ ID NO: 128 is the determined cDNA sequence for P130
SEQ ID NO: 129 is the determined cDNA sequence for P133
SEQ ID NO: 130 is the determined cDNA sequence for P138
SEQ ID NO: 131 is the determined cDNA sequence for P143
SEQ ID NO: 132 is the determined cDNA sequence for P151
SEQ ID NO: 133 is the determined cDNA sequence for P156
SEQ ID NO: 134 is the determined cDNA sequence for P157
SEQ ID NO: 135 is the determined cDNA sequence for P166
SEQ ID NO: 136 is the determined cDNA sequence for P176
SEQ ID NO: 137 is the determined cDNA sequence for P178
SEQ ID NO: 138 is the determined cDNA sequence for P179
SEQ ID NO: 139 is the determined cDNA sequence for P185

SEQ ID NO: 140 is the determined cDNA sequence for P192
SEQ ID NO: 141 is the determined cDNA sequence for P201
SEQ ID NO: 142 is the determined cDNA sequence for P204
SEQ ID NO: 143 is the determined cDNA sequence for P208
SEQ ID NO: 144 is the determined cDNA sequence for P211
SEQ ID NO: 145 is the determined cDNA sequence for P213
SEQ ID NO: 146 is the determined cDNA sequence for P219
SEQ ID NO: 147 is the determined cDNA sequence for P237
SEQ ID NO: 148 is the determined cDNA sequence for P239
SEQ ID NO: 149 is the determined cDNA sequence for P248
SEQ ID NO: 150 is the determined cDNA sequence for P251
SEQ ID NO: 151 is the determined cDNA sequence for P255
SEQ ID NO: 152 is the determined cDNA sequence for P256
SEQ ID NO: 153 is the determined cDNA sequence for P259
SEQ ID NO: 154 is the determined cDNA sequence for P260
SEQ ID NO: 155 is the determined cDNA sequence for P263
SEQ ID NO: 156 is the determined cDNA sequence for P264
SEQ ID NO: 157 is the determined cDNA sequence for P266
SEQ ID NO: 158 is the determined cDNA sequence for P270
SEQ ID NO: 159 is the determined cDNA sequence for P272
SEQ ID NO: 160 is the determined cDNA sequence for P278
SEQ ID NO: 161 is the determined cDNA sequence for P105
SEQ ID NO: 162 is the determined cDNA sequence for P107
SEQ ID NO: 163 is the determined cDNA sequence for P137
SEQ ID NO: 164 is the determined cDNA sequence for P194
SEQ ID NO: 165 is the determined cDNA sequence for P195
SEQ ID NO: 166 is the determined cDNA sequence for P196
SEQ ID NO: 167 is the determined cDNA sequence for P220
SEQ ID NO: 168 is the determined cDNA sequence for P234
SEQ ID NO: 169 is the determined cDNA sequence for P235

SEQ ID NO: 170 is the determined cDNA sequence for P243
SEQ ID NO: 171 is the determined cDNA sequence for P703P-DE1
SEQ ID NO: 172 is the predicted amino acid sequence for P703P-DE1
SEQ ID NO: 173 is the determined cDNA sequence for P703P-DE2
SEQ ID NO: 174 is the determined cDNA sequence for P703P-DE6
SEQ ID NO: 175 is the determined cDNA sequence for P703P-DE13
SEQ ID NO: 176 is the predicted amino acid sequence for P703P-DE13
SEQ ID NO: 177 is the determined cDNA sequence for P703P-DE14
SEQ ID NO: 178 is the predicted amino acid sequence for P703P-DE14
SEQ ID NO: 179 is the determined extended cDNA sequence for 1G-4736
SEQ ID NO: 180 is the determined extended cDNA sequence for 1G-4738
SEQ ID NO: 181 is the determined extended cDNA sequence for 1G-4741
SEQ ID NO: 182 is the determined extended cDNA sequence for 1G-4744
SEQ ID NO: 183 is the determined extended cDNA sequence for 1H-4774
SEQ ID NO: 184 is the determined extended cDNA sequence for 1H-4781
SEQ ID NO: 185 is the determined extended cDNA sequence for 1H-4785
SEQ ID NO: 186 is the determined extended cDNA sequence for 1H-4787
SEQ ID NO: 187 is the determined extended cDNA sequence for 1H-4796
SEQ ID NO: 188 is the determined extended cDNA sequence for 1I-4807
SEQ ID NO: 189 is the determined 3' cDNA sequence for 1I-4810
SEQ ID NO: 190 is the determined 3' cDNA sequence for 1I-4811
SEQ ID NO: 191 is the determined extended cDNA sequence for 1J-4876
SEQ ID NO: 192 is the determined extended cDNA sequence for 1K-4884
SEQ ID NO: 193 is the determined extended cDNA sequence for 1K-4896
SEQ ID NO: 194 is the determined extended cDNA sequence for 1G-4761
SEQ ID NO: 195 is the determined extended cDNA sequence for 1G-4762
SEQ ID NO: 196 is the determined extended cDNA sequence for 1H-4766
SEQ ID NO: 197 is the determined 3' cDNA sequence for 1H-4770

SEQ ID NO: 198 is the determined 3' cDNA sequence for 1H-4771

SEQ ID NO: 199 is the determined extended cDNA sequence for 1H-4772
SEQ ID NO: 200 is the determined extended cDNA sequence for 1D-4309
SEQ ID NO: 201 is the determined extended cDNA sequence for 1D.1-4278
SEQ ID NO: 202 is the determined extended cDNA sequence for 1D-4288
SEQ ID NO: 203 is the determined extended cDNA sequence for 1D-4283
SEQ ID NO: 204 is the determined extended cDNA sequence for 1D-4304
SEQ ID NO: 205 is the determined extended cDNA sequence for 1D-4296
SEQ ID NO: 206 is the determined extended cDNA sequence for 1D-4280
SEQ ID NO: 207 is the determined cDNA sequence for 10-d8fwd
SEQ ID NO: 208 is the determined cDNA sequence for 10-H10con
SEQ ID NO: 209 is the determined cDNA sequence for 11-C8rev
SEQ ID NO: 210 is the determined cDNA sequence for 7.g6fwd
SEQ ID NO: 211 is the determined cDNA sequence for 7.g6rev
SEQ ID NO: 212 is the determined cDNA sequence for 8-b5fwd
SEQ ID NO: 213 is the determined cDNA sequence for 8-b5rev
SEQ ID NO: 214 is the determined cDNA sequence for 8-b6fwd
SEQ ID NO: 215 is the determined cDNA sequence for 8-b6 rev
SEQ ID NO: 216 is the determined cDNA sequence for 8-d4fwd
SEQ ID NO: 217 is the determined cDNA sequence for 8-d9rev
SEQ ID NO: 218 is the determined cDNA sequence for 8-g3fwd
SEQ ID NO: 219 is the determined cDNA sequence for 8-g3rev
SEQ ID NO: 220 is the determined cDNA sequence for 8-h11rev
SEQ ID NO: 221 is the determined cDNA sequence for g-f12fwd
SEQ ID NO: 222 is the determined cDNA sequence for g-f3rev
SEQ ID NO: 223 is the determined cDNA sequence for P509S
SEQ ID NO: 224 is the determined cDNA sequence for P510S
SEQ ID NO: 225 is the determined cDNA sequence for P703DE5
SEQ ID NO: 226 is the determined cDNA sequence for 9-A11
SEQ ID NO: 227 is the determined cDNA sequence for 8-C6
SEQ ID NO: 228 is the determined cDNA sequence for 8-H7

SEQ ID NO: 229 is the determined cDNA sequence for JTPN13
SEQ ID NO: 230 is the determined cDNA sequence for JTPN14
SEQ ID NO: 231 is the determined cDNA sequence for JTPN23
SEQ ID NO: 232 is the determined cDNA sequence for JTPN24
SEQ ID NO: 233 is the determined cDNA sequence for JTPN25
SEQ ID NO: 234 is the determined cDNA sequence for JTPN30
SEQ ID NO: 235 is the determined cDNA sequence for JTPN34
SEQ ID NO: 236 is the determined cDNA sequence for PTPN35
SEQ ID NO: 237 is the determined cDNA sequence for JTPN36
SEQ ID NO: 238 is the determined cDNA sequence for JTPN38
SEQ ID NO: 239 is the determined cDNA sequence for JTPN39
SEQ ID NO: 240 is the determined cDNA sequence for JTPN40
SEQ ID NO: 241 is the determined cDNA sequence for JTPN41
SEQ ID NO: 242 is the determined cDNA sequence for JTPN42
SEQ ID NO: 243 is the determined cDNA sequence for JTPN45
SEQ ID NO: 244 is the determined cDNA sequence for JTPN46
SEQ ID NO: 245 is the determined cDNA sequence for JTPN51
SEQ ID NO: 246 is the determined cDNA sequence for JTPN56
SEQ ID NO: 247 is the determined cDNA sequence for PTPN64
SEQ ID NO: 248 is the determined cDNA sequence for JTPN65
SEQ ID NO: 249 is the determined cDNA sequence for JTPN67
SEQ ID NO: 250 is the determined cDNA sequence for JTPN76
SEQ ID NO: 251 is the determined cDNA sequence for JTPN84
SEQ ID NO: 252 is the determined cDNA sequence for JTPN85
SEQ ID NO: 253 is the determined cDNA sequence for JTPN86
SEQ ID NO: 254 is the determined cDNA sequence for JTPN87
SEQ ID NO: 255 is the determined cDNA sequence for JTPN88
SEQ ID NO: 256 is the determined cDNA sequence for JP1F1
SEQ ID NO: 257 is the determined cDNA sequence for JP1F2
SEQ ID NO: 258 is the determined cDNA sequence for JP1C2

SEQ ID NO: 259 is the determined cDNA sequence for JP1B1
SEQ ID NO: 260 is the determined cDNA sequence for JP1B2
SEQ ID NO: 261 is the determined cDNA sequence for JP1D3
SEQ ID NO: 262 is the determined cDNA sequence for JP1A4
SEQ ID NO: 263 is the determined cDNA sequence for JP1F5
SEQ ID NO: 264 is the determined cDNA sequence for JP1E6
SEQ ID NO: 265 is the determined cDNA sequence for JP1D6
SEQ ID NO: 266 is the determined cDNA sequence for JP1B5
SEQ ID NO: 267 is the determined cDNA sequence for JP1A6
SEQ ID NO: 268 is the determined cDNA sequence for JP1E8
SEQ ID NO: 269 is the determined cDNA sequence for JP1D7
SEQ ID NO: 270 is the determined cDNA sequence for JP1D9
SEQ ID NO: 271 is the determined cDNA sequence for JP1C10
SEQ ID NO: 272 is the determined cDNA sequence for JP1A9
SEQ ID NO: 273 is the determined cDNA sequence for JP1F12
SEQ ID NO: 274 is the determined cDNA sequence for JP1E12
SEQ ID NO: 275 is the determined cDNA sequence for JP1D11
SEQ ID NO: 276 is the determined cDNA sequence for JP1C11
SEQ ID NO: 277 is the determined cDNA sequence for JP1C12
SEQ ID NO: 278 is the determined cDNA sequence for JP1B12
SEQ ID NO: 279 is the determined cDNA sequence for JP1A12
SEQ ID NO: 280 is the determined cDNA sequence for JP8G2
SEQ ID NO: 281 is the determined cDNA sequence for JP8H1
SEQ ID NO: 282 is the determined cDNA sequence for JP8H2
SEQ ID NO: 283 is the determined cDNA sequence for JP8A3
SEQ ID NO: 284 is the determined cDNA sequence for JP8A4
SEQ ID NO: 285 is the determined cDNA sequence for JP8C3
SEQ ID NO: 286 is the determined cDNA sequence for JP8G4
SEQ ID NO: 287 is the determined cDNA sequence for JP8B6
SEQ ID NO: 288 is the determined cDNA sequence for JP8D6

SEQ ID NO: 289 is the determined cDNA sequence for JP8F5
SEQ ID NO: 290 is the determined cDNA sequence for JP8A8
SEQ ID NO: 291 is the determined cDNA sequence for JP8C7
SEQ ID NO: 292 is the determined cDNA sequence for JP8D7
SEQ ID NO: 293 is the determined cDNA sequence for P8D8
SEQ ID NO: 294 is the determined cDNA sequence for JP8E7
SEQ ID NO: 295 is the determined cDNA sequence for JP8F8
SEQ ID NO: 296 is the determined cDNA sequence for JP8G8
SEQ ID NO: 297 is the determined cDNA sequence for JP8B10
SEQ ID NO: 298 is the determined cDNA sequence for JP8C10
SEQ ID NO: 299 is the determined cDNA sequence for JP8E9
SEQ ID NO: 300 is the determined cDNA sequence for JP8E10
SEQ ID NO: 301 is the determined cDNA sequence for JP8F9
SEQ ID NO: 302 is the determined cDNA sequence for JP8H9
SEQ ID NO: 303 is the determined cDNA sequence for JP8C12
SEQ ID NO: 304 is the determined cDNA sequence for JP8E11
SEQ ID NO: 305 is the determined cDNA sequence for JP8E12
SEQ ID NO: 306 is the amino acid sequence for the peptide PS2#12
SEQ ID NO: 307 is the determined cDNA sequence for P711P
SEQ ID NO: 308 is the determined cDNA sequence for P712P
SEQ ID NO: 309 is the determined cDNA sequence for CLONE23
SEQ ID NO: 310 is the determined cDNA sequence for P774P
SEQ ID NO: 311 is the determined cDNA sequence for P775P
SEQ ID NO: 312 is the determined cDNA sequence for P715P
SEQ ID NO: 313 is the determined cDNA sequence for P710P
SEQ ID NO: 314 is the determined cDNA sequence for P767P
SEQ ID NO: 315 is the determined cDNA sequence for P768P
SEQ ID NO: 316-325 are the determined cDNA sequences of previously isolated genes
SEQ ID NO: 326 is the determined cDNA sequence for P703PDE5
SEQ ID NO: 327 is the predicted amino acid sequence for P703PDE5

SEQ ID NO: 328 is the determined cDNA sequence for P703P6.26

SEQ ID NO: 329 is the predicted amino acid sequence for P703P6.26

SEQ ID NO: 330 is the determined cDNA sequence for P703PX-23

SEQ ID NO: 331 is the predicted amino acid sequence for P703PX-23

SEQ ID NO: 332 is the determined full length cDNA sequence for P509S

SEQ ID NO: 333 is the determined extended cDNA sequence for P707P (also referred to as 11-C9)

SEQ ID NO: 334 is the determined cDNA sequence for P714P

SEQ ID NO: 335 is the determined cDNA sequence for P705P (also referred to as 9-F3)

SEQ ID NO: 336 is the predicted amino acid sequence for P705P

SEQ ID NO: 337 is the amino acid sequence of the peptide P1S#10

SEQ ID NO: 338 is the amino acid sequence of the peptide p5

SEQ ID NO: 339 is the predicted amino acid sequence of P509S

SEQ ID NO: 340 is the determined cDNA sequence for P778P

SEQ ID NO: 341 is the determined cDNA sequence for P786P

SEQ ID NO: 342 is the determined cDNA sequence for P789P

SEQ ID NO: 343 is the determined cDNA sequence for a clone showing homology to Homo sapiens MM46 mRNA

SEQ ID NO: 344 is the determined cDNA sequence for a clone showing homology to Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA

SEQ ID NO: 345 is the determined cDNA sequence for a clone showing homology to Homo sapiens mRNA for E-cadherin

SEQ ID NO: 346 is the determined cDNA sequence for a clone showing homology to Human nuclear-encoded mitochondrial serine hydroxymethyltransferase (SHMT)

SEQ ID NO: 347 is the determined cDNA sequence for a clone showing homology to Homo sapiens natural resistance-associated macrophage protein2 (NRAMP2)

SEQ ID NO: 348 is the determined cDNA sequence for a clone showing homology to Homo sapiens phosphoglucomutase-related protein (PGMRP)

SEQ ID NO: 349 is the determined cDNA sequence for a clone showing homology to Human mRNA for proteosome subunit p40

SEQ ID NO: 350 is the determined cDNA sequence for P777P

SEQ ID NO: 351 is the determined cDNA sequence for P779P

SEQ ID NO: 352 is the determined cDNA sequence for P790P

SEQ ID NO: 353 is the determined cDNA sequence for P784P

SEQ ID NO: 354 is the determined cDNA sequence for P776P

SEQ ID NO: 355 is the determined cDNA sequence for P780P

SEQ ID NO: 356 is the determined cDNA sequence for P544S

SEQ ID NO: 357 is the determined cDNA sequence for P745S

SEQ ID NO: 358 is the determined cDNA sequence for P782P

SEQ ID NO: 359 is the determined cDNA sequence for P783P

SEQ ID NO: 360 is the determined cDNA sequence for unknown 17984

SEQ ID NO: 361 is the determined cDNA sequence for P787P

SEQ ID NO: 362 is the determined cDNA sequence for P788P

SEQ ID NO: 363 is the determined cDNA sequence for unknown 17994

SEQ ID NO: 364 is the determined cDNA sequence for P781P

SEQ ID NO: 365 is the determined cDNA sequence for P785P

SEQ ID NO: 366-375 are the determined cDNA sequences for splice variants of B305D.

SEQ ID NO: 376 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 366.

SEQ ID NO: 377 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 372.

SEQ ID NO: 378 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 373.

SEQ ID NO: 379 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 374.

SEQ ID NO: 380 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 375.

SEQ ID NO: 381 is the determined cDNA sequence for B716P.
SEQ ID NO: 382 is the determined full-length cDNA sequence for P711P.
SEQ ID NO: 383 is the predicted amino acid sequence for P711P.
SEQ ID NO: 384 is the cDNA sequence for P1000C.
SEQ ID NO: 385 is the cDNA sequence for CGI-82.
SEQ ID NO:386 is the cDNA sequence for 23320.
SEQ ID NO:387 is the cDNA sequence for CGI-69.
SEQ ID NO:388 is the cDNA sequence for L-itol-2-dehydrogenase.
SEQ ID NO:389 is the cDNA sequence for 23379.
SEQ ID NO:390 is the cDNA sequence for 23381.
SEQ ID NO:391 is the cDNA sequence for KIAA0122.
SEQ ID NO:392 is the cDNA sequence for 23399.
SEQ ID NO:393 is the cDNA sequence for a previously identified gene.
SEQ ID NO:394 is the cDNA sequence for HCLBP.
SEQ ID NO:395 is the cDNA sequence for transglutaminase.
SEQ ID NO:396 is the cDNA sequence for a previously identified gene.
SEQ ID NO:397 is the cDNA sequence for PAP.
SEQ ID NO:398 is the cDNA sequence for Ets transcription factor PDEF.
SEQ ID NO:399 is the cDNA sequence for hTGR.
SEQ ID NO:400 is the cDNA sequence for KIAA0295.
SEQ ID NO:401 is the cDNA sequence for 22545.
SEQ ID NO:402 is the cDNA sequence for 22547.
SEQ ID NO:403 is the cDNA sequence for 22548.
SEQ ID NO:404 is the cDNA sequence for 22550.
SEQ ID NO:405 is the cDNA sequence for 22551.
SEQ ID NO:406 is the cDNA sequence for 22552.
SEQ ID NO:407 is the cDNA sequence for 22553.
SEQ ID NO:408 is the cDNA sequence for 22558.
SEQ ID NO:409 is the cDNA sequence for 22562.
SEQ ID NO:410 is the cDNA sequence for 22565.

SEQ ID NO:411 is the cDNA sequence for 22567.
SEQ ID NO:412 is the cDNA sequence for 22568.
SEQ ID NO:413 is the cDNA sequence for 22570.
SEQ ID NO:414 is the cDNA sequence for 22571.
SEQ ID NO:415 is the cDNA sequence for 22572.
SEQ ID NO:416 is the cDNA sequence for 22573.
SEQ ID NO:417 is the cDNA sequence for 22573.
SEQ ID NO:418 is the cDNA sequence for 22575.
SEQ ID NO:419 is the cDNA sequence for 22580.
SEQ ID NO:420 is the cDNA sequence for 22581.
SEQ ID NO:421 is the cDNA sequence for 22582.
SEQ ID NO:422 is the cDNA sequence for 22583.
SEQ ID NO:423 is the cDNA sequence for 22584.
SEQ ID NO:424 is the cDNA sequence for 22585.
SEQ ID NO:425 is the cDNA sequence for 22586.
SEQ ID NO:426 is the cDNA sequence for 22587.
SEQ ID NO:427 is the cDNA sequence for 22588.
SEQ ID NO:428 is the cDNA sequence for 22589.
SEQ ID NO:429 is the cDNA sequence for 22590.
SEQ ID NO:430 is the cDNA sequence for 22591.
SEQ ID NO:431 is the cDNA sequence for 22592.
SEQ ID NO:432 is the cDNA sequence for 22593.
SEQ ID NO:433 is the cDNA sequence for 22594.
SEQ ID NO:434 is the cDNA sequence for 22595.
SEQ ID NO:435 is the cDNA sequence for 22596.
SEQ ID NO:436 is the cDNA sequence for 22847.
SEQ ID NO:437 is the cDNA sequence for 22848.
SEQ ID NO:438 is the cDNA sequence for 22849.
SEQ ID NO:439 is the cDNA sequence for 22851.
SEQ ID NO:440 is the cDNA sequence for 22852.

SEQ ID NO:441 is the cDNA sequence for 22853.
SEQ ID NO:442 is the cDNA sequence for 22854.
SEQ ID NO:443 is the cDNA sequence for 22855.
SEQ ID NO:444 is the cDNA sequence for 22856.
SEQ ID NO:445 is the cDNA sequence for 22857.
SEQ ID NO:446 is the cDNA sequence for 23601.
SEQ ID NO:447 is the cDNA sequence for 23602.
SEQ ID NO:448 is the cDNA sequence for 23605.
SEQ ID NO:449 is the cDNA sequence for 23606.
SEQ ID NO:450 is the cDNA sequence for 23612.
SEQ ID NO:451 is the cDNA sequence for 23614.
SEQ ID NO:452 is the cDNA sequence for 23618.
SEQ ID NO:453 is the cDNA sequence for 23622.
SEQ ID NO:454 is the cDNA sequence for folate hydrolase.
SEQ ID NO:455 is the cDNA sequence for LIM protein.
SEQ ID NO:456 is the cDNA sequence for a known gene.
SEQ ID NO:457 is the cDNA sequence for a known gene.
SEQ ID NO:458 is the cDNA sequence for a previously identified gene.
SEQ ID NO:459 is the cDNA sequence for 23045.
SEQ ID NO:460 is the cDNA sequence for 23032.
SEQ ID NO:461 is the cDNA sequence for 23054.
SEQ ID NOs:462-467 are cDNA sequences for known genes.
SEQ ID NOs:468-471 are cDNA sequences for P710P.
SEQ ID NO:472 is a cDNA sequence for P1001C.
SEQ ID NO:473 is the amino acid sequence for PSMA.
SEQ ID NO:474 is the amino acid sequence for PAP.
SEQ ID NO:475 is the amino acid sequence for PSA.
SEQ ID NO:476 is the amino acid sequence for a fusion protein containing PSA, P703P and P501S.

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer. The compositions described herein may include prostate tumor polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic portion) of a prostate tumor protein or a variant thereof. A "prostate tumor protein" is a protein that is expressed in prostate tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a normal tissue, as determined using a representative assay provided herein. Certain prostate tumor proteins are tumor proteins that react detectably (within an immunoassay, such as an ELISA or Western blot) with antisera of a patient afflicted with prostate cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery of human prostate tumor proteins. Sequences of polynucleotides encoding certain tumor proteins, or portions thereof, are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472. Sequences of polypeptides comprising at least a portion of a tumor protein are provided in SEQ ID NOs:112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380 and 383.

PROSTATE TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a prostate tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a prostate tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a prostate tumor protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a prostate tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the encoded polypeptide is not diminished, relative to a native tumor protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native prostate tumor protein or a portion thereof.

Two polynucleotide or polypeptide sequences are said to be "identical" if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions,

usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenies pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad. Sci. USA* 80:726-730.

Preferably, the “percentage of sequence identity” is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (*i.e.*, gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are

capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native prostate tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least five fold greater in a prostate tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as prostate tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (*e.g.*, a prostate tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (*e.g.*, by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (*see* Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (see Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (e.g., NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence.

Certain nucleic acid sequences of cDNA molecules encoding at least a portion of a prostate tumor protein are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472. Isolation of these polynucleotides is described below. Each of these prostate tumor proteins was overexpressed in prostate tumor tissue.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may

also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a prostate tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (*e.g.*, by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a prostate tumor polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In* Huber and Carr, *Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (*e.g.*, promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl- methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (*e.g.*, avian pox virus). Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

PROSTATE TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a prostate tumor protein or a variant thereof, as described herein. As noted above, a "prostate tumor protein" is a protein that is expressed by prostate tumor cells. Proteins that are prostate tumor proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with prostate cancer. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a prostate tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may contain a small N- and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera

and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native prostate tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

As noted above, a composition may comprise a variant of a native prostate tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native prostate tumor protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein. Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most

preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydropathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (*e.g.*, poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression

vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast and higher eukaryotic cells. Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be

targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

In certain embodiments, the present invention provides fusion proteins comprising a polypeptide disclosed herein together with at least one of the following known prostate antigens: prostate specific antigen (PSA); prostatic acid phosphatase (PAP); and prostate specific membrane antigen (PSMA). The protein sequences for PSMA, PAP and PSA are provided in SEQ ID NO: 473-475, respectively. In certain embodiments, the fusion proteins of the present invention comprise PSA, PAP and/or PSMA in combination with one or more of the following the inventive antigens: P501S (amino acid sequence provided in SEQ ID NO: 113); P703P (amino acid sequences provided in SEQ ID NO: 327, 329, 331); P704P (cDNA sequence provided in SEQ ID NO: 67); P712P (cDNA sequence provided in SEQ ID NO: 308); P775P (cDNA sequence provided in SEQ ID NO: 311); P776P (cDNA sequence provided in SEQ ID NO: 354); P790P (cDNA sequence provided in SEQ ID NO: 352). The amino acid sequence of a fusion protein of PSA, P703P and P501S is provided in SEQ ID NO: 476. In preferred embodiments, the inventive fusion proteins comprise one of the following combinations of antigens: PSA and P703P; PSA and P501S; PAP and P703P; PAP and P501S; PSMA and P703P; PSMA and P501S; PSA, PAP and P703P; PSA, PAP and P501S; PSA, PAP, PSMA and P703P, PSA, PAP, PSMA and P501S. One of skill in the art will appreciate that the order of polypeptides within a fusion protein can be altered without substantially changing the therapeutic, prophylactic or diagnostic properties of the fusion protein.

The fusion proteins described above are more immunogenic and will be effective in a greater number of prostate cancer patients than any of the individual components alone. The use of multiple antigens in the form of a fusion protein also lessens the likelihood of immunologic escape.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide

components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see*, for example, Stoute et al. *New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-

terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a prostate tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a prostate tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a prostate tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about 10^3 L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as prostate cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a prostate tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal

indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. *See, e.g.*, Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (*e.g.*, mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988) and digested

by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a prostate tumor protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the CEPRATE™ system, available from CellPro Inc., Bothell WA (*see also* U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a prostate tumor polypeptide, polynucleotide encoding a prostate tumor polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a prostate tumor polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a prostate tumor polypeptide if the T cells kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively,

detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell proliferation can be detected by measuring an increased rate of DNA synthesis (*e.g.*, by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a prostate tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (*e.g.*, TNF or IFN-γ) is indicative of T cell activation (*see* Coligan et al., Current Protocols in Immunology, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a prostate tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Prostate tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a prostate tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a prostate tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a prostate tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a prostate tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions

or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and a non-specific immune response enhancer. A non-specific immune response enhancer may be any substance that enhances an immune response to an exogenous antigen. Examples of non-specific immune response enhancers include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (*e.g.*, vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner

et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) and/or preservatives. Alternatively, compositions of the present invention may be

formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of non-specific immune response enhancers may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- γ , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6, IL-10 and TNF- β) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3'-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt.

MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT; see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule or sponge that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific

immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*) and based on the lack of differentiation markers of B cells (CD19 and CD20), T cells (CD3), monocytes (CD14) and natural killer cells (CD56), as determined using standard assays. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into

dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor, mannose receptor and DEC-205 marker. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80 and CD86).

APCs may generally be transfected with a polynucleotide encoding a prostate tumor protein (or portion or other variant thereof) such that the prostate tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the prostate tumor polypeptide, DNA (naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be

pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as prostate cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The

polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see, for example, Cheever et al., Immunological Reviews 157:177, 1997*).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g., intracutaneous,*

intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 100 μ g to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a prostate tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more prostate tumor proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine and/or tumor biopsies) obtained from

the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as prostate cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a prostate tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. *See, e.g.,* Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length prostate tumor proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 μ g, and preferably about 100 ng to about 1 μ g, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.,* Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized

on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with prostate cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed

and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as prostate cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent. Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use prostate tumor polypeptides to detect antibodies that bind to such polypeptides in a biological sample. The detection of such prostate tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a prostate tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a prostate tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with prostate tumor polypeptide (*e.g.*, 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of prostate tumor polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a prostate tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a prostate tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (*i.e.*, hybridizes to) a polynucleotide encoding the prostate tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a prostate tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%,

preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a prostate tumor protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375 and 381. Techniques for both PCR based assays and hybridization assays are well known in the art (*see*, for example, Mullis et al., *Cold Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich ed., *PCR Technology*, Stockton Press, NY, 1989).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter

performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor. One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple prostate tumor protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a prostate tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a prostate tumor protein in a biological sample. Such kits generally comprise

at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a prostate tumor protein. Such an oligonucleotide may be used, for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a prostate tumor protein.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLES

EXAMPLE 1

ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES

This Example describes the isolation of certain prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library was constructed from prostate tumor poly A⁺ RNA using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD 20897) following the manufacturer's protocol. Specifically, prostate tumor tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A⁺ RNA was then purified using a Qiagen oligotex spin column mRNA purification kit (Qiagen, Santa Clarita, CA 91355) according to the manufacturer's protocol. First-strand cDNA was synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with EcoRI/BAXI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with Chroma Spin-1000 columns (Clontech, Palo Alto, CA), the cDNA was ligated into the EcoRI/NotI site of pCDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life Technologies) by electroporation.

Using the same procedure, a normal human pancreas cDNA expression library was prepared from a pool of six tissue specimens (Clontech). The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The prostate tumor library contained 1.64×10^7 independent colonies, with 70% of clones having an insert and the average insert size being 1745 base pairs. The normal pancreas cDNA library contained 3.3×10^6 independent colonies, with 69% of clones

having inserts and the average insert size being 1120 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA, with minimal rRNA and mitochondrial DNA contamination.

cDNA library subtraction was performed using the above prostate tumor and normal pancreas cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a prostate tumor-specific subtracted cDNA library was generated as follows. Normal pancreas cDNA library (70 µg) was digested with EcoRI, NotI, and SfuI, followed by a filling-in reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 100 µl of H₂O, heat-denatured and mixed with 100 µl (100 µg) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (50 µl) was added and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 µl H₂O to form the driver DNA.

To form the tracer DNA, 10 µg prostate tumor cDNA library was digested with BamHI and XhoI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech). Following ethanol precipitation, the tracer DNA was dissolved in 5 µl H₂O. Tracer DNA was mixed with 15 µl driver DNA and 20 µl of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 µl H₂O, mixed with 8 µl driver DNA and 20 µl of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into BamHI/XhoI site of chloramphenicol resistant pBCSK⁺ (Stratagene, La Jolla, CA 92037) and transformed into ElectroMax E.

coli DH10B cells by electroporation to generate a prostate tumor specific subtracted cDNA library (referred to as "prostate subtraction 1").

To analyze the subtracted cDNA library, plasmid DNA was prepared from 100 independent clones, randomly picked from the subtracted prostate tumor specific library and grouped based on insert size. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A (Foster City, CA). Six cDNA clones, hereinafter referred to as F1-13, F1-12, F1-16, H1-1, H1-9 and H1-4, were shown to be abundant in the subtracted prostate-specific cDNA library. The determined 3' and 5' cDNA sequences for F1-12 are provided in SEQ ID NO: 2 and 3, respectively, with determined 3' cDNA sequences for F1-13, F1-16, H1-1, H1-9 and H1-4 being provided in SEQ ID NO: 1 and 4-7, respectively.

The cDNA sequences for the isolated clones were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). Four of the prostate tumor cDNA clones, F1-13, F1-16, H1-1, and H1-4, were determined to encode the following previously identified proteins: prostate specific antigen (PSA), human glandular kallikrein, human tumor expression enhanced gene, and mitochondria cytochrome C oxidase subunit II. H1-9 was found to be identical to a previously identified human autonomously replicating sequence. No significant homologies to the cDNA sequence for F1-12 were found.

Subsequent studies led to the isolation of a full-length cDNA sequence for F1-12. This sequence is provided in SEQ ID NO: 107, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 108.

To clone less abundant prostate tumor specific genes, cDNA library subtraction was performed by subtracting the prostate tumor cDNA library described above with the normal pancreas cDNA library and with the three most abundant genes in the previously subtracted prostate tumor specific cDNA library: human glandular kallikrein, prostate specific antigen (PSA), and mitochondria cytochrome C oxidase subunit II. Specifically, 1 μ g each of human glandular kallikrein, PSA and mitochondria cytochrome C oxidase subunit II cDNAs in pCDNA3.1 were added to the

driver DNA and subtraction was performed as described above to provide a second subtracted cDNA library hereinafter referred to as the "subtracted prostate tumor specific cDNA library with spike".

Twenty-two cDNA clones were isolated from the subtracted prostate tumor specific cDNA library with spike. The determined 3' and 5' cDNA sequences for the clones referred to as J1-17, L1-12, N1-1862, J1-13, J1-19, J1-25, J1-24, K1-58, K1-63, L1-4 and L1-14 are provided in SEQ ID NOS: 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-21, 22-23, 24-25, 26-27 and 28-29, respectively. The determined 3' cDNA sequences for the clones referred to as J1-12, J1-16, J1-21, K1-48, K1-55, L1-2, L1-6, N1-1858, N1-1860, N1-1861, N1-1864 are provided in SEQ ID NOS: 30-40, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to three of the five most abundant DNA species, (J1-17, L1-12 and N1-1862; SEQ ID NOS: 8-9, 10-11 and 12-13, respectively). Of the remaining two most abundant species, one (J1-12; SEQ ID NO:30) was found to be identical to the previously identified human pulmonary surfactant-associated protein, and the other (K1-48; SEQ ID NO:33) was determined to have some homology to *R. norvegicus* mRNA for 2-arylpropionyl-CoA epimerase. Of the 17 less abundant cDNA clones isolated from the subtracted prostate tumor specific cDNA library with spike, four (J1-16, K1-55, L1-6 and N1-1864; SEQ ID NOS:31, 34, 36 and 40, respectively) were found to be identical to previously identified sequences, two (J1-21 and N1-1860; SEQ ID NOS: 32 and 38, respectively) were found to show some homology to non-human sequences, and two (L1-2 and N1-1861; SEQ ID NOS: 35 and 39, respectively) were found to show some homology to known human sequences. No significant homologies were found to the polypeptides J1-13, J1-19, J1-24, J1-25, K1-58, K1-63, L1-4, L1-14 (SEQ ID NOS: 14-15, 16-17, 20-21, 18-19, 22-23, 24-25, 26-27, 28-29, respectively).

Subsequent studies led to the isolation of full length cDNA sequences for J1-17, L1-12 and N1-1862 (SEQ ID NOS: 109-111, respectively). The corresponding predicted amino acid sequences are provided in SEQ ID NOS: 112-114. L1-12 is also referred to as P501S.

In a further experiment, four additional clones were identified by subtracting a prostate tumor cDNA library with normal prostate cDNA prepared from a pool of three normal prostate poly A+ RNA (referred to as "prostate subtraction 2"). The determined cDNA sequences for these clones, hereinafter referred to as U1-3064, U1-3065, V1-3692 and 1A-3905, are provided in SEQ ID NO: 69-72, respectively. Comparison of the determined sequences with those in the gene bank revealed no significant homologies to U1-3065.

A second subtraction with spike (referred to as "prostate subtraction spike 2") was performed by subtracting a prostate tumor specific cDNA library with spike with normal pancreas cDNA library and further spiked with PSA, J1-17, pulmonary surfactant-associated protein, mitochondrial DNA, cytochrome c oxidase subunit II, N1-1862, autonomously replicating sequence, L1-12 and tumor expression enhanced gene. Four additional clones, hereinafter referred to as V1-3686, R1-2330, 1B-3976 and V1-3679, were isolated. The determined cDNA sequences for these clones are provided in SEQ ID NO:73-76, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to V1-3686 and R1-2330.

Further analysis of the three prostate subtractions described above (prostate subtraction 2, subtracted prostate tumor specific cDNA library with spike, and prostate subtraction spike 2) resulted in the identification of sixteen additional clones, referred to as 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1G-4734, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4810, 1I-4811, 1J-4876, 1K-4884 and 1K-4896. The determined cDNA sequences for these clones are provided in SEQ ID NOS: 77-92, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to 1G-4741, 1G-4734, 1I-4807, 1J-4876 and 1K-4896 (SEQ ID NOS: 79, 81, 87, 90 and 92, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4807, 1J-4876, 1K-4884 and 1K-4896, provided in SEQ ID NOS: 179-188 and 191-193,

respectively, and to the determination of additional partial cDNA sequences for 1I-4810 and 1I-4811, provided in SEQ ID NOS: 189 and 190, respectively.

Additional studies with prostate subtraction spike 2 resulted in the isolation of three more clones. Their sequences were determined as described above and compared to the most recent GenBank. All three clones were found to have homology to known genes, which are Cysteine-rich protein, KIAA0242, and KIAA0280 (SEQ ID NO: 317, 319, and 320, respectively). Further analysis of these clones by Synteni microarray (Synteni, Palo Alto, CA) demonstrated that all three clones were over-expressed in most prostate tumors and prostate BPH, as well as in the majority of normal prostate tissues tested, but low expression in all other normal tissues.

An additional subtraction was performed by subtracting a normal prostate cDNA library with normal pancreas cDNA (referred to as "prostate subtraction 3"). This led to the identification of six additional clones referred to as 1G-4761, 1G-4762, 1H-4766, 1H-4770, 1H-4771 and 1H-4772 (SEQ ID NOS: 93-98). Comparison of these sequences with those in the gene bank revealed no significant homologies to 1G-4761 and 1H-4771 (SEQ ID NOS: 93 and 97, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4761, 1G-4762, 1H-4766 and 1H-4772 provided in SEQ ID NOS: 194-196 and 199, respectively, and to the determination of additional partial cDNA sequences for 1H-4770 and 1H-4771, provided in SEQ ID NOS: 197 and 198, respectively.

Subtraction of a prostate tumor cDNA library, prepared from a pool of polyA⁺ RNA from three prostate cancer patients, with a normal pancreas cDNA library (prostate subtraction 4) led to the identification of eight clones, referred to as 1D-4297, 1D-4309, 1D-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280 (SEQ ID NOS: 99-107). These sequences were compared to those in the gene bank as described above. No significant homologies were found to 1D-4283 and 1D-4304 (SEQ ID NOS: 103 and 104, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1D-4309, 1D-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280, provided in SEQ ID NOS: 200-206, respectively.

cDNA clones isolated in prostate subtraction 1 and prostate subtraction 2, described above, were colony PCR amplified and their mRNA expression levels in prostate tumor, normal prostate and in various other normal tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Two clones (referred to as P509S and P510S) were found to be over-expressed in prostate tumor and normal prostate and expressed at low levels in all other normal tissues tested (liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon). The determined cDNA sequences for P509S and P510S are provided in SEQ ID NO: 223 and 224, respectively. Comparison of these sequences with those in the gene bank as described above, revealed some homology to previously identified ESTs.

Additional, studies led to the isolation of the full-length cDNA sequence for P509S. This sequence is provided in SEQ ID NO: 332, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 339.

EXAMPLE 2

DETERMINATION OF TISSUE SPECIFICITY OF PROSTATE TUMOR POLYPEPTIDES

Using gene specific primers, mRNA expression levels for the representative prostate tumor polypeptides F1-16, H1-1, J1-17 (also referred to as P502S), L1-12 (also referred to as P501S), F1-12 (also referred to as P504S) and N1-1862 (also referred to as P503S) were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 1-2 μ g of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR, β -actin was used as an internal control for each of the tissues examined. First, serial dilutions of the first strand cDNAs were prepared and RT-PCR assays were performed using β -actin specific primers. A dilution was then chosen that enabled the linear range amplification of the β -actin template and which was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the β -actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in four different types of tumor tissue (prostate tumor from 2 patients, breast tumor from 3 patients, colon tumor, lung tumor), and sixteen different normal tissues, including prostate, colon, kidney, liver, lung, ovary, pancreas, skeletal muscle, skin, stomach, testes, bone marrow and brain. F1-16 was found to be expressed at high levels in prostate tumor tissue, colon tumor and normal prostate, and at lower levels in normal liver, skin and testes, with expression being undetectable in the other tissues examined. H1-1 was found to be expressed at high levels in prostate tumor, lung tumor, breast tumor, normal prostate, normal colon and normal brain, at much lower levels in normal lung, pancreas, skeletal muscle, skin, small intestine, bone marrow, and was not detected in the other tissues tested. J1-17 (P502S) and L1-12 (P501S) appear to be specifically over-expressed in prostate, with both genes being expressed at high levels in prostate tumor and normal prostate but at low to undetectable levels in all the other tissues examined. N1-1862 (P503S) was found to be over-expressed in 60% of prostate tumors and detectable in normal colon and kidney. The RT-PCR results thus indicate that F1-16, H1-1, J1-17 (P502S), N1-1862 (P503S) and L1-12 (P501S) are either prostate specific or are expressed at significantly elevated levels in prostate.

Further RT-PCR studies showed that F1-12 (P504S) is over-expressed in 60% of prostate tumors, detectable in normal kidney but not detectable in all other tissues tested. Similarly, R1-2330 was shown to be over-expressed in 40% of prostate tumors, detectable in normal kidney and liver, but not detectable in all other tissues tested. U1-3064 was found to be over-expressed in 60% of prostate tumors, and also expressed in breast and colon tumors, but was not detectable in normal tissues.

RT-PCR characterization of R1-2330, U1-3064 and 1D-4279 showed that these three antigens are over-expressed in prostate and/or prostate tumors.

Northern analysis with four prostate tumors, two normal prostate samples, two BPH prostates, and normal colon, kidney, liver, lung, pancreas, skeletal muscle, brain, stomach, testes, small intestine and bone marrow, showed that L1-12 (P501S) is over-expressed in prostate tumors and normal prostate, while being undetectable in other normal tissues tested. J1-17 (P502S) was detected in two prostate tumors and not in the other tissues tested. N1-1862 (P503S) was found to be over-expressed in three prostate tumors and to be expressed in normal prostate, colon and kidney, but not in other tissues tested. F1-12 (P504S) was found to be highly expressed in two prostate tumors and to be undetectable in all other tissues tested.

The microarray technology described above was used to determine the expression levels of representative antigens described herein in prostate tumor, breast tumor and the following normal tissues: prostate, liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon. L1-12 (P501S) was found to be over-expressed in normal prostate and prostate tumor, with some expression being detected in normal skeletal muscle. Both J1-12 and F1-12 (P504S) were found to be over-expressed in prostate tumor, with expression being lower or undetectable in all other tissues tested. N1-1862 (P503S) was found to be expressed at high levels in prostate tumor and normal prostate, and at low levels in normal large intestine and normal colon, with expression being undetectable in all other tissues tested. R1-2330 was found to be over-expressed in prostate tumor and normal prostate, and to be expressed at lower levels in all other tissues tested. 1D-4279 was found to be over-

expressed in prostate tumor and normal prostate, expressed at lower levels in normal spinal cord, and to be undetectable in all other tissues tested.

Further microarray analysis to specifically address the extent to which P501S (SEQ ID NO: 110) was expressed in breast tumor revealed moderate over-expression not only in breast tumor, but also in metastatic breast tumor (2/31), with negligible to low expression in normal tissues. This data suggests that P501S may be over-expressed in various breast tumors as well as in prostate tumors.

The expression levels of 32 ESTs (expressed sequence tags) described by Vasmatzis *et al.* (*Proc. Natl. Acad. Sci. USA* 95:300-304, 1998) in a variety of tumor and normal tissues were examined by microarray technology as described above. Two of these clones (referred to as P1000C and P1001C) were found to be over-expressed in prostate tumor and normal prostate, and expressed at low to undetectable levels in all other tissues tested (normal aorta, thymus, resting and activated PBMC, epithelial cells, spinal cord, adrenal gland, fetal tissues, skin, salivary gland, large intestine, bone marrow, liver, lung, dendritic cells, stomach, lymph nodes, brain, heart, small intestine, skeletal muscle, colon and kidney. The determined cDNA sequences for P1000C and P1001C are provided in SEQ ID NO: 384 and 472, respectively. The sequence of P1001C was found to show some homology to the previously isolated Human mRNA for JM27 protein. No significant homologies were found to the sequence of P1000C.

The expression of the polypeptide encoded by the full length cDNA sequence for F1-12 (also referred to as P504S; SEQ ID NO: 108) was investigated by immunohistochemical analysis. Rabbit-anti-P504S polyclonal antibodies were generated against the full length P504S protein by standard techniques. Subsequent isolation and characterization of the polyclonal antibodies were also performed by techniques well known in the art. Immunohistochemical analysis showed that the P504S polypeptide was expressed in 100% of prostate carcinoma samples tested (n=5).

The rabbit-anti-P504S polyclonal antibody did not appear to label benign prostate cells with the same cytoplasmic granular staining, but rather with light nuclear staining. Analysis of normal tissues revealed that the encoded polypeptide was found to be expressed in some, but not all normal human tissues. Positive

cytoplasmic staining with rabbit-anti-P504S polyclonal antibody was found in normal human kidney, liver, brain, colon and lung-associated macrophages, whereas heart and bone marrow were negative.

This data indicates that the P504S polypeptide is present in prostate cancer tissues, and that there are qualitative and quantitative differences in the staining between benign prostatic hyperplasia tissues and prostate cancer tissues, suggesting that this polypeptide may be detected selectively in prostate tumors and therefore be useful in the diagnosis of prostate cancer.

EXAMPLE 3

ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA subtraction library, containing cDNA from normal prostate subtracted with ten other normal tissue cDNAs (brain, heart, kidney, liver, lung, ovary, placenta, skeletal muscle, spleen and thymus) and then submitted to a first round of PCR amplification, was purchased from Clontech. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector pT7 Blue T-vector (Novagen, Madison, WI) and transformed into XL-1 Blue MRF' *E. coli* (Stratagene). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

Fifty-nine positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the gene bank, as described above, revealed no significant homologies to 25 of these clones, hereinafter referred to as P5, P8, P9, P18, P20, P30, P34, P36, P38, P39, P42, P49, P50, P53, P55, P60, P64, P65, P73, P75, P76, P79 and P84. The determined cDNA sequences for these clones are provided in SEQ ID NO: 41-45, 47-52 and 54-65, respectively. P29, P47, P68, P80 and P82 (SEQ ID NO: 46, 53 and 66-68, respectively) were found to show some degree of homology to

previously identified DNA sequences. To the best of the inventors' knowledge, none of these sequences have been previously shown to be present in prostate.

Further studies using the PCR-based methodology described above resulted in the isolation of more than 180 additional clones, of which 23 clones were found to show no significant homologies to known sequences. The determined cDNA sequences for these clones are provided in SEQ ID NO: 115-123, 127, 131, 137, 145, 147-151, 153, 156-158 and 160. Twenty-three clones (SEQ ID NO: 124-126, 128-130, 132-136, 138-144, 146, 152, 154, 155 and 159) were found to show some homology to previously identified ESTs. An additional ten clones (SEQ ID NO: 161-170) were found to have some degree of homology to known genes. Larger cDNA clones containing the P20 sequence represent splice variants of a gene referred to as P703P. The determined DNA sequence for the variants referred to as DE1, DE13 and DE14 are provided in SEQ ID NOS: 171, 175 and 177, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 172, 176 and 178, respectively. The determined cDNA sequence for an extended spliced form of P703 is provided in SEQ ID NO: 225. The DNA sequences for the splice variants referred to as DE2 and DE6 are provided in SEQ ID NOS: 173 and 174, respectively.

mRNA Expression levels for representative clones in tumor tissues (prostate (n=5), breast (n=2), colon and lung) normal tissues (prostate (n=5), colon, kidney, liver, lung (n=2), ovary (n=2), skeletal muscle, skin, stomach, small intestine and brain), and activated and non-activated PBMC was determined by RT-PCR as described above. Expression was examined in one sample of each tissue type unless otherwise indicated.

P9 was found to be highly expressed in normal prostate and prostate tumor compared to all normal tissues tested except for normal colon which showed comparable expression. P20, a portion of the P703P gene, was found to be highly expressed in normal prostate and prostate tumor, compared to all twelve normal tissues tested. A modest increase in expression of P20 in breast tumor (n=2), colon tumor and lung tumor was seen compared to all normal tissues except lung (1 of 2). Increased expression of P18 was found in normal prostate, prostate tumor and breast tumor

compared to other normal tissues except lung and stomach. A modest increase in expression of P5 was observed in normal prostate compared to most other normal tissues. However, some elevated expression was seen in normal lung and PBMC. Elevated expression of P5 was also observed in prostate tumors (2 of 5), breast tumor and one lung tumor sample. For P30, similar expression levels were seen in normal prostate and prostate tumor, compared to six of twelve other normal tissues tested. Increased expression was seen in breast tumors, one lung tumor sample and one colon tumor sample, and also in normal PBMC. P29 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to the majority of normal tissues. However, substantial expression of P29 was observed in normal colon and normal lung (2 of 2). P80 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to all other normal tissues tested, with increased expression also being seen in colon tumor.

Further studies resulted in the isolation of twelve additional clones, hereinafter referred to as 10-d8, 10-h10, 11-c8, 7-g6, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3, 8-h11, 9-f12 and 9-f3. The determined DNA sequences for 10-d8, 10-h10, 11-c8, 8-d4, 8-d9, 8-h11, 9-f12 and 9-f3 are provided in SEQ ID NO: 207, 208, 209, 216, 217, 220, 221 and 222, respectively. The determined forward and reverse DNA sequences for 7-g6, 8-b5, 8-b6 and 8-g3 are provided in SEQ ID NO: 210 and 211; 212 and 213; 214 and 215; and 218 and 219, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to the sequence of 9-f3. The clones 10-d8, 11-c8 and 8-h11 were found to show some homology to previously isolated ESTs, while 10-h10, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3 and 9-f12 were found to show some homology to previously identified genes. Further characterization of 7-G6 and 8-G3 showed identity to the known genes PAP and PSA, respectively.

mRNA expression levels for these clones were determined using the micro-array technology described above. The clones 7-G6, 8-G3, 8-B5, 8-B6, 8-D4, 8-D9, 9-F3, 9-F12, 9-H3, 10-A2, 10-A4, 11-C9 and 11-F2 were found to be over-expressed in prostate tumor and normal prostate, with expression in other tissues tested being low or undetectable. Increased expression of 8-F11 was seen in prostate tumor

and normal prostate, bladder, skeletal muscle and colon. Increased expression of 10-H10 was seen in prostate tumor and normal prostate, bladder, lung, colon, brain and large intestine. Increased expression of 9-B1 was seen in prostate tumor, breast tumor, and normal prostate, salivary gland, large intestine and skin, with increased expression of 11-C8 being seen in prostate tumor, and normal prostate and large intestine.

An additional cDNA fragment derived from the PCR-based normal prostate subtraction, described above, was found to be prostate specific by both microarray technology and RT-PCR. The determined cDNA sequence of this clone (referred to as 9-A11) is provided in SEQ ID NO: 226. Comparison of this sequence with those in the public databases revealed 99% identity to the known gene HOXB13.

Further studies led to the isolation of the clones 8-C6 and 8-H7. The determined cDNA sequences for these clones are provided in SEQ ID NO: 227 and 228, respectively. These sequences were found to show some homology to previously isolated ESTs.

PCR and hybridization-based methodologies were employed to obtain longer cDNA sequences for clone P20 (also referred to as P703P), yielding three additional cDNA fragments that progressively extend the 5' end of the gene. These fragments, referred to as P703PDE5, P703P6.26, and P703PX-23 (SEQ ID NO: 326, 328 and 330, with the predicted corresponding amino acid sequences being provided in SEQ ID NO: 327, 329 and 331, respectively) contain additional 5' sequence. P703PDE5 was recovered by screening of a cDNA library (#141-26) with a portion of P703P as a probe. P703P6.26 was recovered from a mixture of three prostate tumor cDNAs and P703PX_23 was recovered from cDNA library (#438-48). Together, the additional sequences include all of the putative mature serine protease along with part of the putative signal sequence. Further studies using a PCR-based subtraction library of a prostate tumor pool subtracted against a pool of normal tissues (referred to as JP: PCR subtraction) resulted in the isolation of thirteen additional clones, seven of which did not share any significant homology to known GenBank sequences. The determined cDNA sequences for these seven clones (P711P, P712P, novel 23, P774P, P775P, P710P and P768P) are provided in SEQ ID NO: 307-311, 313 and 315, respectively.

The remaining six clones (SEQ ID NO: 316 and 321-325) were shown to share some homology to known genes. By microarray analysis, all thirteen clones showed three or more fold over-expression in prostate tissues, including prostate tumors, BPH and normal prostate as compared to normal non-prostate tissues. Clones P711P, P712P, novel 23 and P768P showed over-expression in most prostate tumors and BPH tissues tested (n=29), and in the majority of normal prostate tissues (n=4), but background to low expression levels in all normal tissues. Clones P774P, P775P and P710P showed comparatively lower expression and expression in fewer prostate tumors and BPH samples, with negative to low expression in normal prostate.

The full-length cDNA for P711P was obtained by employing the partial sequence of SEQ ID NO: 307 to screen a prostate cDNA library. Specifically, a directionally cloned prostate cDNA library was prepared using standard techniques. One million colonies of this library were plated onto LB/Amp plates. Nylon membrane filters were used to lift these colonies, and the cDNAs which were picked up by these filters were denatured and cross-linked to the filters by UV light. The P711P cDNA fragment of SEQ ID NO: 307 was radio-labeled and used to hybridize with these filters. Positive clones were selected, and cDNAs were prepared and sequenced using an automatic Perkin Elmer/Applied Biosystems sequencer. The determined full-length sequence of P711P is provided in SEQ ID NO: 382, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 383.

Using PCR and hybridization-based methodologies, additional cDNA sequence information was derived for two clones described above, 11-C9 and 9-F3, herein after referred to as P707P and P714P, respectively (SEQ ID NO: 333 and 334). After comparison with the most recent GenBank, P707P was found to be a splice variant of the known gene HoxB13. In contrast, no significant homologies to P714P were found.

Clones 8-B3, P89, P98, P130 and P201 (as disclosed in U.S. Patent Application No. 09/020,956, filed February 9, 1998) were found to be contained within one contiguous sequence, referred to as P705P (SEQ ID NO: 335, with the predicted

amino acid sequence provided in SEQ ID NO: 336), which was determined to be a splice variant of the known gene NKX 3.1.

EXAMPLE 4

SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

EXAMPLE 5

FURTHER ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA library generated from prostate primary tumor mRNA as described above was subtracted with cDNA from normal prostate. The subtraction was performed using a PCR-based protocol (Clontech), which was modified to generate larger fragments. Within this protocol, tester and driver double stranded cDNA were

separately digested with five restriction enzymes that recognize six-nucleotide restriction sites (MluI, MscI, PvuII, SalI and StuI). This digestion resulted in an average cDNA size of 600 bp, rather than the average size of 300 bp that results from digestion with RsaI according to the Clontech protocol. This modification did not affect the subtraction efficiency. Two tester populations were then created with different adapters, and the driver library remained without adapters.

The tester and driver libraries were then hybridized using excess driver cDNA. In the first hybridization step, driver was separately hybridized with each of the two tester cDNA populations. This resulted in populations of (a) unhybridized tester cDNAs, (b) tester cDNAs hybridized to other tester cDNAs, (c) tester cDNAs hybridized to driver cDNAs and (d) unhybridized driver cDNAs. The two separate hybridization reactions were then combined, and rehybridized in the presence of additional denatured driver cDNA. Following this second hybridization, in addition to populations (a) through (d), a fifth population (e) was generated in which tester cDNA with one adapter hybridized to tester cDNA with the second adapter. Accordingly, the second hybridization step resulted in enrichment of differentially expressed sequences which could be used as templates for PCR amplification with adaptor-specific primers.

The ends were then filled in, and PCR amplification was performed using adaptor-specific primers. Only population (e), which contained tester cDNA that did not hybridize to driver cDNA, was amplified exponentially. A second PCR amplification step was then performed, to reduce background and further enrich differentially expressed sequences.

This PCR-based subtraction technique normalizes differentially expressed cDNAs so that rare transcripts that are overexpressed in prostate tumor tissue may be recoverable. Such transcripts would be difficult to recover by traditional subtraction methods.

In addition to genes known to be overexpressed in prostate tumor, seventy-seven further clones were identified. Sequences of these partial cDNAs are provided in SEQ ID NO: 29 to 305. Most of these clones had no significant homology to database sequences. Exceptions were JPTPN23 (SEQ ID NO: 231; similarity to pig

valosin-containing protein), JPTPN30 (SEQ ID NO: 234; similarity to rat mRNA for proteasome subunit), JPTPN45 (SEQ ID NO: 243; similarity to rat *norvegicus* cytosolic NADP-dependent isocitrate dehydrogenase), JPTPN46 (SEQ ID NO: 244; similarity to human subclone H8 4 d4 DNA sequence), JP1D6 (SEQ ID NO: 265; similarity to *G. gallus* dynein light chain-A), JP8D6 (SEQ ID NO: 288; similarity to human BAC clone RG016J04), JP8F5 (SEQ ID NO: 289; similarity to human subclone H8 3 b5 DNA sequence), and JP8E9 (SEQ ID NO: 299; similarity to human Alu sequence).

Additional studies using the PCR-based subtraction library consisting of a prostate tumor pool subtracted against a normal prostate pool (referred to as PT-PN PCR subtraction) yielded three additional clones. Comparison of the cDNA sequences of these clones with the most recent release of GenBank revealed no significant homologies to the two clones referred to as P715P and P767P (SEQ ID NO: 312 and 314). The remaining clone was found to show some homology to the known gene KIAA0056 (SEQ ID NO: 318). Using microarray analysis to measure mRNA expression levels in various tissues, all three clones were found to be over-expressed in prostate tumors and BPH tissues. Specifically, clone P715P was over-expressed in most prostate tumors and BPH tissues by a factor of three or greater, with elevated expression seen in the majority of normal prostate samples and in fetal tissue, but negative to low expression in all other normal tissues. Clone P767P was over-expressed in several prostate tumors and BPH tissues, with moderate expression levels in half of the normal prostate samples, and background to low expression in all other normal tissues tested.

Further analysis, by microarray as described above, of the PT-PN PCR subtraction library and of a DNA subtraction library containing cDNA from prostate tumor subtracted with a pool of normal tissue cDNAs, led to the isolation of 27 additional clones (SEQ ID NO: 340-365 and 381) which were determined to be over-expressed in prostate tumor. The clones of SEQ ID NO: 341, 342, 345, 347, 348, 349, 351, 355-359, 361, 362 and 364 were also found to be expressed in normal prostate. Expression of all 26 clones in a variety of normal tissues was found to be low or undetectable, with the exception of P544S (SEQ ID NO: 356) which was found to be

expressed in small intestine. Of the 26 clones, 10 (SEQ ID NO: 340-349) were found to show some homology to previously identified sequences. No significant homologies were found to the clones of SEQ ID NO: 350-365.

EXAMPLE 6

PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

6.1. This Example illustrates the preparation of a CTL cell line specific for cells expressing the P502S gene.

Mice expressing the transgene for human HLA A2.1 (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with P2S#12 peptide (VLGWVAEL; SEQ ID NO: 306), which is derived from the P502S gene (also referred to herein as J1-17, SEQ ID NO: 8), as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 100 μ g of P2S#12 and 120 μ g of an I-A^b binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and using a nylon mesh single cell suspensions prepared. Cells were then resuspended at 6×10^6 cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL), 2×10^{-5} M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) P2S#12-pulsed (5mg/ml P2S#12 and 10mg/ml β 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7 μ g/ml dextran sulfate and 25 μ g/ml LPS for 3 days). Six days later, cells (5×10^5 /ml) were restimulated with 2.5×10^6 /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and 3×10^6 /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20U/ml IL-2. Cells continued to be restimulated on a weekly basis as described, in preparation for cloning the line.

P2S#12 line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells

as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, clones that were growing were isolated and maintained in culture. Several of these clones demonstrated significantly higher reactivity (lysis) against human fibroblasts (HLA A2.1 expressing) transduced with P502S than against control fibroblasts. An example is presented in Figure 1.

This data indicates that P2S #12 represents a naturally processed epitope of the P502S protein that is expressed in the context of the human HLA A2.1 molecule.

6.2. This Example illustrates the preparation of murine CTL lines and CTL clones specific for cells expressing the P501S gene.

This series of experiments were performed similarly to that described above. Mice were immunized with the P1S#10 peptide (SEQ ID NO: 337), which is derived from the P501S gene (also referred to herein as L1-12, SEQ ID NO: 110). The P1S#10 peptide was derived by analysis of the predicted polypeptide sequence for P501S for potential HLA-A2 binding sequences as defined by published HLA-A2 binding motifs (Parker, KC, *et al*, *J. Immunol.*, 152:163, 1994). P1S#10 peptide was synthesized as described in Example 4, and empirically tested for HLA-A2 binding using a T cell based competition assay. Predicted A2 binding peptides were tested for their ability to compete HLA-A2 specific peptide presentation to an HLA-A2 restricted CTL clone (D150M58), which is specific for the HLA-A2 binding influenza matrix peptide fluM58. D150M58 CTL secretes TNF in response to self-presentation of peptide fluM58. In the competition assay, test peptides at 100-200 $\mu\text{g/ml}$ were added to cultures of D150M58 CTL in order to bind HLA-A2 on the CTL. After thirty minutes, CTL cultured with test peptides, or control peptides, were tested for their antigen dose response to the fluM58 peptide in a standard TNF bioassay. As shown in Figure 3, peptide P1S#10 competes HLA-A2 restricted presentation of fluM58, demonstrating that peptide P1S#10 binds HLA-A2.

Mice expressing the transgene for human HLA A2.1 were immunized as described by Theobald et al. (*Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995) with the following modifications. Mice were immunized with 62.5 μg of P1S #10 and 120 μg

of an I-A^b binding peptide derived from Hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared using a nylon mesh. Cells were then resuspended at 6×10^6 cells/ml in complete media (as described above) and cultured in the presence of irradiated (3000 rads) P1S#10-pulsed ($2\mu\text{g/ml}$ P1S#10 and 10mg/ml $\beta 2$ -microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of $7\mu\text{g/ml}$ dextran sulfate and $25\mu\text{g/ml}$ LPS for 3 days). Six days later cells ($5 \times 10^5/\text{ml}$) were restimulated with $2.5 \times 10^6/\text{ml}$ peptide-pulsed irradiated (20,000 rads) EL4A2Kb cells, as described above, and $3 \times 10^6/\text{ml}$ A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20 U/ml IL-2. Cells were restimulated on a weekly basis in preparation for cloning. After three rounds of *in vitro* stimulations, one line was generated that recognized P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat targets as shown in Figure 4.

A P1S#10-specific CTL line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, viable clones were isolated and maintained in culture. As shown in Figure 5, five of these clones demonstrated specific cytolytic reactivity against P501S-transduced Jurkat A2Kb targets. This data indicates that P1S#10 represents a naturally processed epitope of the P501S protein that is expressed in the context of the human HLA-A2.1 molecule.

EXAMPLE 7

ABILITY OF HUMAN T CELLS TO RECOGNIZE PROSTATE TUMOR POLYPEPTIDES

This Example illustrates the ability of T cells specific for a prostate tumor polypeptide to recognize human tumor.

Human CD8⁺ T cells were primed *in vitro* to the P2S-12 peptide (SEQ ID NO: 306) derived from P502S (also referred to as J1-17) using dendritic cells according to the protocol of Van Tsai et al. (*Critical Reviews in Immunology* 18:65-75, 1998). The resulting CD8⁺ T cell microcultures were tested for their ability to recognize the P2S-12 peptide presented by autologous fibroblasts or fibroblasts which were transduced to express the P502S gene in a γ -interferon ELISPOT assay (*see* Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). Briefly, titrating numbers of T cells were assayed in duplicate on 10⁴ fibroblasts in the presence of 3 μ g/ml human β_2 -microglobulin and 1 μ g/ml P2S-12 peptide or control E75 peptide. In addition, T cells were simultaneously assayed on autologous fibroblasts transduced with the P502S gene or as a control, fibroblasts transduced with HER-2/*neu*. Prior to the assay, the fibroblasts were treated with 10 ng/ml γ -interferon for 48 hours to upregulate class I MHC expression. One of the microcultures (#5) demonstrated strong recognition of both peptide pulsed fibroblasts as well as transduced fibroblasts in a γ -interferon ELISPOT assay. Figure 2A demonstrates that there was a strong increase in the number of γ -interferon spots with increasing numbers of T cells on fibroblasts pulsed with the P2S-12 peptide (solid bars) but not with the control E75 peptide (open bars). This shows the ability of these T cells to specifically recognize the P2S-12 peptide. As shown in Figure 2B, this microculture also demonstrated an increase in the number of γ -interferon spots with increasing numbers of T cells on fibroblasts transduced to express the P502S gene but not the HER-2/*neu* gene. These results provide additional confirmatory evidence that the P2S-12 peptide is a naturally processed epitope of the P502S protein. Furthermore, this also demonstrates that there exists in the human T cell repertoire, high affinity T cells which are capable of recognizing this epitope. These T cells should also be capable of recognizing human tumors which express the P502S gene.

EXAMPLE 8

PRIMING OF CTL *IN VIVO* USING NAKED DNA IMMUNIZATION WITH A PROSTATE ANTIGEN

The prostate tumor antigen L1-12, as described above, is also referred to as P501S. HLA A2Kb Tg mice (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with 100 µg VR10132-P501S either intramuscularly or intradermally. The mice were immunized three times, with a two week interval between immunizations. Two weeks after the last immunization, immune spleen cells were cultured with Jurkat A2Kb-P501S transduced stimulator cells. CTL lines were stimulated weekly. After two weeks of *in vitro* stimulation, CTL activity was assessed against P501S transduced targets. Two out of 8 mice developed strong anti-P501S CTL responses. These results demonstrate that P501S contains at least one naturally processed A2-restricted CTL epitope.

EXAMPLE 9

GENERATION OF HUMAN CTL *IN VITRO* USING WHOLE GENE PRIMING AND STIMULATION TECHNIQUES WITH PROSTATE TUMOR ANTIGEN

Using *in vitro* whole-gene priming with P501S-retrovirally transduced autologous fibroblasts (see, for example, Yee et al, *The Journal of Immunology*, 157(9):4079-86, 1996), human CTL lines were derived that specifically recognize autologous fibroblasts transduced with P501S (also known as L1-12), as determined by interferon-γ ELISPOT analysis as described above. Using a panel of HLA-mismatched fibroblast lines transduced with P501S, these CTL lines were shown to be restricted HLA-A2 class I allele. Specifically, dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by growing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, DC were infected overnight with recombinant P501S vaccinia virus at a multiplicity of infection (M.O.I) of five, and matured

overnight by the addition of 3 $\mu\text{g/ml}$ CD40 ligand. Virus was inactivated by UV irradiation. CD8⁺ T cells were isolated using a magnetic bead system, and priming cultures were initiated using standard culture techniques. Cultures were restimulated every 7-10 days using autologous primary fibroblasts retrovirally transduced with P501S. Following four stimulation cycles, CD8⁺ T cell lines were identified that specifically produced interferon- γ when stimulated with P501S-transduced autologous fibroblasts. The P501S-specific activity could be sustained by the continued stimulation of the cultures with P501S-transduced fibroblasts in the presence of IL-15. A panel of HLA-mismatched fibroblast lines transduced with P501S were generated to define the restriction allele of the response. By measuring interferon- γ in an ELISPOT assay, the P501S specific response was shown to be restricted by HLA-A2. These results demonstrate that a CD8⁺ CTL response to P501S can be elicited.

EXAMPLE 10

IDENTIFICATION OF A NATURALLY PROCESSED CTL EPITOPE CONTAINED WITHIN A PROSTATE TUMOR ANTIGEN

The 9-mer peptide p5 (SEQ ID NO: 338) was derived from the P703P antigen (also referred to as P20). The p5 peptide is immunogenic in human HLA-A2 donors and is a naturally processed epitope. Antigen specific CD8⁺ T cells can be primed following repeated *in vitro* stimulations with monocytes pulsed with p5 peptide. These CTL specifically recognize p5-pulsed target cells in both ELISPOT (as described above) and chromium release assays. Additionally, immunization of HLA-A2 transgenic mice with p5 leads to the generation of CTL lines which recognize a variety of P703P transduced target cells expressing either HLA-A2Kb or HLA-A2. Specifically, HLA-A2 transgenic mice were immunized subcutaneously in the footpad with 100 μg of p5 peptide together with 140 μg of hepatitis B virus core peptide (a Th peptide) in Freund's incomplete adjuvant. Three weeks post immunization, spleen cells from immunized mice were stimulated *in vitro* with peptide-pulsed LPS blasts. CTL activity was assessed by chromium release assay five days after primary *in vitro*

stimulation. Retrovirally transduced cells expressing the control antigen P703P and HLA-A2Kb were used as targets. CTL lines that specifically recognized both p5-pulsed targets as well as P703P-expressing targets were identified.

Human *in vitro* priming experiments demonstrated that the p5 peptide is immunogenic in humans. Dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by culturing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, the DC were pulsed with p5 peptide and cultured with GM-CSF and IL-4 together with CD8+ T cell enriched PBMC. CTL lines were restimulated on a weekly basis with p5-pulsed monocytes. Five to six weeks after initiation of the CTL cultures, CTL recognition of p5-pulsed target cells was demonstrated.

EXAMPLE 11

EXPRESSION OF A BREAST TUMOR-DERIVED ANTIGEN IN PROSTATE

Isolation of the antigen B305D from breast tumor by differential display is described in US Patent Application No. 08/700,014, filed August 20, 1996. Several different splice forms of this antigen were isolated. The determined cDNA sequences for these splice forms are provided in SEQ ID NO: 366-375, with the predicted amino acid sequences corresponding to the sequences of SEQ ID NO: 292, 298 and 301-303 being provided in SEQ ID NO: 299-306, respectively.

The expression levels of B305D in a variety of tumor and normal tissues were examined by real time PCR and by Northern analysis. The results indicated that B305D is highly expressed in breast tumor, prostate tumor, normal prostate tumor and normal testes, with expression being low or undetectable in all other tissues examined (colon tumor, lung tumor, ovary tumor, and normal bone marrow, colon, kidney, liver, lung, ovary, skin, small intestine, stomach).

EXAMPLE 12

ELICITATION OF PROSTATE TUMOR ANTIGEN-SPECIFIC CTL RESPONSES IN HUMAN BLOOD

This Example illustrates the ability of a prostate tumor antigen to elicit a CTL response in blood of normal humans.

Autologous dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal donors by growth for five days in RPMI medium containing 10% human serum, 50 ng/ml GMCSF and 30 ng/ml IL-4. Following culture, DC were infected overnight with recombinant P501S-expressing vaccinia virus at an M.O.I. of 5 and matured for 8 hours by the addition of 2 micrograms/ml CD40 ligand. Virus was inactivated by UV irradiation, CD8⁺ cells were isolated by positive selection using magnetic beads, and priming cultures were initiated in 24-well plates. Following five stimulation cycles, CD8⁺ lines were identified that specifically produced interferon-gamma when stimulated with autologous P501S-transduced fibroblasts. The P501S-specific activity of cell line 3A-1 could be maintained following additional stimulation cycles on autologous B-LCL transduced with P501S. Line 3A-1 was shown to specifically recognize autologous B-LCL transduced to express P501S, but not EGFP-transduced autologous B-LCL, as measured by cytotoxicity assays (⁵¹Cr release) and interferon-gamma production (Interferon-gamma Elispot; *see above and Lalvani et al., J. Exp. Med. 186:859-865, 1997*). The results of these assays are presented in Figures 6A and 6B.

EXAMPLE 13

IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of certain prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 372 clones were identified, and 319 were successfully sequenced. Table I presents a summary of these clones, which are shown in SEQ ID NOs:385-400. Of these sequences SEQ ID NOs:386, 389, 390 and 392 correspond to novel genes, and SEQ ID NOs: 393 and 396 correspond to previously identified sequences. The others (SEQ ID NOs:385, 387, 388, 391, 394, 395 and 397-400) correspond to known sequences, as shown in Table I.

Table I
Summary of Prostate Tumor Antigens

Known Genes	Previously identified Genes	Novel Genes
T-cell gamma chain	P504S	23379 (SEQ ID NO:389)
Kallikrein	P1000C	23399 (SEQ ID NO:392)
Vector	P501S	23320 (SEQ ID NO:386)
CGI-82 protein mRNA (23319; SEQ ID NO:385)	P503S	23381 (SEQ ID NO:390)
PSA	P510S	
Ald. 6 Dehyd.	P784P	
L-idoitol-2 dehydrogenase (23376; SEQ ID NO:388)	P502S	
Ets transcription factor PDEF (22672; SEQ ID NO:398)	P706P	
hTGR (22678; SEQ ID NO:399)	19142.2, bangur.seq (22621; SEQ ID NO:396)	
KIAA0295(22685; SEQ ID NO:400)	5566.1 Wang(23404; SEQ ID NO:393)	
Prostatic Acid Phosphatase(22655; SEQ ID NO:397)	P712P	
transglutaminase (22611; SEQ ID NO:395)	P778P	
HDLBP (23508; SEQ ID NO:394)		
CGI-69 Protein(23367; SEQ ID NO:387)		
KIAA0122(23383; SEQ ID NO:391)		
TEEG		

CGI-82 showed 4.06 fold over-expression in prostate tissues as

compared to other normal tissues tested. It was over-expressed in 43% of prostate tumors, 25% normal prostate, not detected in other normal tissues tested. L-Iditol-2 dehydrogenase showed 4.94 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 90% of prostate tumors, 100% of normal prostate, and not detected in other normal tissues tested. Ets transcription factor PDEF showed 5.55 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% prostate tumors, 25% normal prostate and not detected in other normal tissues tested. hTGR1 showed 9.11 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 63% of prostate tumors and is not detected in normal tissues tested including normal prostate. KIAA0295 showed 5.59 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% of prostate tumors, low to undetectable in normal tissues tested including normal prostate tissues. Prostatic acid phosphatase showed 9.14 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 67% of prostate tumors, 50% of normal prostate, and not detected in other normal tissues tested. Transglutaminase showed 14.84 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 30% of prostate tumors, 50% of normal prostate, and is not detected in other normal tissues tested. High density lipoprotein binding protein (HDLBP) showed 28.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% of normal prostate, and is undetectable in all other normal tissues tested. CGI-69 showed 3.56 fold over-expression in prostate tissues as compared to other normal tissues tested. It is a low abundant gene, detected in more than 90% of prostate tumors, and in 75% normal prostate tissues. The expression of this gene in normal tissues was very low. KIAA0122 showed 4.24 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 57% of prostate tumors, it was undetectable in all normal tissues tested including normal prostate tissues. 19142.2 bangur showed 23.25 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors and 100% of

normal prostate. It was undetectable in other normal tissues tested. 5566.1 Wang showed 3.31 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% normal prostate and was also over-expressed in normal bone marrow, pancreas, and activated PBMC. Novel clone 23379 showed 4.86 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in 97% of prostate tumors and 75% normal prostate and is undetectable in all other normal tissues tested. Novel clone 23399 showed 4.09 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 27% of prostate tumors and was undetectable in all normal tissues tested including normal prostate tissues. Novel clone 23320 showed 3.15 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in all prostate tumors and 50% of normal prostate tissues. It was also expressed in normal colon and trachea. Other normal tissues do not express this gene at high level.

EXAMPLE 14

IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY ELECTRONIC SUBTRACTION

This Example describes the use of an electronic subtraction technique to identify prostate tumor antigens.

Potential prostate-specific genes present in the GenBank human EST database were identified by electronic subtraction (similar to that described by Vasmatizis et al., *Proc. Natl. Acad. Sci. USA* 95:300-304, 1998). The sequences of EST clones (43,482) derived from various prostate libraries were obtained from the GenBank public human EST database. Each prostate EST sequence was used as a query sequence in a BLASTN (National Center for Biotechnology Information) search against the human EST database. All matches considered identical (length of matching sequence >100 base pairs, density of identical matches over this region > 70%) were grouped

(aligned) together in a cluster. Clusters containing more than 200 ESTs were discarded since they probably represented repetitive elements or highly expressed genes such as those for ribosomal proteins. If two or more clusters shared common ESTs, those clusters were grouped together into a "supercluster," resulting in 4,345 prostate superclusters.

Records for the 479 human cDNA libraries represented in the GenBank release were downloaded to create a database of these cDNA library records. These 479 cDNA libraries were grouped into three groups, Plus (normal prostate and prostate tumor libraries, and breast cell lines, in which expression was desired), Minus (libraries from other normal adult tissues, in which expression was not desirable), and Other (fetal tissue, infant tissue, tissues found only in women, non-prostate tumors and cell lines other than prostate cell lines, in which expression was considered to be irrelevant). A summary of these library groups is presented in Table II.

Table II
Prostate cDNA Libraries and ESTs

Library	# of Libraries	# of ESTs
Plus	25	43,482
Normal	11	18,875
Tumor	11	21,769
Cell lines	3	2,838
Minus	166	
Other	287	

Each supercluster was analyzed in terms of the ESTs within the supercluster. The tissue source of each EST clone was noted and used to classify the superclusters into four groups: Type 1- EST clones found in the Plus group libraries only; no expression detected in Minus or Other group libraries; Type 2- EST clones found in the Plus and Other group libraries only; no expression detected in the Minus group; Type 3- EST clones found in the Plus, Minus and Other group libraries, but the

expression in the Plus group is higher than in either the Minus or Other groups; and Type 4- EST clones found in Plus, Minus and Other group libraries, but the expression in the Plus group is higher than the expression in the Minus group. This analysis identified 4,345 breast clusters (*see* Table III). From these clusters, 3,172 EST clones were ordered from Research Genetics, Inc., and were received as frozen glycerol stocks in 96-well plates.

Table III
Prostate Cluster Summary

Type	# of Superclusters	# of ESTs Ordered
1	688	677
2	2899	2484
3	85	11
4	673	0
Total	4345	3172

The inserts were PCR-amplified using amino-linked PCR primers for Synteni microarray analysis. When more than one PCR product was obtained for a particular clone, that PCR product was not used for expression analysis. In total, 2,528 clones from the electronic subtraction method were analyzed by microarray analysis to identify electronic subtraction breast clones that had high tumor vs. normal tissue mRNA. Such screens were performed using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Within these analyses, the clones were arrayed on the chip, which was then probed with fluorescent probes generated from normal and tumor prostate cDNA, as well as various other normal tissues. The slides were scanned and the fluorescence intensity was measured.

Clones with an expression ratio greater than 3 (*i.e.*, the level in prostate tumor cDNA was at least three times the level in normal prostate cDNA) were

identified as prostate tumor-specific sequences (Table IV). The sequences of these clones are provided in SEQ ID NOs:401-453, with certain novel sequences shown in SEQ ID NOs:407, 413, 416-419, 422, 426, 427 and 450.

Table IV
Prostate-tumor Specific Clones

SEQ ID NO.	Sequence Designation	Comments
401	22545	previously identified P1000C
402	22547	previously identified P704P
403	22548	known
404	22550	known
405	22551	PSA
406	22552	prostate secretory protein 94
407	22553	novel
408	22558	previously identified P509S
409	22562	glandular kallikrein
410	22565	previously identified P1000C
411	22567	PAP
412	22568	B1006C (breast tumor antigen)
413	22570	novel
414	22571	PSA
415	22572	previously identified P706P
416	22573	novel
417	22574	novel
418	22575	novel
419	22580	novel
420	22581	PAP
421	22582	prostatic secretory protein 94
422	22583	novel
423	22584	prostatic secretory protein 94
424	22585	prostatic secretory protein 94
425	22586	known
426	22587	novel
427	22588	novel
428	22589	PAP
429	22590	known
430	22591	PSA
431	22592	known
432	22593	Previously identified P777P

433	22594	T cell receptor gamma chain
434	22595	Previously identified P705P
435	22596	Previously identified P707P
436	22847	PAP
437	22848	known
438	22849	prostatic secretory protein 57
439	22851	PAP
440	22852	PAP
441	22853	PAP
442	22854	previously identified P509S
443	22855	previously identified P705P
444	22856	previously identified P774P
445	22857	PSA
446	23601	previously identified P777P
447	23602	PSA
448	23605	PSA
449	23606	PSA
450	23612	novel
451	23614	PSA
452	23618	previously identified P1000C
453	23622	previously identified P705P

EXAMPLE 15

FURTHER IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of additional prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 142 clones were identified and sequenced. Certain of these clones are shown in SEQ ID NOs:454-467. Of these sequences SEQ ID NOs:459-461 correspond to novel genes. The others (SEQ ID NOs:454-458 and 461-467) correspond to known sequences.

EXAMPLE 16

FURTHER CHARACTERIZATION OF PROSTATE TUMOR ANTIGEN P710P

This Example describes the full length cloning of P710P.

The prostate cDNA library described above was screened with the P710P fragment described above. One million colonies were plated on LB/Ampicillin plates. Nylon membrane filters were used to lift these colonies, and the cDNAs picked up by these filters were then denatured and cross-linked to the filters by UV light. The P710P fragment was radiolabeled and used to hybridize with the filters. Positive cDNA clones were selected and their cDNAs recovered and sequenced by an automatic ABI Sequencer. Four sequences were obtained, and are presented in SEQ ID NOs:468-471.

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the present invention is not limited except as by the appended claims.

CLAIMS

1. An isolated polypeptide comprising at least an immunogenic portion of a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(a) sequences recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472;

(b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and

(c) complements of any of the sequence of (a) or (b).

2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing polynucleotide sequences.

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 108, 112, 113, 114, 172, 176, 178, 327, 329, 331, 339 and 383.

4. An isolated polynucleotide encoding at least 15 amino acid residues of a prostate tumor protein, or a variant thereof that differs in one or more

substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing sequences.

6. An isolated polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

7. An isolated polynucleotide comprising a sequence that hybridizes, under moderately stringent conditions, to a sequence recited in any one of

SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector comprising a polynucleotide according to any one of claims 4-7.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An expression vector comprising a polynucleotide according claim 8.

12. A host cell transformed or transfected with an expression vector according to claim 11.

13. A pharmaceutical composition comprising a polypeptide according to claim 1, in combination with a physiologically acceptable carrier.

14. A vaccine comprising a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.

15. A vaccine according to claim 14, wherein the non-specific immune response enhancer is an adjuvant.

16. A vaccine according to claim 14, wherein the non-specific immune response enhancer induces a predominantly Type I response.

17. A pharmaceutical composition comprising a polynucleotide according to claim 4, in combination with a physiologically acceptable carrier.

18. A vaccine comprising a polynucleotide according to claim 4, in combination with a non-specific immune response enhancer.

19. A vaccine according to claim 18, wherein the non-specific immune response enhancer is an adjuvant.

20. A vaccine according to claim 18, wherein the non-specific immune response enhancer induces a predominantly Type I response.

21. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a prostate tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472 or a complement of any of the foregoing polynucleotide sequences.

22. A pharmaceutical composition comprising an antibody or fragment thereof according to claim 18, in combination with a physiologically acceptable carrier.

23. A pharmaceutical composition comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.

26. A vaccine according to claim 25, wherein the non-specific immune response enhancer is an adjuvant.

27. A vaccine according to claim 25, wherein the non-specific immune response enhancer induces a predominantly Type I response.

28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

30. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polynucleotide according to claim 4, and thereby inhibiting the development of a cancer in the patient.

31. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antibody or antigen-

binding fragment thereof according to claim 21, and thereby inhibiting the development of a cancer in the patient.

32. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

33. A method according to claim 32, wherein the antigen-presenting cell is a dendritic cell.

34. A method according to any one of claims 29-32, wherein the cancer is prostate cancer.

35. A fusion protein comprising at least one polypeptide according to claim 1.

36. A fusion protein according to claim 35, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

37. A fusion protein according to claim 35, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

38. A fusion protein according to claim 35, wherein the fusion protein comprises an affinity tag.

39. An isolated polynucleotide encoding a fusion protein according to claim 35.

40. A pharmaceutical composition comprising a fusion protein according to claim 32, in combination with a physiologically acceptable carrier.

41. A vaccine comprising a fusion protein according to claim 35, in combination with a non-specific immune response enhancer.

42. A vaccine according to claim 41, wherein the non-specific immune response enhancer is an adjuvant.

43. A vaccine according to claim 41, wherein the non-specific immune response enhancer induces a predominantly Type I response.

44. A pharmaceutical composition comprising a polynucleotide according to claim 40, in combination with a physiologically acceptable carrier.

45. A vaccine comprising a polynucleotide according to claim 40, in combination with a non-specific immune response enhancer.

46. A vaccine according to claim 45, wherein the non-specific immune response enhancer is an adjuvant.

47. A vaccine according to claim 45, wherein the non-specific immune response enhancer induces a predominantly Type I response.

48. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 40 or claim 44.

49. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 41 or claim 45.

50. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; and

(ii) complements of the foregoing polynucleotides;

wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the prostate tumor protein from the sample.

51. A method according to claim 50, wherein the biological sample is blood or a fraction thereof.

52. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 50.

53. A method for stimulating and/or expanding T cells specific for a prostate tumor protein, comprising contacting T cells with one or more of:

(i) a polypeptide according to claim 1;

(ii) a polypeptide encoded by a polynucleotide comprising a sequence provided in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;

(iii) a polynucleotide encoding a polypeptide of (i) or (ii); and/or

(iv) an antigen presenting cell that expresses a polypeptide of (i) or (ii);

under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

54. An isolated T cell population, comprising T cells prepared according to the method of claim 53.

55. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 54.

56. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

(i) a polypeptide according to claim 1;

(ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;

(iii) a polynucleotide encoding a polypeptide of (i) or (ii); or

(iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

57. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
- (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or
- (iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate;

- (b) cloning at least one proliferated cell; and
- (c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

58. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with a binding agent that binds to a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; and

(ii) complements of the foregoing polynucleotides;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent; and

(c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

59. A method according to claim 58, wherein the binding agent is an antibody.

60. A method according to claim 59, wherein the antibody is a monoclonal antibody.

61. A method according to claim 58, wherein the cancer is prostate cancer.

62. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

63. A method according to claim 62, wherein the binding agent is an antibody.

64. A method according to claim 63, wherein the antibody is a monoclonal antibody.

65. A method according to claim 62, wherein the cancer is a prostate cancer.

66. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

67. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

68. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

69. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor

protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

70. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

71. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

72. A diagnostic kit, comprising:

(a) one or more antibodies according to claim 21; and

(b) a detection reagent comprising a reporter group.

73. A kit according to claim 72, wherein the antibodies are immobilized on a solid support.

74. A kit according to claim 73, wherein the solid support comprises nitrocellulose, latex or a plastic material.

75. A kit according to claim 72, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.

76. A kit according to claim 72, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups, enzymes, biotin and dye particles.


77. An oligonucleotide comprising 10 to 40 nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing polynucleotides.

78. A oligonucleotide according to claim 77, wherein the oligonucleotide comprises 10-40 nucleotides recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.



79. A diagnostic kit, comprising:

- (a) an oligonucleotide according to claim 77; and
- (b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

1/6

*Fig. 1*

2/6

*Fig. 2A**Fig. 2B*

3/6





Fig. 3

4/6

*Fig. 4*

5/6






Fig. 5

6/6

*Fig. 6A**Fig. 6B*

SEQUENCE LISTING

<110> Corixa Corporation et al.

<120> COMPOSITIONS AND METHODS FOR THE THERAPY AND
DIAGNOSIS OF PROSTATE CANCER

<130> 210121.534PC

<140> PCT

<141> 2000-10-04

<160> 476

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(814)

<223> n = A,T,C or G

<400> 1

tttttttttt	tttttcacag	tataacagct	ctttatttct	gtgagttcta	ctaggaaatc	60
atcaaactcg	agggttgtct	ggaggacttc	aatacacctc	ccccatagt	gaatcagctt	120
ccaggggggc	cagtcocctc	ccttacttca	tcccatccc	atgccaaagg	aagaccctcc	180
ctccttggct	cacagccttc	tctaggcttc	ccagtgcctc	caggacagag	tgggttatgt	240
tttcagctcc	atccttgctg	tgagtgtctg	gtgcgttggtg	cctccagctt	ctgctcagtg	300
cttcatggac	agtgtccagc	acatgtcact	ctccactctc	tcagtgtgga	tccactagtt	360
ctagagcggc	cggcâccgcg	gtggagctcc	agcttttggt	cccttttagtg	agggttaatt	420
gcgcgcttgg	cgtaatcatg	gtcataactg	tttctgtgtg	gaaattgtta	tccgctcaca	480
attccacaca	acatacgagc	cgggaagcata	aagtgtaaag	cctgggggtgc	ctaatagagt	540
anctaactca	cattaattgc	gttgcgctca	ctgnccgctt	tccagtcngg	aaaactgtcg	600
tgccagctgc	attaatgaat	cggccaacgc	ncggggaaaa	gcggtttgcg	ttttgggggc	660
tcttccgctt	ctcgtcact	nantcctgcg	ctcggctcntt	cggctgcggg	gaacgggtatc	720
actcctcaaa	gnggtatta	cggttatccn	naaatcnggg	gatacccngg	aaaaaanttt	780
aacaaaaggg	cancaaaggg	cngaaacgta	aaaa			814

<210> 2

<211> 816

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(816)

<223> n = A,T,C or G

<400> 2

acagaaatgt	tggatgggtg	agcacctttc	tatacgactt	acaggacagc	agatggggaa	60
ttcatggctg	ttggagcaat	agaaccccag	ttctacgagc	tgctgatcaa	aggacttgga	120
ctaaagtctg	atgaacttcc	caatcagatg	agcatggatg	attggccaga	aatgaagaag	180
aagtttgcag	atgtatttgc	aaagaagacg	aaggcagagt	ggtgtcaa	ctttgacggc	240
acagatgcct	gtgtgactcc	ggttctgact	tttgaggagg	ttgttcatca	tgatcacaac	300
aaggaacggg	gctcgtttat	caccagttag	gagcaggacg	tgagcccccg	ccctgcacct	360
ctgctgttaa	acaccccagc	catcccttct	ttcaaaaagg	atccactagt	tctagaagcg	420
gccgccaccg	cgggtggagct	ccagcttttg	ttccctttag	tgagggttaa	ttgcgcgctt	480

ggcgtaatca	tggtcatagc	tgtttcctgt	gtgaaattgt	tatccgctca	caattccccc	540
aacatacgag	ccggaacata	aagtgttaag	cctgggggtgc	ctaattgantg	agctaactcn	600
cattaattgc	gttgcgctca	ctgcccgctt	tccagtcggg	aaaactgtcg	tgccactgcn	660
ttantgaatc	ngccaccccc	cgggaaaagg	cggttgcntt	ttgggcctct	tccgctttcc	720
tcgctcattg	atcctngcnc	cgggtcttcg	gctgcggnga	acggttcact	cctcaaaggc	780
ggtntnccgg	ttatccccaa	acnggggata	ccnga			816

<210> 3
 <211> 773
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(773)
 <223> n = A,T,C or G

<400> 3						
cttttgaaaag	aagggatggc	tgggggtgttt	aacagcagag	gtgcagggcg	ggggctcacg	60
tctgtctcct	cactggtgat	aaacgagccc	cgttccttgt	tgtgatcatg	atgaacaacc	120
tctcaaaaag	tcagaaccgg	agtcacacag	gcatctgtgc	cgtcaaagat	ttgacaccac	180
tctgccttcg	tcttctttgc	aaatacatct	gcaaacttct	tcttcatttc	tgcccaatca	240
tccatgctca	tctgattggg	aagttcatca	gacttttagtc	canntccttt	gatcagcagc	300
tcgtagaact	ggggttctat	tgctccaaca	gccatgaatt	ccccatctgc	tgctcgttaa	360
gtcgtataga	aaggtgctcc	accatccaac	atgttctgtc	ctcgaggggg	ggcccgttac	420
ccaattcgcc	ctatantgag	tcgtattacg	cgcgctcact	ggccgctcgtt	ttacaacgtc	480
gtgactggga	aaaccctggg	cgttaccaac	ttaatcgctt	tgacgacacat	ccccctttcg	540
ccagctgggc	gtaatancca	aaaggcccgc	accgatcgcc	cttccaacag	ttgcgcacct	600
gaatgggnaa	atgggacccc	cctgttaccg	cgcattnaac	ccccgcnggg	tttngttggt	660
acccccacnt	nnaccgctta	cactttgcc	ggcgcttanc	gcccgtccc	tttcnccctt	720
cttcccttcc	tttcnccnccn	ctttcccccg	gggtttcccc	cntcaaacc	cna	773

<210> 4
 <211> 828
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(828)
 <223> n = A,T,C or G

<400> 4						
cctcctgagt	cctactgacc	tgtgctttct	ggtgtggagt	ccagggctgc	taggaaaagg	60
aatgggcaga	cacaggtgta	tgccaatgtt	tctgaaatgg	gtataatttc	gtcctctcct	120
tcggaacact	ggctgtctct	gaagacttct	cgctcagttt	cagtgaggac	acacacaaag	180
acgtgggtga	ccatgtttgt	tgtgggtg	agagatggga	gggtggggc	ccacctgga	240
agagtggaca	gtgacacaag	gtggacactc	tctacagatc	actgaggata	agctggagcc	300
acaatgcata	aggcacacac	acagcaagga	tgacnctgta	aacatagccc	acgtgtcct	360
gngggcactg	ggaagcctan	atnaggccgt	gagcanaaag	aaggggagga	tccactagtt	420
ctanagcggc	cgccaccg	gtgganctcc	ancttttgtt	cccttttagtg	agggttaatt	480
gcgcgcttgg	cntaatcatg	gtcatanctn	tttctgtgt	gaaattgtta	tccgctcaca	540
attccacaca	acatacganc	cggaaacata	aantgtaaac	ctgggggtgcc	taatgantga	600
ctaactcaca	ttaattgcgt	tgcgctcact	gcccgctttc	caatcnggaa	acctgtcttg	660
cncttgcata	tnatgaatcn	gccaaacccc	ggggaaaagc	gtttgcgttt	tgggcgctct	720
tccgcttctc	cnctcantta	ntccctnenc	tcggtcattc	cggctgcngc	aaaccggttc	780
accnccctca	aaggggggat	tccggtttcc	ccnaatccgg	ggnanacc		828

<210> 5
 <211> 834
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(834)
 <223> n = A,T,C or G

<400> 5

tttttttttt	tttttactga	tagatggaat	ttattaagct	tttcacatgt	gatagcacat	60
agttttaatt	gcatccaaag	tactaacaaa	aactctagca	atcaagaatg	gcagcatggt	120
attttataac	aatcaacacc	tgtggctttt	aaaatttggt	tttcataaga	taattttatac	180
tgaagtaaat	ctagccatgc	ttttaaaaaa	tgcttttaggt	cactccaagc	ttggcagtta	240
acatttggca	taaacaataa	taaaacaatc	acaatttaat	aaataacaaa	tacaacattg	300
taggccataa	tcatatacag	tataaggaaa	aggtggtagt	gttgagtaag	cagttatttag	360
aatagaatac	cttggcctct	atgcaaatat	gtctagacac	tttgattcac	tcagccctga	420
cattcagttt	tcaaagtagg	agacaggttc	tacagtatca	ttttacagtt	tccaacacat	480
tgaaaaacaag	tagaaaatga	tgagttgatt	tttattaatg	cattacatcc	tcaagagtta	540
tcaccaaccc	ctcagttata	aaaaattttc	aagttatatt	agtcataata	cttggtgtgc	600
ttatttttaa	ttagtgctaa	atggattaag	tgaagacaac	aatggtcccc	taatgtgatt	660
gatattggtc	atttttacca	gcttctaaat	ctnaactttc	aggcttttga	actggaacat	720
tgnatnacag	tgttccanag	ttncaaccta	ctggaacatt	acagtgtgct	tgattcaaaa	780
tgttattttg	ttaaaaatta	aattttaacc	tggtggaaaa	ataatttgaa	atna	834

<210> 6
 <211> 818
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(818)
 <223> n = A,T,C or G

<400> 6

tttttttttt	tttttttttt	aagaccctca	tcaatagatg	gagacataca	gaaatagtca	60
aaccacatct	acaaaatgcc	agtatcaggc	ggcggtctcg	aagccaaagt	gatgtttgga	120
tgtaaaagtga	aatattagtt	ggcggatgaa	gcagatagtg	aggaaagttg	agccaataat	180
gacgtgaagt	ccgtggaagc	ctgtggctac	aaaaaatggt	gagccgtaga	tgccgtcgga	240
aatgggtgaag	ggagactcga	agtactctga	ggcttgtagg	agggtaaaat	agagaccacg	300
taaaattgta	ataagcagtg	cttgaattat	ttggtttcgg	ttgttttcta	ttagactatg	360
gtgagctcag	gtgattgata	ctcctgatgc	gagtaatacg	gatgtgttta	ggagtgggac	420
ttctagggga	tttagcgggg	tgatgcctgt	tgggggccag	tgccctccta	gttgggggggt	480
aggggctagg	ctggagtggg	aaaaggctca	gaaaaatcct	gcgaagaaaa	aaacttctga	540
ggttaataaat	aggattatcc	cgtatcgaag	gccttttttg	acaggtgggtg	tgtggtggcc	600
ttggtatgtg	ctttctcgtg	ttacatcgcg	ccatcattgg	tatatggtta	gtgtgttggg	660
ttantanggc	ctantatgaa	gaacttttgg	antggaatta	aatcaatngc	ttggccggaa	720
gtcattanga	nggctnaaaa	ggccctgtta	ngggtctggg	ctnggtttta	cccnacccat	780
ggaatncccc	ccccggacna	ntgnatccct	attcttaa			818

<210> 7
 <211> 817
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(817)
 <223> n = A,T,C or G

<400> 7

tttttttttt	tttttttttt	tggtctctaga	gggggtagag	ggggtgctat	agggtaaata	60
cgggccctat	ttcaaagatt	tttaggggaa	ttaattctag	gacgatgggt	atgaaactgt	120
ggtttgctcc	acagatttca	gagcattgac	cgtagtatac	ccccggctcg	gtagcgggtga	180

aagtggtttg	gttttagacgt	ccgggaattg	catctgtttt	taagcctaata	gtggggacag	240
ctcatgagtg	caagacgtct	tgtgatgtaa	ttattatacn	aatgggggct	tcaatcgga	300
gtactactcg	attgtcaacg	tcaaggagtc	gcaggtcgcc	tggttctagg	aataatggg	360
gaagtatgta	ggaattgaag	attaatccgc	cgtagtcggt	gttctcctag	gttcaatacc	420
attggtggcc	aattgatattg	atggtaagg	gagggatcgt	tgaactcgtc	tgttatgtaa	480
aggatncctt	ngggatggga	aggcnatnaa	ggactangga	tnaatggcgg	gcangatatt	540
tcaaacngtc	tctanttcct	gaaacgtctg	aaatgttaat	aanaattaan	tttngttatt	600
gaatnttnng	gaaaagggt	tacaggacta	gaaaccaaata	angaaaanta	atnntaang	660
cnttatcntn	aaaggtmata	accnctccta	tnatccacc	caatngnatt	ccccacncnn	720
acnattggat	nceccanttc	canaaanggc	cncctcccg	tgnannccnc	cttttgttcc	780
cttnantgan	ggttattcnc	ccctngcntt	atcancc			817

<210> 8
 <211> 799
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc feature
 <222> (1)...(799)
 <223> n = A,T,C or G

<400> 8						
catttccggg	tttactttct	aaggaaagcc	gagcggaagc	tgctaacgtg	ggaatcggtg	60
cataaggaga	actttctgct	ggcacgcgct	agggacaagc	gggagagcga	ctccgagcgt	120
ctgaagcgca	cgtcccagaa	ggtggacttg	gcactgaaac	agctgggaca	catccgcgag	180
tacgaacagc	gcctgaaagt	gctggagcgg	gaggtccagc	agtgtagccg	cgctcctggg	240
tggttgccg	angcctganc	cgctctgcct	tgtctgcccc	angtgggccc	ccacccccctg	300
acctgcctgg	gtccaaacac	tgagccctgc	tggcggactt	caagganaac	ccccacang	360
ggattttgct	cctanantaa	ggctcatctg	ggcctcggcc	ccccacactg	gttgcccttg	420
tctttgangt	gagccccatg	tccatctggg	ccactgtcng	gaccaccttt	ngggagtgtt	480
ctccttacia	ccacannatg	cccggtcctt	cccggaaacc	antcccancc	tgngaaggat	540
caagnccctg	atccactnnt	nctanaaccg	gccnccnccg	cngtggaacc	cnccttntgt	600
tccttttctt	tnagggttaa	tnnccgcttg	gccttnccan	ngtccctncn	ntttccnnt	660
gttnaaattg	ttangcnccc	nccnntcccn	cnnnnnnan	cccgaaccnn	annttnnann	720
ncctgggggt	ncnncngat	tgaccnnc	nccctntant	tgcnttnggg	nncnntgccc	780
ctttccctct	nggganncg					799

<210> 9
 <211> 801
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc feature
 <222> (1)...(801)
 <223> n = A,T,C or G

<400> 9						
acgccttgat	cctcccaggc	tgggactggt	tctgggagga	gccgggcatg	ctgtggtttg	60
taangatgac	actcccaaag	gtggtcctga	cagtggccca	gatggacatg	gggctcacct	120
caaggacaag	gccaccaggt	gcgggggccc	aagcccacat	gaccttact	ctatgagcaa	180
aatccccctg	gggggcttct	ccttgaagtc	cgccancagg	gctcagtctt	tggacccang	240
caggtcatgg	ggtgtngnc	caactggggg	ccncaacgca	aaanggcna	gggcctcngn	300
cacccatccc	angacgcggc	tacactnctg	gacctccnc	tccaccactt	tcatgcgctg	360
ttentacccg	cgnatntgtc	ccanctgttt	cngtgcenac	tccancttct	nggacgtgcg	420
ctacatacgc	cggantcnc	nctcccgtt	tgteccctat	cacgtncan	caacaaattt	480
cncnctantg	cacnattcc	cacnttttnc	agntttccnc	nncngcttcc	cttntaaaag	540
ggttganc	cggaaaatnc	cccaaagggg	gggggcccng	tacccaaactn	ccccctnata	600
gctgaantcc	ccatnaccnn	gnctcnatgg	ancntccnt	tttaannacn	ttctnaactt	660
gggaanance	ctcgnccntn	ccccenttaa	tccncccttg	cnangnnent	cccccnntcc	720
ncccnntng	gcntntnann	cnaaaaaggc	ccnnnancaa	tctcctnnon	cctcanttcg	780

ccanccctcg aaatcgccn c

801

<210> 10
 <211> 789
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(789)
 <223> n = A,T,C or G

<400> 10
 cagtctatnt ggccagtgtg gcagctttcc ctgtggctgc cggtgccaca tgccctgtccc 60
 acagtgtggc cgtggtgaca gcttcagccg ccctcaccgg gttcaccttc tcagccctgc 120
 agatcctgcc ctacacactg gcctccctct accaccggga gaagcagggtg ttccctgccc 180
 aataccgagg ggacactgga ggtgctagca gtgaggacag cctgatgacc agcttcctgc 240
 caggccctaa gcctggagct ccctcccta atggacacgt ggggtgctgga ggcagtggcc 300
 tgctcccacc tccaccgcg ctctgcgggg cctctgcctg tgatgtctcc gtacgtgtgg 360
 tgggtgggtga gccaccgan gccagggtgg ttccggggcg gggcatctgc ctggacctgc 420
 ccatcctgga tagtgcttcc tgctgtccca ngtggcccca tccctgttta tgggctccat 480
 tgtccagctc agccagtctg tcaactgccta tatggtgtct gccgcaggcc tgggtctggt 540
 cccatttact ttgtacaca ggtantattt gacaagaacg anttggccaa atactcagcg 600
 ttaaaaaatt ccagcaacat tgggggtgga aggctgcct cactgggtcc aactccccgc 660
 tcctgttaac ccatggggc tgccggcttg gccccaatt tctgttgctg ccaaantnat 720
 gtggctctct gctgccacct gttgctggct gaagtgcnta cngcncanct nggggggtng 780
 gnggttccc 789

<210> 11
 <211> 772
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(772)
 <223> n = A,T,C or G

<400> 11
 cccaccctac ccaaatatta gacaccaaca cagaaaagct agcaatggat tcccttctac 60
 ttgtttaaat aaataagtta aatatttaaa tgccctgtgtc tctgtgatgg caacagaagg 120
 accaacaggc cacatcctga taaaaggtaa gagggggggtg gatcagcaaa aagacagtgc 180
 tgtgggctga ggggacctg ttcttgtgtg ttgcccctca ggactcttcc cctacaaata 240
 actttcatat gttcaaatcc catggaggag tgtttcatcc tagaaactcc catgcaagag 300
 ctacattaaa cgaagctgca ggttaagggg ctanagatg ggaaccagg tgactgagtt 360
 tattcagctc ccaaaaaccc ttctctaggt gtgtctcaac taggaggcta gctgttaacc 420
 ctgagcctgg gtaatccacc tgcaagatcc ccgattcca gtgcatggaa cccttctggc 480
 ctccctgtat aagtccagac tgaaaccccc ttggaaggnc tccagtcagg cagccctana 540
 aactggggaa aaaagaaaag gacgcccann ccccagctg tgcanctacg cacctcaaca 600
 gcacagggtg gcagcaaaaa aaccacttta ctttggcaca aacaaaaact ngggggggca 660
 accccggcac ccnangggg gttaacagga ancnnggnaa cntggaacct aattnaggca 720
 ggcccnccac ccnaatntt gctgggaaat ttttctccc ctaaattntt tc 772

<210> 12
 <211> 751
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(751)
 <223> n = A,T,C or G

<400> 12
 gccccaattc cagctgccac accacccacg gtgactgcat tagttcggat gtcatacaaa 60
 agctgattga agcaaccctc tacttttttg tctgtagcct tttgcttggg gcagggtttca 120
 ttggctgtgt tgggtgacgtt gtcattgcaa cagaatggg gaaaggcact gttctctttg 180
 aagtanggtg agtcctcaaa atccgtatag ttgggtgaagc cacagcactt gagccctttc 240
 atgggtgggtg tccacacttg agtgaagtct tcctgggaac cataatcttt cttgatggca 300
 ggccactacca gcaacgtcag ggaagtgtc agccattgtg gtgtacacca aggcgaccac 360
 agcagctgcn acctcagcaa tgaagatgan gaggangatg aagaagaacg tcncgagggc 420
 acacttgctc tcagtcttan caccatanca gcccntgaaa accaananca aagaccacna 480
 cnccggctgc gatgaagaaa tnaccccneg ttgacaaaact tgcatggcac tggganccac 540
 agtggcccnna aaaatcttca aaaaggatgc cccatcnatt gaccccccaa atgcccactg 600
 ccaacagggg ctgcccacn cncnnaacga tgancnatt gnacaagatc tncntgggtc 660
 tnatnaacnt gaaccctgcn tngtggctcc tgttcaggnc cnnggcctga cttctnaann 720
 aangaactcn gaagncacca cngganannc g 751

<210> 13
 <211> 729
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc feature
 <222> (1)...(729)
 <223> n = A,T,C or G

<400> 13
 gagccaggcg tccctctgcc tgccactca gtggcaacac ccgggagctg tttgtcctt 60
 tgtggancct cagcagtncc ctctttcaga actcantgcc aagancctg aacaggagcc 120
 accatgcagt gcttcagctt cattaagacc atgatgatcc tcttcaattt gctcatcttt 180
 ctgtgtgggtg cagccctgtt ggcagtggg atctgggtgt caatcgatgg ggcacccctt 240
 ctgaagatct tcgggccact gtcgtccagt gccatgcagt ttgtcaacgt gggctacttc 300
 ctcatcgagc ccggcggtgt ggtcttagct ctaggtttcc tgggctgcta tgggtctaag 360
 actgagagca agtgtgccct cgtgacgttc ttcttcatcc tctcctcat cttcattgct 420
 gaggttgcaa tgctgtggtc gccttggtgt acaccacaat ggctgagcac ttctgacgt 480
 tgctggtaat gcctgccatc aanaaaagat tatgggttcc caggaaact tcaactcaagt 540
 gttggaacac caccatgaaa gggctcaagt gctgtggctt cncccaacta tacggatttt 600
 gaagantcac ctacttcaaa gaaaanagt cctttccccc atttctgttg caattgacaa 660
 acgtccccaa cacagccaat tgaaaacctg caccacaacc aaangggctc ccaaccanaa 720
 attnaaggg 729

<210> 14
 <211> 816
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc feature
 <222> (1)...(816)
 <223> n = A,T,C or G

<400> 14
 tgctcttctt caaagttggt cttgttgcca taacaaccac cataggtaaa gcgggagcag 60
 tgttgcgtga aggggttgta gtaccagcgc gggatgctct cctgcagag tcctgtgtct 120
 ggcaggtcca cgcagtgcc tttgtcaactg gggaaatgga tgcgctggag ctcgtaaaag 180
 ccaactcgtgt atttttcaca ggcagcctcg tccgacgcgt cggggcagtt gggggtgtct 240
 tcacactcca ggaaactgtc natgcagcag ccattgctgc agcggaaactg ggtgggctga 300
 cangtgccag agcacactgg atggcgccct tccatgnnan gggccctgng ggaaagtccc 360
 tganccccc anctgcctct caaangcccc accttgaca ccccgacagg ctagaatgga 420
 atcttcttcc cgaaaggtag ttnttctgtg tgcccaancc anccccntaa acaaaactctt 480
 gcanatctgc tccngggggg tcntantacc ancgtgggaa aagaacccca ggcngcgaac 540
 caancttggt tggatncgaa gcnataatct nctnttctgc ttggtggaca gcaccantna 600

ctgtnnanct	ttagnccntg	gtcctcntgg	gttgnncttg	aacctaatcn	ccnntcaact	660
gggacaaggt	aantngccnt	cctttnaatt	cccnancntn	ccccctgggt	tggggttttt	720
cncnctccta	ccccagaaan	nccgtgttcc	cccccaacta	ggggccnaaa	ccnnttnttc	780
cacaaccctn	ccccacccac	gggttcngnt	ggttng			816

<210> 15
 <211> 783
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(783)
 <223> n = A,T,C or G

<400> 15						
ccaaggcctg	ggcaggcata	nacttgaagg	tacaacccca	ggaacccctg	gtgctgaagg	60
atgtggaaaa	cacagattgg	cgcctactgc	ggggtgacac	ggatgtcagg	gtagagagga	120
aagaccctaa	ccaggtggaa	ctgtggggac	tcaaggaang	cacctacctg	ttccagctga	180
cagtgtactag	ctcagaccac	ccagaggaca	cggccaacgt	cacagtcaact	gtgctgtcca	240
ccaagcagac	agaagactac	tgctctcgcat	ccaacaangt	gggtcgctgc	cggggctctt	300
tcccacgctg	gtactatgac	cccacggagc	agatctgcaa	gagtttcgtt	tatggagggt	360
gcttgggcaa	caagaacaac	taccttcggg	aagaagagtg	cattctancc	tgtcnggggtg	420
tgcaagggtg	gcctttgana	ngcanctctg	gggtcangc	gactttcccc	caggggccct	480
ccatggaaag	gcgccatcca	ntgttctctg	gcacctgtca	gcccacccag	ttccgctgca	540
ncaatggctg	ctgcacnac	antttcctng	aattgtgaca	acacccccca	ntgcccccaa	600
ccctcccaac	aaagcttccc	tgtnaaaaa	taacccantt	ggcttttnac	aaacnccccg	660
cncctcctt	ttcccncntn	aacaaagggc	nctngcnttt	gaactgccc	aaaccnggaa	720
tctnccnng	aaaaantncc	ccccctgggt	cctnnaance	cctccnnaa	antncccc	780
ccc						783

<210> 16
 <211> 801
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(801)
 <223> n = A,T,C or G

<400> 16						
gcccccaattc	cagctgccac	accacccacg	gtgactgcat	tagttcggat	gtcatataaa	60
agctgattga	agcaaccctc	tacttttttg	tcgtgagcct	tttgcttggg	gcaggtttca	120
ttggctgtgt	tggtgacgtt	gtcattgcaa	cagaatgggg	gaaaggcact	gttctctttg	180
aagtaggggtg	agtcctcaaa	atccgtatag	ttgggtgaagc	cacagcactt	gagccctttc	240
atggtgggtg	tccacacttg	agtgaagtct	tcctgggaac	cataatcttt	cttgatggca	300
ggcactacca	gcaacgtcag	gaagtgtcga	gccattgtgg	tgtacaccaa	ggcgaccaca	360
gcagctgcaa	cctcagcaat	gaagatgagg	aggaggatga	agaagaacgt	cncgagggca	420
cacttgctct	ccgtcttagc	accatagcag	cccangaaac	caagagcaaa	gaccacaacg	480
ccngctgcga	atgaaagaaa	ntaccacagt	tgacaaactg	catggccact	ggacgacagt	540
tggcccgaa	atcttcagaa	aagggtatgc	ccatcgattg	aacaccana	tgccactgc	600
cnacagggtc	gcncncncn	gaaagaatga	gccattgaag	aaggatcnc	ntggtcttaa	660
tgaactgaaa	ccctgcattg	tggccctgt	tcagggtct	tggcagtga	ttctganaaa	720
aaggaaacngc	ntnagcccc	ccaaangana	aaacaccccc	gggtgttgcc	ctgaattggc	780
ggccaaaggan	ccctgccccn	g				801

<210> 17
 <211> 740
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(740)
 <223> n = A,T,C or G

<400> 17
 gtgagagcca ggcgtccctc tgccctgccc ctcagtggca acacccggga gctgttttgt 60
 cctttgtgga gcctcagcag ttccctcttt cagaactcac tgccaagagc cctgaacagg 120
 agccaccatg cagtgttca gcttcattaa gaccatgatg atcctcttca atttgctcat 180
 ctttctgtgt ggtgcagccc tgttggcagt gggcatctgg gtgtcaatcg atggggcatc 240
 ctttctgaag atcttcgggc cactgtcgtc cagtgccatg cagtttgtca acgtgggcta 300
 ctccctcact gcagccggcg ttgtggtctt tgctcttggt ttccctgggct gctatgggtc 360
 taagacggag agcaagtgtg ccctcgtgac gttctcttcc atcctcctcc tcatcttcat 420
 tgctgaagt gacgtgtctg ttgtcgcctt ggtgtacacc acaatggctg aaccattcct 480
 gacgtgtctg gtantgcctg ccatcaanaa agattatggg ttcccaggaa aaattcactc 540
 aantntggaa caccnccatg aaaagggtc caatttctgn tggcttcccc aactataaccg 600
 gaattttgaa agantcnccc tacttccaaa aaaaaanant tgcccttncc ccntttctgt 660
 tgcaatgaaa acntcccaan acngccaatn aaaacctgcc cnnncaaaaa ggntcncaaa 720
 caaaaaaant nnaagggttn 740

<210> 18
 <211> 802
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(802)
 <223> n = A,T,C or G

<400> 18
 ccgctgggtg cgctggteca gngnagccac gaagcacgtc agcatacaca gcctcaatca 60
 caaggtcttc cagctgccgc acattacgca gggcaagagc ctccagcaac actgcatatg 120
 ggatacactt tacttttagca gccaggggtga caactgagag gtgtcgaagc ttattcttct 180
 gagcctctgt tagtggagga agattccggg cttcagctaa gtagtcagcg tatgtcccat 240
 aagcaaacac tgtgagcagc cggaaggtag aggcaaagtc actctcagcc agctctctaa 300
 cattgggcat gtccagcagt tctccaaaca cgtagacacc agnggcctcc agcacctgat 360
 ggatgagtgt ggccagcgct gcccccttgg ccgacttggc taggagcaga aattgctcct 420
 ggttctgccc tgtcaccttc acttcgcgac tcatcactgc actgagtgtg ggggacttgg 480
 gctcaggatg tccagagacg ttggttcgcc ccctcnctta atgacaccgn ccanncaacc 540
 gtcggctccc gccgantgng ttctgctgnc ctgggtcagg gtctgctggc cnetacttgc 600
 aancttcgtc nggcccatg aattcacenc accggaactn gtangatcca ctntttctat 660
 aaccgngcgc caccgcnntt ggaactccac tctntttncc tttacttgag ggtaaggctc 720
 acccttnncc ttaccttggg ccaaaccntn cntgtgtctg anantngtnaa tcnngnccna 780
 tnccancnc atangaagcc ng 802

<210> 19
 <211> 731
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(731)
 <223> n = A,T,C or G

<400> 19
 cnaagcttcc aggtnacggg ccgnaaanc tgaccnagg tancanaang cagnnngcgg 60
 gagccccccg tcacngngng gngtctttat nggagggggc ggagccacat cnetggacnt 120
 cntgaccccc actccccnc ncnantgca gtgatgagt cagaactgaa ggtnacgtgg 180
 caggaaccaa gancaaannc tgctcnnct caagtccgcn nagggggcgg ggctggccac 240
 gncatccnt cnagtgtgn aaagcccn cctgtctact tgtttggaga acngcnnga 300

catgccccagn	ggtanataac	nggcngagag	tnantttgcc	tctcccttcc	ggctgcgcan	360
cgngtntgct	tagnggacat	aacctgacta	cttaactgaa	cccnngaata	tnccnccct	420
ccactaagct	cagaacaaaa	aacttcgaca	ccactcantt	gtcacctgnc	tgctcaagta	480
aagtgtaccc	catncccaat	gtntgctnga	ngctctgncc	tgcnttangt	tcggtcctgg	540
gaagacctat	caattnaagc	tatgtttctg	actgcctctt	gtccctgna	acaancnacc	600
cnncnntcca	agggggggnc	ggcccccaat	cccccaacc	ntnaattnan	tttancnccn	660
ccccnnggcc	cggcctttta	cnancntcnn	nnacnnggna	aaaccnnngc	tttncccaac	720
nnaatccncc	t					731

<210> 20
 <211> 754
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(754)
 <223> n = A,T,C or G

tttttttttt	tttttttttt	taaaaacccc	ctccattnaa	tgnaaacttc	cgaaattgtc	60
caacccccctc	ntccaaatnn	centttccgg	gnnggggttc	caaacccaan	ttanntttgg	120
annttaaatt	aaatnttntt	tgnggnnna	ancnnaatgt	nangaaagtt	naaccanta	180
tnancttnaa	tnccctggaaa	ccngtngntt	ccaaaaatnt	ttaaccctta	antccctccg	240
aaatngttna	nggaaaaccc	aaatctctnt	aaggttggtt	gaaggntnaa	tnaaaaancc	300
nnccaattgt	tttngccac	gcctgaatta	attgnttcc	gntgttttcc	nttaaaanaa	360
ggnnancccc	ggttantnaa	tcccccnnc	cccaattata	ccganttttt	ttngaattgg	420
gancccnccg	gaattaacgg	ggnnnntccc	tnntgggggg	cnggnncccc	ccccntcggg	480
ggttngggnc	aggnncnaat	tgtttaaggg	tccgaaaaat	ccctccnaga	aaaaaanctc	540
ccaggntgag	nntnggggtt	ncccccccc	canggccct	ctcgnaagtt	tgggggttgg	600
ggggcctggg	attttntttc	ccctnttccc	tcccccccc	ccnggganag	aggttngngt	660
tttgntcnnc	ggccccnccn	aaganccttn	ccganttnan	ttaaatccnt	gcctnngcga	720
agtcctttgn	agggnataaan	ggccccctnn	cggg			754

<210> 21
 <211> 755
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(755)
 <223> n = A,T,C or G

atcancccat	gaccccnac	nnnggaccnc	tcancgggnc	nnncnaccnc	cgcccnatca	60
nngtagnnnc	actncnnttn	natcacnccc	cnccnactac	gcccnananc	cnacgcnceta	120
nncanatncc	actganngcg	cgangtngan	ngagaaanct	nataccanag	ncaccanacn	180
ccagctgtcc	nanaangcct	nnnatacngg	nnnatccaat	ntgnancctc	cnaagtattn	240
nncnncanat	gattttcctn	anccgattac	ccntncccc	tanccctcc	cccccaacna	300
cgaaggcnct	ggncnnaagg	nngcgncc	ccgctagntc	cccncaagt	cnncncceta	360
aactcanccn	nattacncgc	ttcntgagta	tcactccccg	aatctcacc	tactcaactc	420
aaaaanaten	gatacaaaat	aatncaagcc	tgnttatnac	actntgactg	ggtctctatt	480
ttagnngtcc	ntnaancntc	ctaatacttc	cagctcncct	tcnccaattt	ccnaanggct	540
ctttcngaca	gcatnttttg	gttcccnntt	gggttccttan	ngaattgccc	ttcntngaac	600
gggctentct	tttccttcgg	ttancctggg	ttcnncgggc	cagttattat	ttcccnnttt	660
aaattcntnc	cntttanttt	tggcnttcna	aacccccggc	cttgaaaacg	gccccctggg	720
aaaaggttgt	tttganaaaa	tttttgtttt	gttcc			755

<210> 22
 <211> 849
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(849)

<223> n = A,T,C or G

<400> 22

tttttttttt	tttttangtg	tngtctgtgca	ggtagagggt	tactacaant	gtgaanacgt	60
acgctnggan	taangcgacc	cgantttctag	gannnccct	aaaatcanac	tgtgaagatn	120
atcctgnnna	cggaanggtc	accggnggat	nntgctaggg	tgncnctcc	cannncnttn	180
cataactcng	nggcctgcc	caccaccttc	ggcgcccgng	ngnccgggcc	cgggtcattn	240
gnnttaaccn	cactnngcna	ncggtttccn	ncccnncng	accnngcgga	tccgggtnc	300
tctgtcttcc	cctgnagncn	anaaantggg	ccnccgnccc	ctttaccct	nnacaagcca	360
cngcctteta	nccnngccc	cccctccant	nngggggact	gcnannngct	ccgttncntg	420
nnaccccnnn	gggtncctcg	gttgctcgant	cnaccgnang	ccanggattc	cnaaggaagg	480
tgcgttnttg	gccccctacc	tctgctnccg	nncaccttc	ccgacnanga	nccgctccc	540
cncnccgnng	cctnccctcg	caacacccgc	ntctntcngt	ncggnnnccc	ccccacccgc	600
nccctcncnc	ngnccgnanc	ctccnccncc	gtctcannca	ccaccccgcc	ccgccaggcc	660
ntcanccacn	ggngacnng	nagcncntc	gcnccgcgcn	gcgnccct	cgccnccgaa	720
ctnctcngg	ccantnccgc	tcaanccnna	cnaaacgcgc	ctgcgcggcc	cgnagcgnc	780
ncctccncca	gtctcccgcn	cttcnacc	angnttccn	cgaggacacn	nnaccccgcc	840
nncangcgg						849

<210> 23

<211> 872

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(872)

<223> n = A,T,C or G

<400> 23

gcgcaaaacta	tacttcgctc	gnactcgtgc	gcctcgtnc	tcttttcctc	cgcaaccatg	60
tctgacnanc	ccgattnggc	ngatatacnan	aagntcganc	agtccaaact	gantaacaca	120
cacacnncan	aganaaatcc	ntgccttcc	anagtanaen	attgaacnng	agaaccangc	180
nggcgaatcg	taatnaggcg	tgcgcgcgcca	atntgtcncc	gtttattntn	ccagctcnc	240
ctnccnacc	taentcttcn	nagctgtcnn	acccctngtn	cgnaccccc	naggctcgga	300
tgggttttn	nntgaccgng	cnccctcc	ccctccat	nacganccnc	ccgcaccacc	360
nanngcncgc	nceccgnnet	cttcgcencc	ctgtctntn	cccctgtngc	ctggcncngn	420
accgcattga	ccctgcenn	ctnccngaaa	ncgnanacgt	ccgggttgnn	annancgtg	480
tgggnnngcg	ctgcncgc	gttccttcn	nennctcca	ccatcttnt	taenggtct	540
ccnccctc	tennncacnc	cctgggacgc	tntctntgc	ccccctnac	tccccctt	600
cgncgtgncc	cgccccacc	ntcatttnca	nacgntcttc	acaannncct	ggntnnctcc	660
cnancngncn	gtcanccnag	ggaagggngg	ggnnccnntg	nttgacgttg	nggngangtc	720
cgaanantcc	tenccntcan	cncctaccct	cgggcgnnct	ctcngttnc	aacttancaa	780
ntctcccccg	ngngcncntc	tcagcctcnc	ccnccnct	ctctgcantg	tnctctgctc	840
tnaccnntac	gantnttcgn	cncctcttt	cc			872

<210> 24

<211> 815

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(815)

<223> n = A,T,C or G

<400> 24

gcattgcaagc	ttgagtattc	tatagngtca	cctaaatanc	ttggcntaat	catggtcnta	60
nctgncttcc	tgtgtcaaat	gtatacnaan	tanatatgaa	tctnatntga	caaganngta	120
tctnncatta	gtaacaantg	tnntgtccat	cctgtcngan	canattccca	tnnattnnng	180
cgcattcnnc	gcncantatn	taatngggaa	ntcnntnnn	ncaccnncat	ctatcntncc	240
gcnccttgac	tggnagagat	ggatnanttc	tnntntgacc	nacatgttca	tcttggtatn	300
aanancccc	cgengnccac	cggttngnng	cnagccnntc	ccaagacctc	ctgtggaggt	360
aacctgcgtc	aganncatca	aacntgggaa	accgcgnncc	angtnnaagt	ngnnncanan	420
gatcccgtcc	aggnttnacc	atcccttcnc	agcgccccct	ttngtgcctt	anagnnagc	480
gtgtccnanc	cncatcaacat	ganacgcgcc	agnccanccg	caattnggca	caatgtcgnc	540
gaacccctca	gggggantna	tncaaanccc	caggattgtc	cncncangaa	atcccnanc	600
ccnccctac	ccncttttg	gacngtgacc	aantcccga	gtncaggtcc	ggccngnctc	660
ccccaccggt	nncntgggg	gggtgaanct	cngnntcanc	cngncgaggn	ntcnaagga	720
accggnccctn	ggncgaanng	ancnntcnga	agncccnct	cgtataacc	ccctcncca	780
nccnacngnt	agntccccc	cngggtncgg	aang			815

<210> 25

<211> 775

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(775)

<223> n = A, T, C or G

<400> 25

ccgagatgtc	tcgtccgtg	gccttagctg	tgctcgcgt	actctctctt	tctggcctgg	60
aggctatcca	gcgtactcca	aagattcagg	tttactcacg	tcattccagca	gagaatggaa	120
agtcaaat	cctgaattgc	tatgtgtctg	ggttccatcc	atccgacatt	gaanttgact	180
tactgaagaa	tggnagaga	attgaaaaag	tgagcattc	agacttgtct	ttcagcaagg	240
actggtcttt	ctatctctng	tactacactg	aattcaccct	cactgaaaaa	gatgagtatg	300
cctgccgtgt	gaaccatgtg	actttgtcac	agcccaagat	agttaagtgg	gatcgagaca	360
tgaagcagn	cnncatggaa	gtttgaagat	gccgcatttg	gattggatga	attccaaatt	420
ctgcttgctt	gcntttta	antgatatgc	ntatacaccc	taccctttat	gnccccaat	480
tgtagggtt	acatnantgt	tcnctngga	catgatcttc	ctttataant	ccnccnttcg	540
aattgccgt	cnccngttn	ngaattgttc	cnaaaccacg	gttggtccc	ccaggtcncc	600
tcttacggaa	gggcctgggc	cncctttncaa	ggttggggga	accnaaaatt	tcnctnttgc	660
ccnccncca	cnntcttng	nncncanttt	ggaacccttc	cnattccctt	tggcctenna	720
ncctttncta	anaaaacttn	aaancgtngc	naaannttn	acttccccc	ttacc	775

<210> 26

<211> 820

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(820)

<223> n = A, T, C or G

<400> 26

anattantac	agtgtaatct	tttcccagag	gtgtgtanag	ggaacggggc	ctagaggcat	60
cccanagata	ncttatanc	acagtgcctt	gaccaagagc	tgctgggcac	atttcctgca	120
gaaaagggtg	cgtccccc	cactcctcct	ctcccatagc	catcccagag	gggtgagtag	180
ccatcangcc	ttcgggtgga	gggagtcang	gaaacaacan	accacagagc	anacagacca	240
ntgatgacca	tgggcgggag	cgagcctctt	ccctgnaccg	gggtggcana	nganagccta	300
nctgaggggt	cacactataa	acgttaacga	ccnagatnan	cacctgcttc	aagtgcaccc	360
ttcctacctt	acnaccagng	accnnnaact	gngcctggg	gacagcnctg	ggancagcta	420
acnagcact	cacctgccc	cccatggccg	tnccctccc	tggtcctgnc	aagggaagct	480
ccctgttga	attncgggga	naccaaggga	nccccctcct	ccanctgtga	aggaaaaann	540
gatggaattt	tncccttccg	gcnntcccc	tcttcttcta	cacgccccct	nntactcttc	600
tccctctntt	ntcctgncnc	acttttnacc	ccnnnatctc	ccttnattga	tcggannctn	660

ganattccac tnnccctnc cntcnatcng naanacnaaa nactntctna ccnnggggat 720
 gggnnccctcg ntcatcctct ctttttctct accnccnntt ctttgcctct ccttngatca
 780tccaacntc gntggccntn ccccccnntt tcctttncce
 820

<210> 27
 <211> 818
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc feature
 <222> (1)...(818)
 <223> n = A,T,C or G

<400> 27
 tctgggtgat ggcctcttcc tctcagggga cctctgactg ctctggggcca aagaatctct 60
 tgtttcttct ccgagcccca ggcagcgggtg attcagccct gcccaacctg attctgatga 120
 ctgcggatgc tgtgacggac ccaaggggca aatagggtcc caggggtccag ggaggggcgc 180
 ctgctgagca cttccgcccc tcacctgcc cagccctgc catgagctct gggctgggtc 240
 tccgcctcca ggggtctgct cttccangca ngccancaag tggcgtggg ccacactggc 300
 ttcttctgct ccctccctg gctctganc tctgtcttcc tgtcctgtgc angcnccttg 360
 gatctcagtt tccctcctc anngaactct gtttctgann tcttcantta actntgantt 420
 tatnacnnaa tggncgtgnc tgcnnactt taatgggccc gaccggctaa tccctccctc 480
 nctcccttcc anttccnnna accngcttnc cntctctcc cntancccg ccngggaanc 540
 ctcttttggc ctnaccangg gccnnnaccg cccntnnctn gggggggcng gtntctncnc 600
 ctgntnnccc cncctcncnt tncctcgtec cncnncgcn nngcannttc ncngtcccn 660
 tnnctcttcn ngntcgnaa ngntcncntn tnnnnngncn ngntnnntcn tccctctcnc 720
 cnnntgnang tnnntnnnc ncnngncccc nnnncnnnn nggnntnnn tctncncngc 780
 ccnncccc ngnattaagg cctccnntct ccggccnc 818

<210> 28
 <211> 731
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc feature
 <222> (1)...(731)
 <223> n = A,T,C or G

<400> 28
 aggaagggcg gagggatatt gtangggatt gagggatagg agnataangg gggaggtgtg 60
 tcccaacatg anggtgnngt tctcttttga angaggggtg ngtttttann ccnggtgggt 120
 gattnaaccc cattgtatgg agnnaaaggn ttttagggat ttttcggctc ttatcagtat 180
 ntanattcct gtnaatcgga aaatnatntt tcnnngggaa aatnttgctc ccatccgnaa 240
 attnctcccg ggtagtgcatt ntnggggggn cngccangtt tcccaggctg ctanaatcgt 300
 actaaagntt naagtgggan tncaaatgaa aacctnnac agagnatccn taccgcactg 360
 tnnnttncct tcgcccctng actctgcng agcccaatac ccnngngnat gtcncccnng 420
 nnnngcncnc tgaaannnnc tcgnggctnn gancatcang ggggttcgca tcaaaagcnn 480
 cgtttncat naaggcactt tngcctcctc caaccnctng ccctcncca tttngccgtc 540
 nggttncct acgctnnntg cncctnnntn ganattttnc ccgctnggg naancctcct 600
 gnaatgggta gggnccttntc ttttnaccnn gnggtntact aatcnctnc acgctnctt 660
 tctcnacccc ccccttttt caatcccanc ggcnaatggg gtctcccnng cgangggggg 720
 nnnccannnc c 731

<210> 29
 <211> 822
 <212> DNA
 <213> Homo sapien

<220>

<221> misc_feature
 <222> (1)...(822)
 <223> n = A,T,C or G

<400> 29
 actagtccag tgtgggtggaa ttccattgtg ttggggncnc ttctatgant antnttagat 60
 cgctcanacc tcacancctc ccnacnangc ctataangaa nannaataga nctgtncnnt 120
 atntntacnc tcatanncct cnnnaccac tccctottaa cccntactgt gcctatngcn 180
 tnntantct ntgcgcctn cnanccaccn gtgggcnac cncnngnatt ctcnatctcc 240
 tcnccatntn gcctananta ngtncatacc ctatacctac nccaatgcta nnnctaancn 300
 tccatnantt annntaacta ccactgaent ngactttcnc atnanctcct aatttgaatc 360
 tactctgact cccacngcct annnattagc anctcccc nacnatntct caaccaaadc 420
 ntcaacaacc tatctanctg ttcnccaacc nttncctcgg atccccnnac aacccccctc 480
 ccaaataccc nccacctgac ncctaaccn caccatcccg gcaagccnan ggncatttan 540
 ccactggaat cacnatngga naaaaaaac ccnaactctc tancncnnat ctccctaana 600
 aatnctcctn naatttactn ncantnccat caanccacn tgaaacnnaa cccctgtttt 660
 tanatccctt ctttcgaaaa ccnacccttt annncccaac ctttngggcc ccccnctnc 720
 ccnaatgaag gncnccaat cnangaaag nccntgaaaa ancnaaggcna anannntccg 780
 canatectat ccccttantn gggnccctt nccngggcc cc 822

<210> 30
 <211> 787
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(787)
 <223> n = A,T,C or G

<400> 30
 cggcgcctg ctctggcaca tgcctcctga atggcatcaa aagtgatgga ctgcccattg 60
 ctagagaaga ccttctctcc tactgtcatt atggagccct gcagactgag ggctcccctt 120
 gtctgcagga tttgatgtct gaagtcgtgg agtgtggctt ggagctcctc atctacatna 180
 gctggaagcc ctggagggcc tctctcgcca gcctcccctt tctctccacg ctctccangg 240
 acaccagggg ctccaggcag cccattatc ccagnangac atgggtgttc tccacgcgga 300
 cccatggggc ctgnaaggcc aggggtctcct ttgacaccat ctctcccgtc ctgcctggca 360
 ggccgtggga tccactantt ctanaacggg cgccaccncg gtgggagctc cagcttttgt 420
 tccnttaat gaaggttaat tgcncgctt gcgtaatcat nggtcanaac tnttctctgt 480
 gtgaaattgt ttntccccctc ncnattccnc ncnacatacn aacccggaan cataaagtgt 540
 taaagcctgg gggtnccctn nngaataaac tnaactcaat taattgcgtt ggctcatggc 600
 ccgctttccn ttonggaaaa ctgtcntccc ctgcnttntt gaatcgcca ccccccnggg 660
 aaaagcgggt tgcnttttng ggggntcctt ccncttcccc cctcnctaan cccnccgct 720
 cggtcgttnc nggtngcggg gaangggnat nnnctccnc naaggggng agnnngntat 780
 ccccaaa 787

<210> 31
 <211> 799
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(799)
 <223> n = A,T,C or G

<400> 31
 tttttttttt tttttttggc gatgctactg ttttaattgca ggaggtgggg gtgtgtgtac 60
 catgtaccag ggctattaga agcaagaagg aaggaggag ggcagagcgc cctgctgagc 120
 aacaaaggac tccctcagcc ttctctgtct gtctcttggc gcaggcacat ggggaggcct 180
 cccgcagggt gggggccacc agtcaggggg tgggagcact acanggggtg ggagtgggtg 240
 gtggctggtg cnaatggcct gncacanac cctacgatc ttgacacctg gatttcacca 300

ggggaccttc	tgtttctcca	nggnaacttc	ntnnatctcn	aaagaacaca	actgtttctt	360
cngcanttct	ggctgttcat	ggaaagcaca	ggtgtccnat	ttnggctggg	acttggtaca	420
tatggttccg	gcccacctct	cccntcnaan	aagtaattca	ccccccccc	ccntctnttg	480
cctgggccct	taantacca	caccggaact	canttantta	ttcatcttng	gntgggcttg	540
ntnatcnccn	cctgaangcg	ccaagtgtga	aggccacgcc	gtncnccnctc	cccatagnan	600
nttttnnct	canctaatagc	ccccccnggc	aacnatccaa	tccccccccc	tgggggcccc	660
agccccanggc	ccccgntctg	ggnnnccngn	cncgnantcc	ccagntctct	ccantcngnc	720
ccnnngcncc	cccgacgcga	gaacanaagg	ntngagccnc	cgcannnnnn	nggtnnncac	780
ctcgcccccc	ccnnccgngg					799

<210> 32
 <211> 789
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(789)
 <223> n = A,T,C or G

<400> 32						
tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
tttttccnag	ggcagggttta	ttgacaacct	cncgggacac	aancaggctg	gggacaggac	120
ggcaacaggc	tccggcgggc	gcggcggcgg	ccctacctgc	ggtaccaa	ntgcagcctc	180
cgctcccgct	tgatnttct	ctgcagctgc	aggatgcent	aaaacagggc	ctcgccentn	240
ggtgggcacc	ctgggatttn	aatttccacg	ggcacaatgc	ggtcgcanc	cctcaccacc	300
nattaggaat	agtggtnnta	ccnccnccg	ttggcncact	ccccntggaa	accacttntc	360
gcggtcccg	catctggtct	taaaccttgc	aaacnctggg	gccctctttt	tggttantnt	420
nccngccaca	atcatnactc	agactggcnc	gggtcgcccc	caaaaaancn	ccccaaaacc	480
ggncatgtc	ttnnccgggt	tgctgcnatn	tncatcacct	cccgggcnc	ncaggncaac	540
ccaaaagtgc	ttngggcccn	caaaaaanct	ccggggggnc	ccagtttcaa	caaagtcac	600
ccccctggcc	cccaaatcct	ccccccgntt	ncctgggtttg	ggaacccacg	cctctnnctt	660
tggnnggcaa	gntggntccc	ccttcggggc	cccgggtggg	ccnctcttaa	ngaaaaacnc	720
ntcctnnnca	ccatcccccc	nngnnacgnc	tancaangna	tccctttttt	tanaaacggg	780
ccccccnccg						789

<210> 33
 <211> 793
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(793)
 <223> n = A,T,C or G

<400> 33						
gacagaacat	gttggatggt	ggagcacctt	tctatacgac	ttacaggaca	gcagatgggg	60
aattcatggc	tgttggagca	atanaacccc	agttctacga	gctgctgac	aaaggacttg	120
gactaaagtc	tgatgaactt	cccaatcaga	tgagcatgga	tgattggcca	gaaatgaana	180
agaagtttgc	agatgtat	gcaaagaaga	cgaaggcaga	gtggtgtcaa	atctttgacg	240
gcacagatgc	ctgtgtgact	ccggttctga	cttttgagga	ggttggtcat	catgatcaca	300
acaangaacg	gggctcggtt	atcaccantg	aggagcagga	cgtgagcccc	cgccctgcac	360
ctctgctgtt	aaacacccca	gccatccctt	ctttcaaaag	ggatccacta	cttctagagc	420
ggncgccacc	gcggtggagc	tccagctttt	gttcccttta	gtgagggtta	attgcgcgct	480
tggcgtaatc	atggtcatan	ctgtttcctg	tgtgaaattg	ttatccgctc	acaattccac	540
acaacatacg	anccggaagc	atnaaat	aaagcctgg	ggtngcctaa	tgantgaact	600
nactcacatt	aattggcttt	gcgctcactg	cccgttttcc	agtcgggaaa	acctgtcctt	660
gccagctgcc	nttaataaat	cnggccaccc	cccggggaaa	aggcngtttg	cttnttgggg	720
cgenettccc	gctttctcgc	ttcctgaant	ccttcccccc	ggtctttcgg	cttgcggcna	780
acggtatcna	cct					793

<210> 34
 <211> 756
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(756)
 <223> n = A,T,C or G

<400> 34
 gccgcgaccg gcatgtacga gcaactcaag ggcgagtggg accgtaaaag cccaatctt 60
 ancaagtgcg gggaanagct gggtcgactc aagctagtct ttctggagct caacttcttg 120
 ccaaccacag ggaccaagct gaccaaacag cagctaattc tggcccgtga catactggag 180
 atcggggccc aatggagcat cctacgcaan gacatcccc ccttcgagcg ctacatggcc 240
 cagctcaaat gctactactt tgattacaan gagcagctcc ccgagtcagc ctatatgcac 300
 cagctcttgg gcctcaacct cctcttcttg ctgtcccaga accgggtggc tgantnccac 360
 acgganttgg ancggctgcc tgcccaanga catacanacc aatgtctaca tcnaccacca 420
 gtgtcctgga gcaatactga tgganggcag ctaccncaaa gtnttctctg ccnagggtaa 480
 catccccgcg cgagagctac accttcttca ttgacatcct gctcgacact atcaggggatg 540
 aaaatcgcn ggttgctcca gaaaggctnc aanaanatcc ttttcnctga agggccccgg 600
 atnncntagt nctagaatcg gcccgccatc gcggtgganc ctccaacctt tcgttncctt 660
 ttactgaggg ttnattgccg cccttggcgt tatcatggtc acnccngttn cctgtgttga 720
 aattnttaac ccccacaat tccacgccna catnng 756

<210> 35
 <211> 834
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(834)
 <223> n = A,T,C or G

<400> 35
 ggggatctct anactnacct gnatgcatgg ttgtcgggtg ggtcgtctgc gatgaanatg 60
 aacaggatct tgcccttgaa gctctcggtc gctgtnttta agttgctcag tctgccgtca 120
 tagtcagaca cncctcttgg caaaaaacan caggatntga gtcttgattt cacctccaat 180
 aatcttcngg gctgtctgct cgggtgaactc gatgacnang ggcagctggg tgtgtntgat 240
 aaantccanc angttctcct tgggtgacctc cccttcaaag ttgttccggc cttcatcaaa 300
 cttctnnaan angannancc canctttgtc gagctggnat ttgganaaca cgtcactgtt 360
 ggaaactgat cccaaatggg atgtcatcca tcgcctctgc tgccctgcaa aaacttgctt 420
 ggcncaaatc cgactcccn tccttgaaag aagccnatca cccccctc cctggactcc 480
 nncaangact ctncgcctnc cccntccng cagggttggg ggcannccgg gccntgcgc 540
 ttcttcagcc agttcacnat ntcatcagc cctctgcca gctgtntat tccttggggg 600
 ggaanccgtc tctcccttcc tgaannaact ttgaccgtng gaatagccgc gcntcnccnt 660
 acntnctggg ccgggttcaa antccctcen ttgnenntcn cctcgggcca ttctggattt 720
 nccnaacttt ttccttcccc cncccnccg ngtttgntt tttcatnggg ccccaactct 780
 gctnttggcc antccctgg gggcntntan cnccectnt ggtccentng ggcc 834

<210> 36
 <211> 814
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(814)
 <223> n = A,T,C or G

<400> 36

cgngcgcgttt	ccngccgcgc	cccgtttcca	tgacnaaggc	tcccttcang	ttaaatacnn	60
cctagnaaac	attaatgggt	tgtctacta	atacatcata	cnaaccagta	agcctgccca	120
naacgccaac	tcaggccatt	cctaccaaag	gaagaaaggc	tggtctctcc	accccctgta	180
ggaaaggcct	gccttgtaag	acaccacaat	ncggctgaat	ctnaagtctt	gtgttttact	240
aatggaaaaa	aaaaataaac	aanaggtttt	gttctcatgg	ctgcccaccg	cagcctggca	300
ctaaaacanc	ccagcgtca	cttctgcttg	ganaaatatt	ctttgctctt	ttggacatca	360
ggcttgatgg	tatcactgcc	acntttccac	ccagctgggc	ncccttcccc	catntttgtc	420
antganctgg	aaggcctgaa	ncttagtctc	caaaagtctc	ngcccacaag	accggccacc	480
aggggagntc	ntttncagt	gatctgccaa	anantaccn	tatcatcnnt	gaataaaaaag	540
gcccctgaac	ganatgcttc	cancancctt	taagacccat	aatcctngaa	ccatggtgcc	600
cttcggtct	gatccnaaag	gaatgttcct	gggtcccant	ccctcctttg	ttncctacgt	660
tgtnttgac	ccntgctngn	atnaccnaan	tganatcccc	ngaagcacc	tnccctggc	720
atttganttt	cntaaattct	ctgccctacn	nctgaaagca	cnattccctn	ggcnccnaan	780
ggngaactca	agaaggctcn	ngaaaaacca	cncn			814

<210> 37
 <211> 760
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(760)
 <223> n = A,T,C or G

gcattgctgct	cttcctcaaa	gttggttcttg	ttgccataac	aaccaccata	ggtaaagcgg	60
gcgcagtgtt	cgctgaagg	gtttagtagtac	cagcgcgga	tgtctctcct	gcagagtcct	120
gtgtctggca	gttcacacga	atgccctttg	tcactgggga	aatggatgcg	ctggagctcg	180
tcnaanccac	tcgtgtattt	ttcacangca	gcctcctccg	aagcntccgg	gcagttgggg	240
gtgtcgtcac	actccactaa	actgtcgatn	cancagccca	ttgtctgcagc	ggaactgggt	300
gggtgacag	gtgccagaac	acactggatn	ggcctttcca	tggaaaggcc	tgggggaaat	360
cnctnanc	caaatgcct	ctcaaaggcc	accttgcaca	ccccgacagg	ctagaaatgc	420
actcttcttc	ccaaaggtag	ttgttcttgc	tgcccaagca	ncctccanca	aaccaaanc	480
ttgcaaaatc	tgtctcggtg	gggtcatnnn	taccanggtt	ggggaaanaa	acccggcngn	540
ganccncctt	gtttgaatgc	naaggnaata	atcctcctgt	cttgcttggg	tggaaanagca	600
caattgaact	gttaacnttg	ggcnggttc	cncnnggtg	gtctgaaact	aatcaccgtc	660
actggaaaaa	ggtangtgcc	ttccttgaat	tcccaaantt	cccctngntt	tgggtntttt	720
ctcctctncc	ctaaaaatcg	tnttcccccc	cctanggcg			760

<210> 38
 <211> 724
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(724)
 <223> n = A,T,C or G

tttttttttt	tttttttttt	tttttttttt	tttttaaaaa	ccccctccat	tgaatgaaaa	60
cttcnnaaat	tgtccaaccc	cctcnnccaa	atnnccattt	ccgggggggg	gttccaaacc	120
caaatataatt	ttgganttta	aattaaatnt	tnattngggg	aanaanccaa	atgtnaagaa	180
aatttaaccc	attatnaact	taaatnccn	gaaaccntg	gnttccaaaa	atttttaacc	240
cttaaatccc	tcgaaattg	ntaanggaaa	accaaattcn	cctaaggctn	tttgaagggt	300
ngatttaaac	ccccttnant	tnttttnacc	cnngnctnaa	ntatttngnt	tccggtgttt	360
tcctnttaan	cntnggtaac	tcccgnataa	gaannnccct	aanccaatta	aaccgaattt	420
tttttgaatt	ggaaattccn	ngggaattna	ccgggggttt	tccnttttgg	ggggccatnc	480
ccncttttcg	gggtttgggn	ntaggttgaa	tttttnnang	ncccaaaaaa	ncccccaana	540
aaaaaactcc	caagnnttaa	ttngaantnc	ccccttccca	ggccttttgg	gaaaggnggg	600
ttnttggggg	ccngggantt	cnttcccccn	ttncncccc	ccccccnggt	aaanggttat	660

ngnnntttggt ttttgggccc cttnanggac cttccggatn gaaattaaat ccccggnncg 720
gccg 724

<210> 39
<211> 751
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(751)
<223> n = A,T,C or G

<400> 39
tttttttttt tttttctttg ctcacattta atttttattt tgattttttt taatgctgca 60
caacacaata tttatttcat ttgtttcttt tatttcattt tatttgttg ctgctgctgt 120
tttttttatt tttactgaaa gtgagaggga acttttgttg ccttttttcc tttttctgta 180
ggccgcctta agcttttctaa atttggaaca tctaagcaag ctgaanggaa aaggggggtt 240
cgcaaatca ctcgggggaa nggaaagggt gctttgttaa tcatgcceta tgggtgggtga 300
ttaactgctt gtacaattac ntttcacttt taattaattg tgctnaangc ttttaattana 360
cttgggggtt ccttccccc accaaccn .ctgacaaaaa gtgccngccc tcaaatnatg 420
tcccggcnnt cnttgaaaca cacngcngaa ngttctcatt ntcccnncnc caggtnaaaa 480
tgaagggtta ccatntttaa cnccacctcc acntggcnnn gectgaatcc tcnaaaancn 540
cctcaancn aattnctnng ccccggtcnc gentnngtcc cncccgggct ccgggaantn 600
caccnccnga annnntnnc naacnaaatt ccgaaaatat tcccnntcnc tcaattcccc 660
cnnagactnt cctcnnncan cncaattttc ttttntcac gaacnccnnc cnnaaatgn 720
nnnnncctc cncnngtcen naatnccan c 751

<210> 40
<211> 753
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(753)
<223> n = A,T,C or G

<400> 40
gtggtatttt ctgtaagatc aggtgttcct cctcgtagg tttagaggaa acaccctcat 60
agatgaaaac ccccccgaga cagcagcact gcaactgcca agcagccggg gtaggagggg 120
cgccctatgc acagctgggc ccttgagaca gcagggttc gatgtcaggc tcgatgtcaa 180
tggtctggaa gggcggtg tacctgcgta ggggcacacc gtcagggcc accaggaact 240
tctcaaagt ccaggcaacn tcgttgcgac acaccggaga ccaggtgatn agcttggggt 300
cggtcataan cgcggtggcg tcgtcgtgag gagctggcag ggcctcccgc aggaaggcna 360
ataaaagggt cgcccccgca cgttcanc cgcacttctc naanaccatg angttgggct 420
cnaaccacc accannccgg acttccttga nggaattccc aaatctcttc gntcttgggc 480
ttctnctgat gccctanctg gttgccnngn atgccaanca nccccancc ccgggtcct 540
aaanacccn cctcctcntt tcatctgggt tntntcccc ggacntggt tctctcaag 600
ggancccata tctcnaccan tactcaccnt nccccccnt gnnaccanc cttctanngn 660
ttccncccg ncctctggcc entcaaanan gcttnacna cctgggtctg ccttcccccc 720
tnccctatct gnaccnncn tttgtctcan tnt 753

<210> 41
<211> 341
<212> DNA
<213> Homo sapien

<400> 41
actatatcca tcacaacaga catgcttcat cccatagact tcttgacata gcttcaaagt 60
agtgaaccca tccttgattt atatacatat atgttctcag tattttggga gcctttccac 120
ttctttaaac cttgttcatt atgaacactg aaaataggaa tttgtgaaga gttaaaaagt 180

tatagcttgt ttacgtagta agtttttgaa gtctacattc aatccagaca cttagttgag	240
tggttaaactg tgattttttaa aaaatatcat ttgagaatat tctttcagag gtattttcat	300
ttttactttt tgattaattg tgttttatat attagggtag t	341

<210> 42
 <211> 101
 <212> DNA
 <213> Homo sapien

<400> 42	
acttactgaa tttagttctg tgctcttcct tatttagtgt tgtatcataa atactttgat	60
gtttcaaaca ttctaaataa ataattttca gtggcttcat a	101

<210> 43
 <211> 305
 <212> DNA
 <213> Homo sapien

<400> 43	
acatctttgt tacagtctaa gatgtgttct taaatcacca ttccttcctg gtcctcaccc	60
tccagggtgg tctcacactg taattagagc tattgaggag tctttacagc aaattaagat	120
tcagatgcct tgctaagtct agagttctag agttatgttt cagaaagtct aagaaaccca	180
cctcttgaga ggtcagtaaa gaggacttaa tatttcatat ctacaaaatg accacaggat	240
tggtacaga acgagagtta tcctggataa ctccagagctg agtacctgcc cgggggccgc	300
tcgaa	305

<210> 44
 <211> 852
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(852)
 <223> n = A,T,C or G

<400> 44	
acataaatat cagagaaaag tagtctttga aatattttacg tccaggagtt ctttgtttct	60
gattatttgg tgtgtgtttt ggtttgtgtc caaagtattg gcagcttcag ttttcatttt	120
ctctccatcc tcgggcattc ttcccaaatt tatataccag tcttcgtcca tccacacgct	180
ccagaatttc tctttttag tagtatctca tagctcggct gagcttttca taggtcatgc	240
tgctgttgtt ctctctttta ccccatagct gagccactgc ctctgatttc aagaacctga	300
agacgcctc agatcggctc tccattttta ttaatcctgg gttcttgtct gggttcaaga	360
ggatgtcgcg gatgaattcc cataagttag tccctctcgg gttgtgcttt ttggtgtggc	420
acttggcagg ggggtcttgc tcctttttca tatcagggtga ctctgcaaca ggaagggtgac	480
tggtggttgt catggagatc tgagcccggc agaaagtatt gctgtccaac aaatctactg	540
tgctaccata gttggtgtca tataaatagt tctngtcttt ccagggtgtc atgatggaag	600
gctcagtttg ttcagttctg acaatgacat tgtgtgtgga ctggaacagg tcaactactgc	660
actggccggt ccacttcaga tgctgcaagt tgctgtagag gagntgcccc gccgtccctg	720
ccgcccgggt gaactcctgc aaactcatgc tgcaaagggt ctgcgcgttg atgtcgaact	780
cntggaaagg gatacaattg gcatccagct ggttggtgtc caggagggtga tggagccact	840
cccacacctg gt	852

<210> 45
 <211> 234
 <212> DNA
 <213> Homo sapien

<400> 45	
acaacagacc cttgtctgct aacgacctca tgctcatcaa gttggacgaa tccgtgtccg	60
agtctgacac catccggagc atcagcattg ctctgcagtg ccctaccgcg ggggaactctt	120
gcctcgtttc tggctgggggt ctgctggcga acggcagaat gcctaccgtg ctgcagtgcc	180

tgaacgtgtc ggtggtgtct gaggaggtct gcagtaagct ctatgacccg ctgt 234

<210> 46
 <211> 590
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(590)
 <223> n = A,T,C or G

<400> 46
 acttttttatt taaatgttta taaggcagat ctatgagaat gatagaaaac atggtgtgta 60
 atttgatagc aatatttttg agattacaga gttttagtaa ttaccaatta cacagttaaa 120
 aagaagataa tatattccaa gcanatacaa aatatctaata gaaagatcaa ggcaggaaaa 180
 tgantataac taattgacaa tggaaaatca attttaatgt gaattgcaca ttatccttta 240
 aaagcctttca aaanaanaaa ttattgcagt ctanttaatt caaacagtgt taaatggat 300
 caggataaan aactgaaggg canaaagaat taattttcac ttcatgtaac ncaccanant 360
 ttacaatggc ttaaattgcan ggaaaaagca gtggaagtag ggaagtantc aaggtctttc 420
 tggctctctaa tctgccttac tctttgggtg tggctttgat cctctggaga cagctgccag 480
 ggctcctgtt atatccacaa tcccagcagc aagatgaagg gatgaaaaag gacacatgtc 540
 gccttccttt gaggagactt catctcactg gccaacactc agtcacatgt 590

<210> 47
 <211> 774
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(774)
 <223> n = A,T,C or G

<400> 47
 acaagggggc ataatgaagg agtggggana gatttttaag aaggaaaaaa aacgaggccc 60
 tgaacagaat tttcctgnac aacggggcctt caaaataatt ttcttgggga ggttcaagac 120
 gcttcactgc ttgaaactta aatggatgtg ggacanaatt ttctgtaatg accctgaggg 180
 cattacagac gggactctgg gaggaaggat aaacagaaaag gggacaaaag ctaatcccaa 240
 aacatcaaag aaaggaaggt ggcgtcatac ctcccagcct acacagtctt ccagggtctt 300
 cctcatccct ggaggacgac agtggaggaa caactgacca tgtcccagg ctctgtgtg 360
 ctggtcctct gtcttcagcc cccagctctg gaagcccacc ctctgctgat cctgcgtggc 420
 ccacactcct tgaacacaca tcccaggtt atattcctgg acatggctga acctcctatt 480
 cctacttccg agatgccttg ctccctgcag cctgtcaaaa tcccactcac cctccaaacc 540
 acggcatggg aagcctttct gacttgcttg attactccag catcttgga caatccctga 600
 ttcccactc cttagaggca agataggggt gtaagagta gggctggacc acttgagacc 660
 aggtctgtg cttcaaattt tggctcattt acgagctatg ggaccttgg caagtnatct 720
 tcacttctat gggcntcatt ttgttctacc tgcaaaatgg gggataataa tagt 774

<210> 48
 <211> 124
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(124)
 <223> n = A,T,C or G

<400> 48
 canaaattga aattttataa aaaggcattt ttctcttata tccataaaat gatataattt 60
 ttgcaantat anaaatgtgt cataaattat aatgttcctt aattacagct caacgcaact 120

tggt 124

<210> 49
 <211> 147
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(147)
 <223> n = A,T,C or G

<400> 49
 gccgatgcta ctatttttatt gcaggagggtg ggggtgtttt tattattctc tcaacagctt 60
 tgtgggtaca ggtggtgtct gactgcatna aaaanttttt tacgggtgat tgcaaaaatt 120
 ttagggcacc catatcccaa gcantgt 147

<210> 50
 <211> 107
 <212> DNA
 <213> Homo sapien

<400> 50
 acattaaatt aataaaaagga ctgttgggggt tctgctaaaa cacatggctt gatatatattgc 60
 atggtttgag gttaggagga gttaggcata tgttttggga gaggggt 107

<210> 51
 <211> 204
 <212> DNA
 <213> Homo sapien

<400> 51
 gtcctaggaa gtctagggga cacacgactc tgggggtcacg gggccgacac acttgacagg 60
 cggaaggaa aggcagagaa gtgacaccgt caggggggaaa tgacagaaag gaaaatcaag 120
 gccttgcaag gtcagaaaagg ggactcaggg cttccaccac agccctgccc cacttggcc 180
 cctccctttt gggaccagca atgt 204

<210> 52
 <211> 491
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(491)
 <223> n = A,T,C or G

<400> 52
 acaaagataa cattttatctt ataacaaaaa tttgatagtt tttaaagggtta gtattgtgta 60
 ggggtattttc caaaagacta aagagataac tcaggtaaaa agttagaaat gtataaaaaca 120
 ccatcagaca ggttttttaa aaacaacata ttacaaaatt agacaatcat ccttaaaaaa 180
 aaaacttctt gtatcaattt cttttgttca aaatgactga cttaantatt tttaaattatt 240
 tcaaaaacac ttctcaaaaa attttcaana tggtagcttt canatgtnc ctcagtccca 300
 atgttgctca gataaataaa tctcgtgaga acttaccacc caccacaagc tttctggggc 360
 atgcaacagt gtcttttctt tcttttttct tttttttttt ttacaggcac agaaactcat 420
 caattttatt tggataacaa aggtgtctcca aattatattg aaaaataaat ccaagttaat 480
 atcactcttg t 491

<210> 53
 <211> 484
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(484)
 <223> n = A,T,C or G

<400> 53
 acataattta gcagggctaa ttaccataag atgctattta ttaanaggtn tatgatctga 60
 gtattaacag ttgctgaagt ttggtatttt tatgcagcat tttctttttg ctttgataac 120
 actacagaac ccttaaggac actgaaaatt agtaagtaaa gttcagaaac attagctgct 180
 caatcaaadc tctacataac actatagtaa ttaaaacgtt aaaaaaaagt gttgaaatct 240
 gcactagtat anaccgctcc tgtcaggata anactgcttt ggaacagaaa gggaaaaanc 300
 agcttttgant ttctttgtgc tgatangagg aaaggctgaa ttaccttggt gcctctccct 360
 aatgattggc aggtcnggta aatnccaaaa catattccaa ctcaacactt cttttccncc 420
 tanccttgant ctgtgtattc caggancagg cggatggaat gggccagccc ncggatgttc 480
 cant 484

<210> 54
 <211> 151
 <212> DNA
 <213> Homo sapien

<400> 54
 actaaacctc gtgcttggtga actccataca gaaaacgggtg ccattccctga acacggctgg 60
 ccactgggta tactgctgac aaccgcaaca acaaaaacac aaatccttgg cactggctag 120
 tctatgtcct ctcaagtgcc tttttgtttg t 151

<210> 55
 <211> 91
 <212> DNA
 <213> Homo sapien

<400> 55
 acctggcttg tctccgggtg gttcccggtg cccccacggg tccccagAAC ggacactttc 60
 gccctccagt ggatactcga gccaaagtgg t 91

<210> 56
 <211> 133
 <212> DNA
 <213> Homo sapien

<400> 56
 ggcggtatgt cggttggttat atacaaatat gtcattttat gtaagggtact tgagtatact 60
 tggatttttg gtatctgtgg gttgggggga cgggccagga accaataccc catggatacc 120
 aagggacaac tgt 133

<210> 57
 <211> 147
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(147)
 <223> n = A,T,C or G

<400> 57
 actctggaga acctgagccg ctgctccgcc tctgggatga ggtgatgcan gcngtggcgc 60
 gactgggagc tgagcccttc cctttgcgcc tgcctcagag gattgttgcc gacntgcana 120
 tctcantggg ctggatncat gcagggt 147

<210> 58

<211> 198
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(198)
 <223> n = A,T,C or G

<400> 58
 acagggatat aggtttnaag ttattgtnat tgtaaaatac attgaatttt ctgtatactc 60
 tgattacata catttatcct ttaaaaaaga tgtaaatcct aatttttatg ccatctatta 120
 atttaccat gagttacctt gtaaatgaga agtcatgata gcactgaatt ttaactagtt 180
 ttgacttcta agtttggt 198

<210> 59
 <211> 330
 <212> DNA
 <213> Homo sapien

<400> 59
 acaacaaatg gggtgtgagg aagtcttatac agcaaaactg gtgatggcta ctgaaaagat 60
 ccattgaaaa ttatcattaa tgattttaaa tgacaagtta tcaaaaactc actcaatttt 120
 cacctgtgct agcttgctaa aatgggagtt aactctagag caaatatagt atcttctgaa 180
 tacagtcaat aaatgacaaa gccagggcct acaggtgggt tccagacttt ccagaccag 240
 cagaaggaat ctattttatc acatggatct ccgtctgtgc tcaaaatacc taatgatatt 300
 tttcgtcttt attggacttc tttgaagagt 330

<210> 60
 <211> 175
 <212> DNA
 <213> Homo sapien

<400> 60
 accgtgggtg ccttctacat tcttgacggc tccttcacca acatctgggt ctacttcggc 60
 gtcgtgggct ccttctctt catctcctc cagctgggtc tgctcatcga ctttgcgac 120
 tcttggaacc agcgttggtt gggcaaggcc gaggagtgcg attcccgtgc ctggt 175

<210> 61
 <211> 154
 <212> DNA
 <213> Homo sapien

<400> 61
 accccacttt tcctcctgtg agcagtctgg acttctcact gctacatgat gaggggtgagt 60
 ggttggtgct cttcaacagt atcctccctt ttccggatct gctgagccgg acagcagtgc 120
 tggactgcac agccccggg ctccacattg ctgt 154

<210> 62
 <211> 30
 <212> DNA
 <213> Homo sapien

<400> 62
 cgctcgagcc ctatagttag tcgtattaga 30

<210> 63
 <211> 89
 <212> DNA
 <213> Homo sapien

<400> 63

acaagtcatt tcagcacccct ttgctcttca aaactgacca tcttttatat ttaatgettc 60
ctgtatgaat aaaaatggtt atgtcaagt 89

<210> 64
<211> 97
<212> DNA
<213> Homo sapien

<400> 64
accggagtaa ctgagtcggg acgctgaatc tgaatccacc aataaataaa ggttctgcag 60
aatcagtgc tccaggattg gtccttggat ctggggg 97

<210> 65
<211> 377
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(377)
<223> n = A,T,C or G

<400> 65
acaacaanaa ntcccttctt taggccactg atggaaacct ggaaccccct tttgatggca 60
gcatggcgtc ctaggccttg acacagcggc tgggggttgg gctntcccaa accgcacacc 120
ccaaccctgg tctaccacaca nttctggcta tgggctgtct ctgccactga acatcagggt 180
tcggtcataa natgaaatcc caanggggac agaggtcagt agaggaagct caatgagaaa 240
ggtgctgttt gtcagccag aaaacagctg cctggcattc gccgctgaac tatgaaccg 300
tgggggtgaa ctaccccccag gaggaatcat gcctggggcga tgcaanggtg ccaacaggag 360
gggcgggagg agcatgt 377

<210> 66
<211> 305
<212> DNA
<213> Homo sapien

<400> 66
acgcctttcc ctacagaattc agggaagaga ctgtcgctg ccttctctcg ttgttgctg 60
agaacccgtg tgcccttcc caccatatcc accctcgctc catctttgaa ctcaaacacg 120
aggaaactaac tgcaccctgg tcctctcccc agtccccagt tcaccctcca tccctcacct 180
tcctccactc taagggatat caacactgcc cagcacaggg gccctgaatt tatgtgggtt 240
ttatatattt ttttaataaga tgcactttat gtcatttttt aataaagtct gaagaattac 300
tgttt 305

<210> 67
<211> 385
<212> DNA
<213> Homo sapien

<400> 67
actacacaca ctccacttgc ctttgtgaga cactttgtcc cagcacttta ggaatgctga 60
ggtcggacca gccacatctc atgtgcaaga ttgccagca gacatcaggc ctgagagttc 120
cccttttaaa aaaggggact tgcttaaaaa agaagtctag ccacgattgt gtagagcagc 180
tgtgctgtgc tggagattca cttttgagag agttctcctc tgagacctga tctttagagg 240
ctgggcagtc ttgcacatga gatggggctg gtctgatctc agcactcctt agtctgcttg 300
cctctcccag ggccccagcc tggccacacc tgcttacagg gcactctcag atgccatac 360
catagtttct gtgctagtgg accgt 385

<210> 68
<211> 73
<212> DNA
<213> Homo sapien

<400> 68
 acttaaccag atatattttt accccagatg gggatattct ttgtaaaaaa tgaaaaataa 60
 gtttttttaa tgg 73

<210> 69
 <211> 536
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(536)
 <223> n = A,T,C or G

<400> 69
 actagtccag tgtggtggaa ttccattgtg ttgggggctc tcaccctcct ctctgcagc 60
 tccagctttg tgctctgcct ctgaggagac catggcccag catctgagta ccctgctgct 120
 cctgctggcc accctagctg tggccctggc ctggagcccc aaggaggagg ataggataat 180
 cccgggtggc atctataacg cagacctcaa tgatgagtgg gtacagcgtg cccttcactt 240
 cgccatcagc gagtataaca aggccaccaa agatgactac tacagacgtc cgctgcgggt 300
 actaagagcc aggcaacaga ccgttggggg ggtgaattac ttcttcgacg tagagggtggg 360
 ccgaaccata tgtaccaagt cccagcccaa cttggacacc tgtgccttcc atgaacagcc 420
 agaactgcag aagaaacagt tgtgctcttt cgagatctac gaagtccct ggggagaaca 480
 gaangtccct gggtgaaatc caggtgtcaa gaaatcctan ggatctgttg ccaggc 536

<210> 70
 <211> 477
 <212> DNA
 <213> Homo sapien

<400> 70
 atgacccta acaggggccc tctcagccct cctaattgacc tccggcctag ccatgtgatt 60
 tcacttccac tccataacgc tctcatact aggcctacta accaacacac taacctata 120
 ccaatgatgg cgcgatgtaa cacgagaaag cacataccaa ggccaccaca caccacctgt 180
 ccaaaaaggc cttcgatacg ggataatcct atttattacc tcagaagttt ttttcttcgc 240
 agggattttt ctgagccttt taccactcca gcctagcccc taccctccaa ctaggagggc 300
 actggccccc aacaggcatc accccgctaa atcccctaga agtcccactc ctaaacacat 360
 ccgtattact cgcacagga gtatcaatca cctgagctca ccatagtcta atagaaaaca 420
 accgaaaaca aattattcaa agcactgctt attacaattt tactgggtct ctatttt 477

<210> 71
 <211> 533
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(533)
 <223> n = A,T,C or G

<400> 71
 agagctatag gtacagtgtg atctcagctt tgcaaacaca ttttctacat agatagtact 60
 aggtattaat agatatgtaa agaaagaaat cacaccatta ataattgtaa gattgggtta 120
 tgtgatttta tggtattttt tggcaccctt atatattgtt tccaaacttt cagcagtgat 180
 attattttcca taacttaaaa agtgagtttg aaaaagaaaa tctccagcaa gcatctcatt 240
 taaataaagg tttgtcatct ttaaaaatac agcaatatgt gactttttta aaaagctgtc 300
 aaatagggtg gaccctacta ataattatta gaaatacatt taaaaacatc gagtacctca 360
 agtcagtttg ccttgaaaaa tatcaaatat aactcttaga gaaatgtaca taaaagaatg 420
 cttcgtaatt ttggagtang aggttccctc ctcaattttt tattttttaa aagtacatgg 480
 taaaaaaaaa aattcacaac agtatataag gctgtaaaaat gaagaattct gcc 533

<210> 72

<211> 511
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(511)
 <223> n = A,T,C or G

<400> 72
 tattacggaa aaacacacca cataattcaa ctancaaaga anactgcttc agggcgtgta 60
 aaatgaaagg ctccaggca gttatctgat taaagaacac taaaagaggg acaaggctaa 120
 aagccgcagg atgtctacac tatancaggc gctatattggg ttggctggag gagctgtgga 180
 aaacatggan agattgggtgc tgganatcgc cgtggctatt cctcattgtt attacanagt 240
 gaggttctct gtgtgcccac tggtttgaaa accgttctnc aataatgata gaatagtaca 300
 cacatgagaa ctgaaatggc ccaaaccagc aaagaaagcc caactagatc ctcagaanac 360
 gcttctaggg acaataaccg atgaagaaaa gatggcctcc ttgtgcccc gtctgttatg 420
 atttctctcc attgcagcna naaaccggtt ctctaaagca aacncagggt atgatggcna 480
 aaatacacc cctcttgaag naccnggagg a 511

<210> 73
 <211> 499
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(499)
 <223> n = A,T,C or G

<400> 73
 cagtgcagc actggtgcca gtaccagtac caataacagt gccagtgcc gtgccagcac 60
 cagtgggtggc ttcagtgtcg gtgccagcct gaccgccact ctacatttg ggctcttcgc 120
 tggccttggg ggagctgggt ccagcaccag tggcagctct ggtgccttg gtttctccta 180
 caagtgagat tttagatatt gttaatcctg ccagtcttcc tcttcaagcc aggggtgcac 240
 ctcagaaacc tactcaacac agcactctag gcagccacta tcaatcaatt gaagttgaca 300
 ctctgcatta aatctatttg ccatttctga aaaaaaaaaa aaaaaaaggg cgcccgctcg 360
 antctaggg gccggtttaa acccgctgat cagcctcgac tgtgccttct anttgccagc 420
 catctgttgt ttgcccctcc cccgntgcct tccttgacc tggaagtgcc cactcccact 480
 gtcccttcct aantaaat 499

<210> 74
 <211> 537
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(537)
 <223> n = A,T,C or G

<400> 74
 tttcatagga gaacacactg aggagatact tgaagaattt ggattcagcc gcgaagagat 60
 ttatcagctt aactcagata aaatcattga aagtaataag gtaaaagcta gtctctaact 120
 tccaggccca cggctcaagt gaatttgaat actgcattta cagtgtagag taacacataa 180
 cattgtatgc atggaaacat ggaggaacag tattacagtg tcctaccact ctaatcaaga 240
 aaagaattac agactctgat tctacagtga tgattgaatt ctaaaaatgg taatcattag 300
 ggcttttgat ttataanact ttgggtactt atactaaatt atggtagtta tactgccttc 360
 cagtttgctt gatataattg ttgatattaa gattccttgac ttatattttg aatgggttct 420
 actgaaaaan gaatgatata ttcttgaaga catcgatata catttattta cactcttgat 480
 tctacaatgt agaaaatgaa ggaaatgccc caaattgtat ggtgataaaa gtcccg 537

<210> 75
 <211> 467
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(467)
 <223> n = A,T,C or G

<400> 75
 caaanacaat tgttcaaaag atgcaaatga tacactactg ctgcagctca caaacacctc 60
 tgcataattac acgtacctcc tccgtctcct caagtagtgt ggtctatatt gccatcatca 120
 cctgctgtct gcttagaaga acggctttct gctgcaangg agagaaatca taacagacgg 180
 tggcacaagg aggccatctt ttccatcatcg gttattgtcc ctagaagcgt cttctgagga 240
 tctagtgtgg ctttctttct gggtttgggc catttcantt ctcatgtgtg tactattcta 300
 tcattattgt ataacggttt tcaaaccngt gggcacncag agaacctcac tctgtaataa 360
 caatgaggaa tagccacggg gatctccagc accaaatctc tccatgttnt tccagagctc 420
 ctccagccaa cccaaatagc cgctgctatn gtgtagaaca tccctgn 467

<210> 76
 <211> 400
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(400)
 <223> n = A,T,C or G

<400> 76
 aagctgacag cattcgggcc gagatgtctc gctccgtggc cttagctgtg ctgcgctac 60
 tctctctttc tggcctggag gctatccagc gtactccaaa gattcaggtt tactcacgtc 120
 atccagcaga gaattgaaaag tcaaatttcc tgaattgcta tgtgtctggg ttcatccat 180
 ccgacattga agttgactta ctgaagaatg gagagagaat tgaaaaagtg gagcattcag 240
 acttgtcttt cagcaaggac tggctctttc atctcttgta ctacactgaa ttcaccccca 300
 ctgaaaaaga tgagtatgcc tgccgtgtga accatgtgac tttgtcacag cccaagatng 360
 ttnagtggga tcganacatg taagcagcan catgggaggt 400

<210> 77
 <211> 248
 <212> DNA
 <213> Homo sapien

<400> 77
 ctggagtgcc ttggtgtttc aagcccctgc aggaagcaga atgcaccttc tgaggcacct 60
 ccagctgccc cggcggggga tgcgaggctc ggagcaccct tgcccggctg tgattgctgc 120
 caggcactgt tcatctcagc ttttctgtcc ctttgcctcc ggcaagcgt tctgctgaaa 180
 gttcatactt ggagcctgat gtcttaacga ataaaggtcc catgctccac ccgaaaaaaa 240
 aaaaaaaa 248

<210> 78
 <211> 201
 <212> DNA
 <213> Homo sapien

<400> 78
 actagtccag tgtggtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca 60
 tcaccagac cccgcctgc cgtgccccca cgctgtgtct aacgacagta tgatgcttac 120
 tctgtactc ggaaactatt tttatgtaat taatgtatgc tttcttgttt ataaatgcct 180
 gatttaaaaa aaaaaaaaaa a 201

<210> 79
 <211> 552
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(552)
 <223> n = A,T,C or G

<400> 79
 tccttttgtt aggtttttga gacaacccta gacctaaact gtgtcacaga cttctgaatg 60
 tttaggcagt gctagtaatt tcctcgtaat gattctgtta ttactttcct attctttatt 120
 cctctttctt ctgaagatta atgaagttga aaattgaggt ggataaatac aaaaaggtag 180
 tgtgatagta taagtatcta agtcagatg aaagtgtgtt atatatatcc attcaaaatt 240
 atgcaagtta gtaattactc agggttaact aaattacttt aatatgctgt tgaacctact 300
 ctgttccttg gctagaaaaa attataaaaca ggactttgtt agtttgggaa gccaaattga 360
 taatattcta tgttctaaaa gttgggctat acataaanta tnaagaaata tggaaattta 420
 ttcccaggaa tatgggggttc atttatgaat antaccggg anagaagttt tgantnaaac 480
 cngttttggt taatacgta atatgtcctn aatnaacaag gcntgactta tttccaaaaa 540
 aaaaaaaaaa aa 552

<210> 80
 <211> 476
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(476)
 <223> n = A,T,C or G

<400> 80
 acagggattt gagatgctaa ggccccagag atcgtttgat ccaaccctct tattttcaga 60
 ggggaaaatg gggcctagaa gttacagagc atctagctgg tgcgctggca cccctggcct 120
 cacacagact cccgagtagc tgggactaca ggcacacagt cactgaagca ggccctgttt 180
 gcaattcacg ttgccacctc caacttaaac attcttcata tgtgatgtcc ttagtcacta 240
 aggttaaaact ttcccaccca gaaaaggcaa cttagataaa atcttagagt actttcatac 300
 tcttctaagt cctcttccag cctcactttg agtcctcctt ggggggtgat aggaantntc 360
 tcttggtttt ctcaataaaa tctctatcca tctcatgttt aatttggtac gcntaaaaat 420
 gctgaaaaaa ttaaaatgtt ctgggtttcnc tttaaaaaaa aaaaaaaaaa aaaaaa 476

<210> 81
 <211> 232
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(232)
 <223> n = A,T,C or G

<400> 81
 tttttttttg tatgcctcn ctgtggngtt attgttgctg ccaccctgga ggagcccagt 60
 ttcttctgta tctttctttt ctggggggtc ttcttggtc tggccctcca tttccagcct 120
 ctcatcccca tcttgactt ttgctagggt tggaggcgct ttcttggtag cccctcagag 180
 actcagtcag cggaataag tctagggtt ggggggtgtg gcaagccggc ct 232

<210> 82
 <211> 383
 <212> DNA
 <213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(383)
<223> n = A,T,C or G

<400> 82
aggcgggagc agaagctaaa gccaaagccc aagaagagtgc gcagtgccag cactgggtgcc 60
-agtaccagta ccaataacat gccagtgccg gtgccagcac cagtgggtggc ttcagtgtctg 120
gtgccagcct gaccgccact ctcacatttg ggctcttcgc tggccttggg ggagctgggtg 180
ccagcaccag tggcagctct ggtgcctgtg gtttctccta caagtgcgat tttagatatt 240
gttaatcctg ccagctcttc tcttcaagcc aggggtgcac ctcagaaacc tactcaacac 300
agcactctng gcagccacta tcaatcaatt gaagttgaca ctctgcatta aatctatttg 360
ccatttcaaa aaaaaaaaaa aaa 383

<210> 83
<211> 494
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(494)
<223> n = A,T,C or G

<400> 83
accgaattgg gaccgctggc ttataagcga tcatgtcttc cagtattacc tcaacgagca 60
gggagatcga gtctatacgc tgaagaaatt tgaccgatg ggacaacaga cctgctcagc 120
ccatcctgct cgtttctccc cagatgacaa atactctcga caccgaatca ccatcaagaa 180
acgcttcaag gtgctcatga cccagcaacc gcgcctgtc ctctgagggg ccttaaactg 240
atgtcttttc tgccacctgt taccctcgg agactccgta accaaactct tcggactgtg 300
agccctgatg cctttttgcc agccatactc tttggcntcc agtctctcgt ggcgattgat 360
tatgcttgtg tgaggcaatc atggtggcat caccatnaa gggaacacat ttganttttt 420
tttcncatat tttaaattac naccagaata ntccagaata aatgaattga aaaactctta 480
aaaaaaaaaa aaaa 494

<210> 84
<211> 380
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(380)
<223> n = A,T,C or G

<400> 84
gctggtagcc tatggcgtgg ccacggangg gctcctgagg cacgggacag tgacttccca 60
agtatcctgc gccgcgtctt ctaccgtccc tacctgcaga tcttcgggca gattccccag 120
gaggacatgg acgtggccct catggagcac agcaactgct cgtcggagcc cggcttctgg 180
gcacaccctc ctggggccca ggccggcacc tgcgtctccc agtatgccaa ctggctgggtg 240
gtgctgtccc tcgtcatctt cctgctcgtg gccaacatcc tgctggtcac ttgctcattg 300
ccatgttcag ttacacattc ggcaaagtac agggcaacag cnatctctac tgggaaggcc 360
agcgtnccg cctcatccgg 380

<210> 85
<211> 481
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature

<222> (1)...(481)

<223> n = A,T,C or G

<400> 85

gagtttagctc	ctccacaacc	ttgatgaggt	cgtctgcagt	ggcctctcgc	ttcataccgc	60
tnccatcgctc	atactgtagg	tttgccacca	cctcctgcat	cttggggcgg	ctaataacca	120
ggaaaactctc	aatcaagtca	ccgtcnatna	aacctgtggc	tggttctgtc	ttccgctcgg	180
tgtgaaagga	tctccagaag	gagtgtctga	tcttccccac	acttttgatg	actttattga	240
gtcgattctg	catgtccagc	aggaggttgt	accagctctc	tgacagttag	gtcaccagcc	300
ctatcatgcc	nttgaacgtg	ccgaagaaca	ccgagccttg	tgtggggggg	gnagtctcac	360
ccagattctg	cattaccaga	nagccgtggc	aaaaganatt	gacaactcgc	ccaggnggaa	420
aaagaacacc	tcttggaagt	gctngccgct	cctcgtccnt	tggtggnggc	gcntnccttt	480
t						481

<210> 86

<211> 472

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(472)

<223> n = A,T,C or G

<400> 86

aacatcttcc	tgtataatgc	tgtgtaatat	cgatccgatn	ttgtctgctg	agaattcatt	60
acttggaaaa	gcaacttnaa	gcctggacac	tggtattaaa	attcacaata	tgcaaacatt	120
taaacagtgt	gtcaatctgc	tcccttactt	tgtcatcacc	agtctgggaa	taagggtatg	180
ccctattcac	acctgttaaa	agggcgctaa	gcatttttga	ttcaacatct	ttttttttga	240
cacaagtccg	aaaaaagcaa	aagtaaacag	ttnttaattt	gttagccaat	tcactttctt	300
catgggacag	agccatttga	tttaaaaagc	aaattgcata	atattgagct	ttgggagctg	360
atatntgagc	ggaagantag	cctttctact	tcaccagaca	caactccttt	catattggga	420
tgttnacnaa	agttatgtct	cttacagatg	ggatgctttt	gtggcaattc	tg	472

<210> 87

<211> 413

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(413)

<223> n = A,T,C or G

<400> 87

agaaaccagt	atctctnaaa	acaacctctc	ataccttgtg	gacctaat	tgtgtgcgtg	60
tgtgtgtgcg	cgcataattat	atagacaggc	acatcttttt	tacttttgta	aaagcttatg	120
cctcttttgt	atctatatct	gtgaaagt	taatgatctg	ccataatg	ttggggacct	180
ttgtcttctg	tgtaaatggt	actagagaaa	acacctatnt	tatgagtcaa	tctagttngt	240
tttattcgac	atgaaggaaa	tttccagatn	acaacactna	caaactctcc	cttgactagg	300
ggggacaaaag	aaaagcnaaa	ctgaacatna	gaaacaattn	cctggtgaga	aattncataa	360
acagaaattg	ggtngtatat	tgaaanann	catcattnaa	acgttttttt	ttt	413

<210> 88

<211> 448

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(448)

<223> n = A,T,C or G

<400> 88
 cgcagcgggt cctctctatc tagctccagc ctctcgctg cccactccc cgcgtcccgc 60
 gtcctagccn accatggccg ggcccctgcg cgcctgctg ccatcctggc 120
 cgtggccctg gccgtgagcc ccgcgcccg ctccagtcg ggcaagccgc cgcgcctggc 180
 gggaggccca tggaccccg gtggaagaag aagggtgctg gcgtgcactg gactttgccg 240
 tcggcnanta caacaaaccc gcaacnactt ttaccnagcn cgcgtgcag gttgtgccgc 300
 cccaancaaa ttgttactng gggtaantaa ttcttggaag ttgaacctgg gccaaacnng 360
 tttaccagaa ccnagccaat tngaacaatt ncccctccat aacagcccct tttaaaaag 420
 gaancantcc tgntcttttc caaat ttt 448

<210> 89
 <211> 463
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(463)
 <223> n = A,T,C or G

<400> 89
 gaattttgtg cactggccac tgtgatggaa ccattgggcc aggatgcttt gagtttatca 60
 gtagtgattc tgccaaagt gtgtgtgtaa catgagtatg taaaatgtca aaaaattagc 120
 agaggtctag gtctgcatat cagcagacag tttgtccgtg tattttgtag ccttgaagtt 180
 ctcaagtaca agttnnttct gatgcgaagt tctnattcca gtgttttagt cctttgcatc 240
 tttnatgttn agacttgccct ctntnaaatt gcttttgtnt tctgcaggta ctatctgtgg 300
 tttacaacaaa tagaannact tctctgcttn gaanatttga atatcttaca tctnaaaatn 360
 aattctctcc ccatannaaa acccangccc ttggganaat ttgaaaaang gntccttcnn 420
 aattcnnana anttcagntn tcatacaaca naacngganc ccc 463

<210> 90
 <211> 400
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(400)
 <223> n = A,T,C or G

<400> 90
 agggattgaa ggtctnttnt actgtcggac tgttcancca ccaactctac aagttgctgt 60
 cttccactca ctgtctgtaa gcntnttaac ccagactgta tcttcataaa tagaacaat 120
 tcttcaccag tcacatcttc taggaccttt ttggattcag ttagtataag ctcttccact 180
 tcctttgtta agacttcac tggtaaagtc ttaagttttg tagaaaggaa ttttaattgct 240
 cgttctctaa caatgtccct tccttgaagt atttggctga acaaccacc tnaagtcct 300
 ttgtgcatcc attttaaata tacttaatag ggcattggtt cactagggtta aattctgcaa 360
 gagtcatctg tctgcaaaaag ttgcgttagt atatctgcc 400

<210> 91
 <211> 480
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(480)
 <223> n = A,T,C or G

<400> 91
 gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnact 60


```

ggctctacccc acatgggagc agcatgccgt agntatataa ggtcattccc tgagtcagac      120
atgcctctttt gactaccgtg tgccagtgtt ggtgattctc acacacctcc nncgcgtctt      180
tgtggaaaaa ctggcacttg nctggaacta gcaagacatc acttacaaat tcacccacga      240
gacacttgaa aggtgtaaca aagcgactct tgcattgttt tttgtccctc cggcaccagt      300
tgtcaatact aaccgcgtgg tttgcctcca tcacatttgt gatctgtagc tctggataca      360
tctcctgaca gtactgaaga acttcttctt ttgtttcaaa agcaactctt ggtgcctgtt      420
ngatcagggtt cccatttccc agtccgaatg ttcacatggc atatnttact tcccacaaaa      480

```

```

<210> 92
<211> 477
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(477)
<223> n = A,T,C or G

```

```

<400> 92
atacagccca natcccacca cgaagatgcg cttgttgact gagaacctga tgcgggtcact      60
ggtcccgtcg tagccccagc gactctccac ctgctggaag cggttgatgc tgcactcctt      120
cccacgcagg cagcagcggg gccggtcaat gaactccact cgtggccttg ggttgacggg      180
taantgcagg aagaggctga ccacctcgcg gtccaccagg atgcccgact gtgcgggacc      240
tgcagcgaaa ctctcgatg gtcatgagcg ggaagcgaat gangcccagg gccttgccca      300
gaaccttccg cctgttctct ggcgtcacct gcagctgctg ccgctnacac tcggcctcgg      360
accagcggac aaacggcggt gaacagccgc acctcacgga tgcccantgt gtccgcgtcc      420
aggaacggcn ccagcgtgtc caggtcaatg tcggtgaanc ctccgcgggt aatggcg      477

```

```

<210> 93
<211> 377
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(377)
<223> n = A,T,C or G

```

```

<400> 93
gaacggctgg accttgctc gcattgtgct gctggcagga ataccttggc aagcagctcc      60
agtccgagca gccccagacc gctgccgccc gaagctaagc ctgcctctgg ccttcccctc      120
cgcctcaatg cagaaccant agtgggagca ctgtgtttag agttaagagt gaacactgtn      180
tgattttact tgggaatttc ctctgttata tagcttttcc caatgctaatt ttccaaacaa      240
caacaacaaa ataacatggt tgctgtttna gttgtataaa agtangtgat tctgtatnta      300
aagaaaatat tactgttaca tatactgctt gcaanttctg tatttattgg tnctctggaa      360
ataaatatat tattaata

```

```

<210> 94
<211> 495
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(495)
<223> n = A,T,C or G

```

```

<400> 94
ccctttgagg ggttagggc cagttcccag tggaagaaac aggccaggag aantgcgtgc      60
cgagctgang cagatttccc acagtgacct cagagccctg ggctatagtc tctgacctt      120
ccaaggaaag accaccttct ggggacatgg gctggagggc aggacctaga ggcaccaagg      180
gaaggcccca ttccggggct gttccccgag gaggaaggga aggggctctg tgtgcccccc      240

```

acgaggaana	ggccctgant	cctgggatca	nacacccctt	cacgtgtatc	cccacacaaa	300
tgcaagctca	ccaaggtccc	ctctcagtc	cttccctaca	ccctgaacgg	ncactggccc	360
acacccaccc	agancancca	cccgccatgg	ggaatgtnc	caaggaatcg	cngggcaacg	420
tggactctng	ttccnnaagg	gggcagaatc	ttccaatagan	gganngaacc	cttgctnana	480
aaaaaaaaana	aaaaa					495

<210> 95
 <211> 472
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(472)
 <223> n = A,T,C or G

ggttacttgg	tttcattgcc	accacttagt	ggatgtcatt	tagaaccatt	ttgtctgctc	60
cctctggaag	ccttgccgag	agcggacttt	gtaattgttg	gagaataact	gctgaatttt	120
tagctgtttt	gagttgattc	gcaccactgc	accacaactc	aatatgaaaa	ctatttnact	180
tatttattat	cttgtgaaaa	gtatacaatg	aaaattttgt	tcatactgta	tttatcaagt	240
atgatgaaaa	gcaatagata	tatattcttt	tattatgttn	aattatgatt	gccattatta	300
atcggcaaaa	tgtggagtg	atgttctttt	cacagtaata	tatgcctttt	gtaacttcac	360
ttggttattt	tattgtaaat	gaattacaaa	attcttaatt	taagaaaatg	gtangttata	420
tttanttcan	taatttcttt	ccttgtttac	gttaattttg	aaaagaatgc	at	472

<210> 96
 <211> 476
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(476)
 <223> n = A,T,C or G

ctgaagcatt	tcttcaaact	tntctacttt	tgctattgat	acctgtagta	agttgacaat	60
gtggtgaaat	ttcaaaaatta	tatgtaactt	ctactagttt	tactttctcc	cccaagtctt	120
ttttaactca	tgattttttac	acacacaatc	cagaacttat	tatatagcct	ctaagtcttt	180
attcttcaca	gtagatgatg	aaagagtcct	ccagtgtcct	gngcanaatg	ttctagntat	240
agctggatac	atacngtggg	agttctataa	actcatacct	cagtgggact	naaccaaatt	300
tgtgttagtc	tcaattccta	ccacactgag	ggagcctccc	aaatcactat	attcttatct	360
gcagggtactc	ctccagaaaa	acngacaggg	caggccttgca	tgaaaaagtn	acatctgcgt	420
tacaaagtct	atcttctctca	nangtctgt	aaggaacaat	ttaatcttct	agcttt	476

<210> 97
 <211> 479
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(479)
 <223> n = A,T,C or G

actctttcta	atgctgatat	gatcttgagt	ataagaatgc	atatgtcact	agaatggata	60
aaataatgct	gcaaaactta	tggtcttatg	caaaatggaa	cgctaataga	acacagctta	120
caatcgcaaa	tcaaaactca	caagtgtctca	tctgtttag	atttagtgta	ataagactta	180
gattgtgctc	cttcgggat	gattgtttct	canatcttgg	gcaatnttcc	ttagtcaa	240
caggctacta	gaattctgtt	attggatatn	tgagagcatg	aaatttttaa	naatacactt	300

ggcacttaat	ccatttttat	ttcaaaatgt	ctacaaat	aatcccatta	tacggtat	120
tcaaaatcta	aattattcaa	attagccaaa	tccttaccaa	ataataccca	aaaatcaaaa	180
atatacttct	ttcagcaaac	ttgttacata	aattaaaaaa	atatatacgg	ctggtg	240
caaagtacaa	ttatcttaac	actgcaaaaca	ttttaaggaa	ctaaaaataaa	aaaaaacact	300
ccgcaaaggt	taaagggaac	aacaaattct	tttacaacac	cattataaaa	atcataatctc	360
aaatcttagg	ggaatatata	cttcacacgg	gatcttaact	tttactcact	ttg	420
ttttaaacca	ttg	tttg	gggc	ccaacacaat	ggaatcccc	470

<210> 103
 <211> 581
 <212> DNA
 <213> Homo sapien

<400> 103						
tttttttttt	ttttttttga	ccccctctt	ataaaaaaca	agttaccatt	ttat	60
tacacatatt	tattttataa	ttggtattag	atattcaaaa	ggcagctttt	aaaatcaa	120
taaatggaaa	ctgccttaga	tacataattc	ttaggaatta	gcttaaaatc	tgcc	180
gaaaatcttc	tctagctctt	ttgactgtaa	at	ttt	gact	240
at	tttttcttg	tctttaaaat	tatcta	atct	ttt	300
gcttctctag	cctcatttcc	tagctcttat	ctactattag	taagtggctt	tttt	360
agggaaaaca	ggaagagaaa	tgccacacaa	aacaaacatt	ttatattcat	atttctac	420
acgttaataa	aatagcattt	tgtgaagcca	gctcaaaa	aggcttagat	ccttttat	480
ccatttttagt	cactaaacga	tatcaaagtg	ccagaatgca	aaagg	ttt	540
tcaaaagcta	atataagata	tttcacatac	tc	atct	ttt	581

<210> 104
 <211> 578
 <212> DNA
 <213> Homo sapien

<400> 104						
tttttttttt	tttttttttt	tttttctctt	cttttttttt	gaaatgagga	tcgag	60
cactctctag	atagggcatg	aagaaaactc	atctttccag	ctttaaaata	acaatcaa	120
ctcttatgct	atatcatatt	ttaagttaaa	ctaagtgc	actggcttat	cttctc	180
aggaaatctg	ttcattcttc	tcattcatat	agttatatca	agtactacct	tgcatattga	240
gagggtttttc	ttctctattt	acacatatat	ttccatgtga	atttgtatca	aacctttatt	300
ttcatgcaaa	ctagaaaata	atgtttcttt	tgcataagag	aagagaacaa	tatagcatta	360
caaaactgct	caaattgttt	gttaagttaa	ccattataat	tagttggcag	gagctaatac	420
aaatcacatt	tacgacagca	ataataaaac	tgaagtacca	gttaaataatc	caaaataatt	480
aaagggaacat	ttttagcctg	gggtataatta	gctaattcac	tttacaagca	tttattagaa	540
tgaattcaca	tg	ttatt	att	cttag	cccaa	578

<210> 105
 <211> 538
 <212> DNA
 <213> Homo sapien

<400> 105						
tttttttttt	tttttcagta	ataatcagaa	caatatttat	ttttatattt	aaaattcata	60
gaaaagtgcc	ttacatttaa	taaaagt	tttctcaaag	tgatcagagg	aattagatat	120
gtcttgaaca	ccaatattaa	tttgaggaaa	atacaccaaa	atacattaag	taaattattt	180
aagatcatag	agcttgtaag	tgaaaagata	aaatttgacc	tcagaaactc	tgagcattaa	240
aaatccacta	ttagcaaaata	aattactatg	gacttcttgc	tttaattttg	tgatgaatat	300
gggggtgtcac	tggtaaacca	acacattctg	aaggatacat	tacttagtga	tagattctta	360
tgtacttttg	taatacgtgg	atatgagttg	acaagt	ttt	ctt	420
ggcgagaaat	gaggaagaaa	agaaaaggat	tacgcatact	gttcttttcta	tggaaggatt	480
agatatgttt	cctttgcca	tattaaaaaa	ataataatgt	ttactactag	tgaaaccc	538

<210> 106
 <211> 473
 <212> DNA
 <213> Homo sapien

<400> 106

tttttttttt	tttttttagtc	aagttttctat	ttttattata	attaaaagtct	tggtcatttc	60
attttattagc	tctgcaactt	acatatttta	attaaagaaa	cgtttttagac	aactgtacaa	120
tttataaatg	taaggtgcc	ttattgagta	atataattcct	ccaagagtgg	atgtgtccct	180
tctcccacca	actaatgaac	agcaacatta	gtttaatttt	attagtagat	atacactgct	240
gcaaacgcta	attctcttct	ccatccccat	gtgatattgt	gtatatgtgt	gagttggtag	300
aatgcatcac	aatctacaat	caacagcaag	atgaagctag	gctgggcttt	cggtgaaat	360
agactgtgtc	tgtctgaatc	aaatgatctg	acctaactctc	ggtggcaaga	actcttcgaa	420
ccgcttctctc	aaaggcgctg	ccacatttgt	ggctctttgc	acttgtttca	aaa	473

<210> 107

<211> 1621

<212> DNA

<213> Homo sapien

<400> 107

cgccatggca	ctgcagggca	tctcggtc	at	ggagctgtcc	ggcctggccc	cgggcccggtt	60
ctgtgctatg	gtcctggctg	acttcggggc	gcgtgtggta	cgctgggacc	ggcccggctc		120
ccgctacgac	gtgagcogct	tgggcccggg	caagcgctcg	ctagtgtctg	acctaagca		180
gccgcgggga	gccgccgtgc	tgcggcgctc	gtgcaagcgg	tccgatgtgc	tgctggagcc		240
cttcgcgcgc	ggtgtcatgg	agaaactcca	gctgggccc	gagattctgc	agcgggaaaa		300
tccaaggctt	atttatgcc	ggctgagtg	atttgccag	tcagggaagct	tctgccggtt		360
agctggccac	gatatacaact	atttggttt	gtcagggtgtt	ctctcaaaaa	ttggcagaag		420
tggtgagaat	ccgtatgcc	cgctgaatct	cctggctgac	tttgcctgtg	gtggccttat		480
gtgtgcaactg	ggcattataa	tggctctttt	tgaccgcaca	cgcaactgaca	agggtcaggt		540
cattgatgca	aatatgggtg	aaggaacagc	atatttaagt	tcttttctgt	ggaaaactca		600
gaaatcgagt	ctgtgggaag	cacctcgagg	acagaacatg	ttggatgggtg	gagcaccttt		660
ctatacgact	tacaggacag	cagatgggga	attcatggct	gttgagagcaa	tagaacccca		720
gttctacgag	ctgctgatca	aaggacttgg	actaaagtct	gatgaacttc	ccaatcagat		780
gagcatggat	gattggccag	aaatgaagaa	gaagtttgca	gatgtatttg	caaagaagac		840
gaaggcagag	tggtgtcaaa	tctttgacgg	cacagatgcc	tgtgtgactc	cggttctgac		900
ttttgaggag	gttggttcac	atgatcaca	caagggaacgg	ggctcgttta	tcaccagtga		960
ggagcaggac	gtgagccccc	gccctgcacc	tctgctgtta	aacaccccag	ccatcccttc		1020
tttcaaaagg	gaccttttca	taggagaaca	cactgaggag	atacttgaag	aatttggatt		1080
cagccgcgaa	gagattttatc	agcttaactc	agataaaatc	attgaaagta	ataaggtaaa		1140
agctagtctc	taacttccag	gcccacggct	caagtgaatt	tgaatactgc	atttacagt		1200
tagagtaaca	cataacattg	tatgcatgga	aacatggagg	aacagtatta	cagtgtccta		1260
ccactcta	caagaaaaga	attacagact	ctgattctac	agtgtatgatt	gaattctaaa		1320
aatggttatc	attagggctt	ttgatttata	aaactttggg	tacttatact	aaattatggt		1380
agttattctg	ccttccagtt	tgcttgatat	atttggtgat	attaagattc	ttgacttata		1440
ttttgaatgg	gttctagtga	aaaaggaatg	atataattctt	gaagacatcg	atatacattt		1500
atttacactc	ttgattctac	aatgtagaaa	atgaggaaat	gccacaaatt	gtatgggtgat		1560
aaaagtcacg	tgaacaacaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa		1620
a							1621

<210> 108

<211> 382

<212> PRT

<213> Homo sapien

<400> 108

Met	Ala	Leu	Gln	Ile	Ser	Val	Met	Glu	Leu	Ser	Gly	Leu	Ala	Pro
1			5					10					15	
Gly	Pro	Phe	Cys	Ala	Met	Val	Leu	Ala	Asp	Phe	Gly	Ala	Arg	Val
			20					25					30	
Arg	Val	Asp	Arg	Pro	Gly	Ser	Arg	Tyr	Asp	Val	Ser	Arg	Leu	Gly
			35					40					45	
Gly	Lys	Arg	Ser	Leu	Val	Leu	Asp	Leu	Lys	Gln	Pro	Arg	Gly	Ala
			50					55					60	
Val	Leu	Arg	Arg	Leu	Cys	Lys	Arg	Ser	Asp	Val	Leu	Leu	Glu	Pro
65					70					75				80

Arg Arg Gly Val Met Glu Lys Leu Gln Leu Gly Pro Glu Ile Leu Gln
 85 90 95
 Arg Glu Asn Pro Arg Leu Ile Tyr Ala Arg Leu Ser Gly Phe Gly Gln
 100 105 110
 Ser Gly Ser Phe Cys Arg Leu Ala Gly His Asp Ile Asn Tyr Leu Ala
 115 120 125
 Leu Ser Gly Val Leu Ser Lys Ile Gly Arg Ser Gly Glu Asn Pro Tyr
 130 135 140
 Ala Pro Leu Asn Leu Leu Ala Asp Phe Ala Gly Gly Glu Leu Met Cys
 145 150 155 160
 Ala Leu Gly Ile Ile Met Ala Leu Phe Asp Arg Thr Arg Thr Asp Lys
 165 170 175
 Gly Gln Val Ile Asp Ala Asn Met Val Glu Gly Thr Ala Tyr Leu Ser
 180 185 190
 Ser Phe Leu Trp Lys Thr Gln Lys Ser Ser Leu Trp Glu Ala Pro Arg
 195 200 205
 Gly Gln Asn Met Leu Asp Gly Gly Ala Pro Phe Tyr Thr Thr Tyr Arg
 210 215 220
 Thr Ala Asp Gly Glu Phe Met Ala Val Gly Ala Ile Glu Pro Gln Phe
 225 230 235 240
 Tyr Glu Leu Leu Ile Lys Gly Leu Gly Leu Lys Ser Asp Glu Leu Pro
 245 250 255
 Asn Gln Met Ser Met Asp Asp Trp Pro Glu Met Lys Lys Lys Phe Ala
 260 265 270
 Asp Val Phe Ala Lys Lys Thr Lys Ala Glu Trp Cys Gln Ile Phe Asp
 275 280 285
 Gly Thr Asp Ala Cys Val Thr Pro Val Leu Thr Phe Glu Glu Val Val
 290 295 300
 His His Asp His Asn Lys Glu Arg Gly Ser Phe Ile Thr Ser Glu Glu
 305 310 315 320
 Gln Asp Val Ser Pro Arg Pro Ala Pro Leu Leu Leu Asn Thr Pro Ala
 325 330 335
 Ile Pro Ser Phe Lys Arg Asp Pro Phe Ile Gly Glu His Thr Glu Glu
 340 345 350
 Ile Leu Glu Glu Phe Gly Phe Ser Arg Glu Glu Ile Tyr Gln Leu Asn
 355 360 365
 Ser Asp Lys Ile Ile Glu Ser Asn Lys Val Lys Ala Ser Leu
 370 375 380

<210> 109

<211> 1524

<212> DNA

<213> Homo sapien

<400> 109

```

ggcacgaggc tgcgccaggc cctgagcgga ggcgggggca gcctcgccag cgggggcccc 60
gggcttgccc atgcctcact gagccagcgc ctgcgcctct acctcgccga cagctggaac 120
cagtgcgacc tagtggtctt cacctgcttc ctctgggagc tgggctgccg gctgaccccg 180
ggtttgtaac acctgggccc cactgtcctc tgcacgcact tcatggtttt cacggtgcgg 240
ctgcttcaca tcttcacggt caacaaacag ctggggccca agatcgctcat cgtgagcaag 300
atgatgaagg acgtgttctt cttcctcttc ttctcggcgt tgtggctggt agcctatggc 360
gtggccacgg aggggctcct gaggccacgg gacagtgact tcccaagtat cctgcgcgcg 420
gtcttctacc gtccctacct gcagatcttc gggcagattc cccaggagga catggacgtg 480
gccctcatgg agcacagcaa ctgctcgctg gagcccggtt tctgggcaca ccctcctggg 540
gccaggcgcg gcacctgcgt ctcccagtat gccaaactggc tgggtgtgct gctcctcgtc 600
atcttctctg tctgtggcaa catcctgctg gtcaacttgc tcattgccat gttcagttac 660
acattcggca aagtacaggg caacagcgat ctctactgga aggcgcagcg ttaccgcctc 720
atccgggaat tccactctcg gcccgcgctg gccccgcctt ttatcgtcat ctcccacttg 780
cgctcctcgc tcaggcaatt gtgcaggcga ccccgaggcc cccagcgcgc ctcccggccc 840
ctcgagcatt tccgggttta cctttctaag gaagccgagc ggaagctgct aacgtgggaa 900
tcggtgcata aggagaactt tctgctggca cgcgctaggg acaagcggga gagcgactcc 960
gagcgtctga agcgcacgct ccagaagggt gacttggcac tgaacagct gggacacatc 1020

```

cgcgagtagc	aacagcgcc	gaaagtgtc	gagcgggagg	tccagcagtg	tagccgcgtc	1080
ctggggtggg	tggccgaggc	cctgagccgc	tctgccttgc	tgccccaggg	tggcccgcca	1140
ccccctgacc	tgcttgggtc	caaagactga	gccctgtgtg	cggacttcaa	ggagaagccc	1200
ccacagggga	ttttgtcct	agagtaaggc	tcatctgggc	ctcgccccc	gcacctggtg	1260
gccttgtcct	tgaggtgagc	cccatgtcca	tctggggccac	tgtcaggacc	acctttggga	1320
gtgtcatcct	tacaaaccac	agcatgccc	gctcctccca	gaaccagtc	cagcctggga	1380
ggatcaaggc	ctggatccc	ggccgttatc	catctggagg	ctgcagggtc	cttggggtaa	1440
cagggaccac	agacccctca	ccactcacag	attcctcaca	ctggggaaat	aaagccattt	1500
cagaggaaaa	aaaaaaaaa	aaaa				1524

<210> 110

<211> 3410

<212> DNA

<213> Homo sapien

<400> 110

gggaaccagc	ctgcacgcgc	tggctccggg	tgacagccgc	gcgcctcggc	caggatctga	60
gtgatgagac	gtgtccccc	tgaggtgccc	cacagcagca	ggtgttgagc	atgggctgag	120
aagctggacc	ggcaccaaag	ggctggcaga	aatgggcgcc	tggctgattc	ctaggcagtt	180
ggcggcagca	aggaggagag	gccgcagctt	ctggagcaga	gccgagacga	agcagttctg	240
gagtgcctga	acggccccc	gagccctacc	cgcttggccc	actatgggtc	agaggctgtg	300
ggtgagccgc	ctgctgcggc	accggaaagc	ccagctcttg	ctggtcaacc	tgctaaccct	360
tggcctggag	gtgtgtttgg	ccgcaggcat	cacctatgtg	ccgcctctgc	tgctggaagt	420
gggggtagag	gagaagttca	tgacatgggt	gctgggcatt	ggtccagtgc	tgggcctggt	480
ctgtgtcccg	ctcctaggct	cagccagtga	ccactggcgt	ggacgctatg	gccgcgcgcg	540
gccttcatc	tgggcaactgt	ccttgggcat	cctgctgagc	ctctttctca	tcccaagggc	600
cggctggcta	gcagggctgc	tgtgcccggg	tcccaggccc	ctggagctgg	cactgctcat	660
cctgggcgtg	gggctgctgg	acttctgtgg	ccaggtgtgc	ttcactccac	tggaggccct	720
gctctctgac	ctcttccggg	acccggacca	ctgtgcagag	gcctactctg	tctatgcctt	780
catgatcagt	cttgggggct	gcctgggcta	cctcctgcct	gccattgact	gggacaccag	840
tgccttggcc	ccctacctgg	gcacccagga	ggagtgcctc	tttggcctgc	tcacctcat	900
cttcctcacc	tgcgtagcag	ccacactgct	ggtggctgag	gaggcagcgc	tgggccccac	960
cgagccagca	gaagggtgt	cgccccctc	cttgtcgccc	cactgctgtc	catgccgggc	1020
ccgcttggct	ttccggaacc	tgggcgcctt	gcttccccgg	ctgcaccagc	tgtgtgccc	1080
catgccccgc	accctgcgcc	ggctcttcgt	ggctgagctg	tgacgtgga	tggcactcat	1140
gaacttcacg	ctgttttaca	cggatttcgt	gggcgagggg	ctgtaccagg	gcgtgccag	1200
agctgagccg	ggcacccagg	cccggagaca	ctatgatgaa	ggcgttcgga	tgggcagcct	1260
ggggctgttc	ctgcagtgcg	ccatctccct	ggtcttctct	ctggtcatgg	accggctggt	1320
gcagcgattc	ggcactcgag	cagtctatct	ggccagtgtg	gcagctttcc	ctgtggctgc	1380
cgggtgccaca	tgctgttccc	acagtgtggc	cgtggtgaca	gcttcagccg	ccctcaccgg	1440
gttcaccttc	tcagccctgc	agatcctgcc	ctacacactg	gcctccctct	accaccggga	1500
gaagcaggtg	ttcctgccc	aataccgagg	ggacactgga	ggtgctagca	gtgaggacag	1560
cctgatgacc	agcttccctg	caggccctaa	gcttggagct	cccttcccta	atggacacgt	1620
gggtgctgga	ggcagtggcc	tgtcccacc	tccacccgcg	ctctgcgggg	cctctgcctg	1680
tgatgtctcc	gtacgtgtgg	tgggtgggtg	gcccaccgag	gccaggggtg	ttccgggccc	1740
gggcatctgc	ctggacctcg	ccatcctgga	tagtgcttcc	ctgctgtccc	aggtggcccc	1800
atccctgttt	atgggctcca	ttgtccagct	cagccagctt	gtcactgcct	atatggtgtc	1860
tggcgcagtg	ctgggtctgg	tcgccattta	ctttgtctaca	caggtagtat	ttgacaagag	1920
cgacttggcc	aaatactcag	cgtagaaaac	ttccagcaca	ttgggggtga	gggcctgcct	1980
cactgggtcc	cagctccccg	ctcctgttag	ccccatgggg	ctgccgggct	ggccgcccag	2040
ttctgttgct	gccaaagtaa	tgtggctctc	tgtgtccacc	ctgtgctgct	gaggtgcgta	2100
gctgcacagc	tgggggctgg	ggcgtccctc	tcctctctcc	ccagtctcta	gggctgcctg	2160
actggaggcc	ttccaagggg	gtttcagctc	ggacttatac	agggaggcca	gaagggtccc	2220
atgcactgga	atcgggggac	tctgcagggt	gattaccag	gctcagggtt	aacagctagc	2280
ctcctagtgt	agacacacct	agagaagggt	ttttgggagc	tgaataaact	cagtcacctg	2340
gtttcccatc	tctaagcccc	ttaacctgca	gcttcgttta	atgtagctct	tgcatgggag	2400
tttctaggat	gaaacactcc	tccatgggat	ttgaacatat	gacttatttt	taggggaaga	2460
gtcctgaggg	ccaacacaca	agaaccaggt	cccctcagcc	cacagcactg	tctttttgtc	2520
gatccacccc	cctcttacct	tttatcagga	tgtggcctgt	tggtccttct	gttgccatca	2580
cagagacaca	ggcattttaa	tatttaactt	atttatttaa	caaagtagaa	gggaatccat	2640
tgctagcttt	tctgtgttgg	tgtctaatat	ttgggtaggg	tgggggatcc	ccaacaatca	2700
ggtcccctga	gatagctggt	cattgggctg	atcattgcca	gaatcttctt	ctcctggggt	2760

ctggcccccc	aaaatgccta	accagaggacc	ttggaaattc	tactcatccc	aaatgataat	2820
tccaaatgct	gttaccceaag	gttaggggtgt	tgaaggaagg	tagaggggtg	ggcttcaggt	2880
ctcaacggct	tccctaacca	ccctcttct	cttggcccag	cctggttccc	cccacttcca	2940
ctccccctcta	ctctctctag	gactgggctg	atgaaggcac	tgcccaaaat	ttccccctacc	3000
cccaactttc	ccctaccccc	aactttcccc	accagctcca	caaccctgtt	tggagctact	3060
gcaggaccag	aagcacaaaag	tgcggtttcc	caagcctttg	tccatctcag	cccccaaggt	3120
atatctgtgc	ttggggaatc	tcacacagaa	actcaggagc	acccccctgcc	tgagctaagg	3180
gaggtcttat	ctctcagggg	gggttttaagt	gccgttttga	ataatgtcgt	cttatttatt	3240
tagcgggggtg	aatatTTTTat	actgtaagtg	agcaatcaga	gtataatgtt	tatggtgaca	3300
aaattaaag	ctttcttata	tgttttaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3360
aaaaaaaaara	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaataa	aaaaaaaaaa		3410

<210> 111
 <211> 1289
 <212> DNA
 <213> Homo sapien

<400> 111						
agccaggcgt	ccctctgcct	gccactcag	tggaacacc	cgaggagctgt	tttgtccttt	60
gtggagcctc	agcagttccc	tctttcagaa	ctcactgcc	agagccctga	acaggagcca	120
ccatgcagt	cttcagcttc	attaagacca	tgatgatcct	cttcaatttg	ctcatctttc	180
tgtgtggtgc	agccctgttg	gcagtgggca	tctgggtgtc	aatcgatggg	gcctcctttc	240
tgaagatctt	cgggccactg	tcgtccagtg	ccatgcagtt	tgtcaacgtg	ggctacttcc	300
tcctcgcagc	cggtgtgtg	gtctttgtc	ttggtttct	gggtgtctat	ggtgctaaga	360
ctgagagcaa	gtgtgccctc	gtgacgttct	tcttcactct	cctcctcctc	ttcattgtctg	420
aggttgacgc	tgctgtggtc	gccttggtgt	acaccacaat	ggctgagcac	ttcctgacgt	480
tgctggtagt	gcctgccatc	aagaaagatt	atggttccca	ggaagacttc	actcaagtgt	540
ggaacaccac	catgaaagg	ctcaagtgt	gtggcttcac	caactatacg	gattttgagg	600
actcaccccta	cttcaaaag	aacagtgcct	ttccccatt	ctgttgcaat	gacaacgtca	660
ccaacacagc	caatgaaacc	tgaccaagc	aaaaggctca	cgacaaaaa	gtagagggtt	720
gcttcaatca	gcttttgtat	gacatccgaa	ctaattgcagt	caccgtgggt	ggtgtggcag	780
ctggaattgg	gggcctcgag	ctggctgcc	tgattgtgtc	catgtatctg	tactgcaatc	840
tacaataagt	ccacttctgc	ctctgccact	actgctgcc	catgggaact	gtgaagaggc	900
accctggcaa	gcagcagtga	ttgggggagg	ggacaggatc	taacaatgtc	acttgggcca	960
gaatggacct	gccctttctg	ctccagactt	ggggctagat	agggaccact	ccttttagcg	1020
atgcttgact	ttccttccat	tggtgggtgg	atgggtgggg	ggcattccag	agcctctaag	1080
gtagccagtt	ctgttgccca	ttccccaggt	ctattaaacc	cttgatatgc	cccctaggcc	1140
tagtggtgat	cccagtgctc	tactggggga	tgagagaaag	gcattttata	gcctgggcac	1200
aagtgaatc	agcagagcct	ctgggtggat	gtgtagaagg	cacttcaaaa	tgcataaac	1260
tgttacaatg	ttaaaaaaa	aaaaaaaaa				1289

<210> 112
 <211> 315
 <212> PRT
 <213> Homo sapien

<400> 112															
Met	Val	Phe	Thr	Val	Arg	Leu	Leu	His	Ile	Phe	Thr	Val	Asn	Lys	Gln
1				5					10					15	
Leu	Gly	Pro	Lys	Ile	Val	Ile	Val	Ser	Lys	Met	Met	Lys	Asp	Val	Phe
			20					25					30		
Phe	Phe	Leu	Phe	Phe	Leu	Gly	Val	Trp	Leu	Val	Ala	Tyr	Gly	Val	Ala
			35				40					45			
Thr	Glu	Gly	Leu	Leu	Arg	Pro	Arg	Asp	Ser	Asp	Phe	Pro	Ser	Ile	Leu
			50				55				60				
Arg	Arg	Val	Phe	Tyr	Arg	Pro	Tyr	Leu	Gln	Ile	Phe	Gly	Gln	Ile	Pro
65					70				75					80	
Gln	Glu	Asp	Met	Asp	Val	Ala	Leu	Met	Glu	His	Ser	Asn	Cys	Ser	Ser
			85					90					95		
Glu	Pro	Gly	Phe	Trp	Ala	His	Pro	Pro	Gly	Ala	Gln	Ala	Gly	Thr	Cys
			100				105					110			
Val	Ser	Gln	Tyr	Ala	Asn	Trp	Leu	Val	Val	Leu	Leu	Leu	Val	Ile	Phe


```

      115      120      125
Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile Ala Met Phe
  130      135      140
Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu Tyr Trp Lys
  145      150      155      160
Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg Pro Ala Leu
      165      170      175
Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu Leu Arg Gln
      180      185      190
Leu Cys Arg Arg Pro Arg Ser Pro Gln Pro Ser Ser Pro Ala Leu Glu
      195      200      205
His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys Leu Leu Thr
      210      215      220
Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg Ala Arg Asp
  225      230      235      240
Lys Arg Glu Ser Asp Ser Glu Arg Leu Lys Arg Thr Ser Gln Lys Val
      245      250      255
Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr Glu Gln Arg
      260      265      270
Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg Val Leu Gly
      275      280      285
Trp Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro Pro Gly Gly
      290      295      300
Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp
  305      310      315

```

```

<210> 113
<211> 553
<212> PRT
<213> Homo sapien

```

```

      <400> 113
Met Val Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala
  1      5      10      15
Gln Leu Leu Leu Val Asn Leu Leu Thr Phe Gly Leu Glu Val Cys Leu
      20      25      30
Ala Ala Gly Ile Thr Tyr Val Pro Leu Leu Leu Glu Val Gly Val
      35      40      45
Glu Glu Lys Phe Met Thr Met Val Leu Gly Ile Gly Pro Val Leu Gly
      50      55      60
Leu Val Cys Val Pro Leu Leu Gly Ser Ala Ser Asp His Trp Arg Gly
      65      70      75      80
Arg Tyr Gly Arg Arg Pro Phe Ile Trp Ala Leu Ser Leu Gly Ile
      85      90      95
Leu Leu Ser Leu Phe Leu Ile Pro Arg Ala Gly Trp Leu Ala Gly Leu
      100      105      110
Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu Ala Leu Leu Ile Leu Gly
      115      120      125
Val Gly Leu Leu Asp Phe Cys Gly Gln Val Cys Phe Thr Pro Leu Glu
      130      135      140
Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg Gln Ala
      145      150      155      160
Tyr Ser Val Tyr Ala Phe Met Ile Ser Leu Gly Gly Cys Leu Gly Tyr
      165      170      175
Leu Leu Pro Ala Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu
      180      185      190
Gly Thr Gln Glu Glu Cys Leu Phe Gly Leu Leu Thr Leu Ile Phe Leu
      195      200      205
Thr Cys Val Ala Ala Thr Leu Leu Val Ala Glu Glu Ala Ala Leu Gly
      210      215      220
Pro Thr Glu Pro Ala Glu Gly Leu Ser Ala Pro Ser Leu Ser Pro His
  225      230      235      240

```

Cys Cys Pro Cys Arg Ala Arg Leu Ala Phe Arg Asn Leu Gly Ala Leu
 245 250 255
 Leu Pro Arg Leu His Gln Leu Cys Cys Arg Met Pro Arg Thr Leu Arg
 260 265 270
 Arg Leu Phe Val Ala Glu Leu Cys Ser Trp Met Ala Leu Met Thr Phe
 275 280 285
 Thr Leu Phe Tyr Thr Asp Phe Val Gly Glu Gly Leu Tyr Gln Gly Val
 290 295 300
 Pro Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly
 305 310 315 320
 Val Arg Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile Ser Leu
 325 330 335
 Val Phe Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg
 340 345 350
 Ala Val Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala
 355 360 365
 Thr Cys Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu
 370 375 380
 Thr Gly Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr Leu Ala
 385 390 395 400
 Ser Leu Tyr His Arg Glu Lys Gln Val Phe Leu Pro Lys Tyr Arg Gly
 405 410 415
 Asp Thr Gly Gly Ala Ser Ser Glu Asp Ser Leu Met Thr Ser Phe Leu
 420 425 430
 Pro Gly Pro Lys Pro Gly Ala Pro Phe Pro Asn Gly His Val Gly Ala
 435 440 445
 Gly Gly Ser Gly Leu Leu Pro Pro Pro Ala Leu Cys Gly Ala Ser
 450 455 460
 Ala Cys Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala
 465 470 475 480
 Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp
 485 490 495
 Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met Gly Ser
 500 505 510
 Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met Val Ser Ala Ala
 515 520 525
 Gly Leu Gly Leu Val Ala Ile Tyr Phe Ala Thr Gln Val Val Phe Asp
 530 535 540
 Lys Ser Asp Leu Ala Lys Tyr Ser Ala
 545 550

<210> 114
 <211> 241
 <212> PRT
 <213> Homo sapien

<400> 114
 Met Gln Cys Phe Ser Phe Ile Lys Thr Met Met Ile Leu Phe Asn Leu
 1 5 10 15
 Leu Ile Phe Leu Cys Gly Ala Ala Leu Leu Ala Val Gly Ile Trp Val
 20 25 30
 Ser Ile Asp Gly Ala Ser Phe Leu Lys Ile Phe Gly Pro Leu Ser Ser
 35 40 45
 Ser Ala Met Gln Phe Val Asn Val Gly Tyr Phe Leu Ile Ala Ala Gly
 50 55 60
 Val Val Val Phe Ala Leu Gly Phe Leu Gly Cys Tyr Gly Ala Lys Thr
 65 70 75 80
 Glu Ser Lys Cys Ala Leu Val Thr Phe Phe Ile Leu Leu Leu Ile
 85 90 95
 Phe Ile Ala Glu Val Ala Ala Val Val Ala Leu Val Tyr Thr Thr
 100 105 110
 Met Ala Glu His Phe Leu Thr Leu Leu Val Val Pro Ala Ile Lys Lys

115	120	125
Asp Tyr Gly Ser Gln Glu Asp Phe Thr Gln Val Trp Asn Thr Thr Met		
130	135	140
Lys Gly Leu Lys Cys Cys Gly Phe Thr Asn Tyr Thr Asp Phe Glu Asp		
145	150	155
Ser Pro Tyr Phe Lys Glu Asn Ser Ala Phe Pro Pro Phe Cys Cys Asn		
165	170	175
Asp Asn Val Thr Asn Thr Ala Asn Glu Thr Cys Thr Lys Gln Lys Ala		
180	185	190
His Asp Gln Lys Val Glu Gly Cys Phe Asn Gln Leu Leu Tyr Asp Ile		
195	200	205
Arg Thr Asn Ala Val Thr Val Gly Gly Val Ala Ala Gly Ile Gly Gly		
210	215	220
Leu Glu Leu Ala Ala Met Ile Val Ser Met Tyr Leu Tyr Cys Asn Leu		
225	230	235
Gln		240

<210> 115
 <211> 366
 <212> DNA
 <213> Homo sapien

<400> 115
 gctctttctc tcccctctc tgaatttaac tctttcaact tgcaatttgc aaggattaca 60
 catttcactg tgatgtatat tgtgttgcaa aaaaaaaaaa gtgtctttgt ttaaaattac 120
 ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180
 actggtagaa aaacatctga agagctagtc tatcagcatc tgacaggaga attggatggg 240
 tctcagaacc atttcaccca gacagcctgt ttctatcctg ttaataaat tagtttggt 300
 tctctacatg cataacaaac cctgctccaa tctgtcacat aaaagtctgt gacttgaagt 360
 ttagtc 366

<210> 116
 <211> 282
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(282)
 <223> n = A,T,C or G

<400> 116
 acaaagatga accatttcct atattatagc aaaattaaaa tctaccgta ttctaattatt 60
 gagaaatgag atnaaacaca atnttataaa gtctacttag agaagatcaa gtgacctcaa 120
 agactttact attttcatat tttaagacac atgatttatc ctattttagt aacctgggtc 180
 atacgttaaa caaaggataa tgtgaacagc agagaggatt tgttggcaga aaatctatgt 240
 tcaatctnga actatctana tcacagacat ttctattcct tt 282

<210> 117
 <211> 305
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(305)
 <223> n = A,T,C or G

<400> 117
 acacatgtcg cttcactgcc ttcttagatg cttctgggtca acatanagga acagggacca 60
 tatttatcct cctcctgaa acaattgcaa aataanacaa aatatatgaa acaattgcaa 120

```

aataaggcaa aatatatgaa acaacaggtc tcgagatatt ggaaatcagt caatgaagga 180
tactgatccc tgatcactgt cctaattgcag gatgtgggaa acagatgagg tcacctctgt 240
gactgccccca gcttactgcc tgtagagagt ttctangctg cagttcagac agggagaaat 300
tgggt 305

```

```

<210> 118
<211> 71
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(71)
<223> n = A,T,C or G

```

```

<400> 118
accaaggtgt ntgaatctct gacgtgggga tctctgattc ccgcacaatc tgagtggaaa 60
aantcctggg t 71

```

```

<210> 119
<211> 212
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(212)
<223> n = A,T,C or G

```

```

<400> 119
actccggttg gtgtcagcag cacgtggcat tgaacatngc aatgtggagc ccaaaccaca 60
gaaaatgggg tgaaattggc caactttcta tnaacttatg ttggcaantt tgccaccaac 120
agtaagctgg cccttctaataaaaagaaat tgaaagggtt ctcactaanc ggaattaant 180
aatggantca aganactccc aggcctcagc gt 212

```

```

<210> 120
<211> 90
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(90)
<223> n = A,T,C or G

```

```

<400> 120
actcgttgca natcaggggc ccccagagt caccgttgca ggagtccttc tggctcttgcc 60
ctccgccggc gcagaacatg ctggggtggt 90

```

```

<210> 121
<211> 218
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(218)
<223> n = A,T,C or G

```

```

<400> 121
tgtancgtga anacgacaga naggggtgtc aaaaatggag aanccttgaa gtcattttga 60
gaataagatt tgctaaaaga tttggggcta aaacatgggt attgggagac atttctgaag 120

```

atatncangt aaattangga atgaattcat ggttccttttg ggaattcctt tacgatngcc 180
agcatanact tcatgtgggg atancagcta cccttgta 218

<210> 122
<211> 171
<212> DNA
<213> Homo sapien

<400> 122
taggggtgta tgcaactgta aggacaaaaa ttgagactca actggcttaa ccaataaagg 60
catttgtag ctcatggaac aggaagtcgg atgggtggggc atcttcagtg ctgcatgagt 120
caccaccccg gcggggtcat ctgtgccaca ggtccctgtt gacagtgcgg t 171

<210> 123
<211> 76
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)..(76)
<223> n = A,T,C or G

<400> 123
tgtagcgtga agacnacaga atgggtgtgtg ctgtgctatc caggaacaca tttattatca 60
ttatcaanta ttgtgt 76

<210> 124
<211> 131
<212> DNA
<213> Homo sapien

<400> 124
acctttcccc aaggccaatg tcctgtgtgc taaactggccg gctgcaggac agctgcaatt 60
caatgtgctg ggcatatgg aggggaggag actctaaaat agccaatttt attctcttgg 120
ttaagatttg t 131

<210> 125
<211> 432
<212> DNA
<213> Homo sapien

<400> 125
actttatcta ctggctatga aatagatggt ggaaaattgc gttaccaact ataccactgg 60
cttgaaaaag aggtgatagc tcttcagagg acttgtgact tttgctcaga tgctgaagaa 120
ctacagtctg catttggcag aaatgaagat gaatttggat taaatgagga tgctgaagat 180
ttgcctcacc aaacaaaagt gaaacaactg agagaaaatt ttcaggaaaa aagacagtgg 240
ctcttgaagt atcagtcact tttgagaatg tttcttagtt actgcatact tcatggatcc 300
catgggtggg gtcttgcac tgtaagaatg gaattgattt tgcttttgca agaattctcag 360
caggaaacat cagaaccact attttctagc cctctgtcag agcaaaccctc agtgcctctc 420
ctctttgctt gt 432

<210> 126
<211> 112
<212> DNA
<213> Homo sapien

<400> 126
acacaacttg aatagtaaaa tagaaactga gctgaaattt ctaattcact ttctaaccat 60
agtaagaatg atatttcccc ccagggatca ccaaatttt ataaaaattt gt 112

<210> 127

<211> 54
 <212> DNA
 <213> Homo sapien

<400> 127
 accacgaaac cacaacaag atggaagcat caatccactt gccaaagcaca gcag 54

<210> 128
 <211> 323
 <212> DNA
 <213> Homo sapien

<400> 128
 acctcattag taattgtttt gttgtttcat ttttttctaa tgtctccct ctaccagctc 60
 acctgagata acagaatgaa aatggaagga cagccagatt tctcctttgc tctctgctca 120
 ttctctctga agtctagggt acccattttg gggacccatt ataggcaata aacacagttc 180
 ccaaagcatt tggacagttt cttgttgtgt tttagaatgg ttttcctttt tcttagcctt 240
 ttctgcaaaa aggtcactc agtcccttgc ttgctcagtg gactgggctc cccagggcct 300
 aggtgcctt cttttccatg tcc 323

<210> 129
 <211> 192
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(192)
 <223> n = A,T,C or G

<400> 129
 acatacatgt gtgtatatatt taaatatca cttttgtatc actctgactt tttagcatac 60
 tgaaaacaca ctaacataat ttntgtgaac catgatcaga tacaacccaa atcattcatc 120
 tagcacattc atctgtgata naaagatagg tgagtttcat ttccttcacg ttggccaatg 180
 gataaacaaa gt 192

<210> 130
 <211> 362
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(362)
 <223> n = A,T,C or G

<400> 130
 ccctttttta tggaatgagt agactgtatg tttgaanatt tanccacaac ctctttgaca 60
 tataatgacg caacaaaaag gtgctgttta gtcctatggt tcagtttatg cccctgacaa 120
 gtttccattg tgttttgccg atcttctggc taatcgtggt atcctccatg ttattagtaa 180
 ttctgtattc cattttggtta acgcctggta gatgtaacct gctangaggc taactttata 240
 cttatttaaa agctcttatt ttgtggatc taaaatggca atttatgtgc agcactttat 300
 tgcagcagga agcacgtgtg gggttggtgt aaagctctt gctaacttta aaaagtaatg 360
 gg 362

<210> 131
 <211> 332
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature

45

<222> (1)...(332)

<223> n = A,T,C or G

<400> 131

ctttttgaaa gatcgtgtcc actcctgtgg acatcttgtt ttaatggagt ttcccatgca	60
gtangactgg tatggttgca gctgtccaga taaaaacatt tgaagagctc caaaatgaga	120
gttctcccag gttcgccctg ctgctccaag tctcagcagc agcctctttt aggaggcatc	180
ttctgaacta gattaaggca gcttgtaaat ctgatgtgat ttggtttatt atccaactaa	240
cttccatctg ttatcactgg agaaagccca gactcccan gacnggtacg gattgtgggc	300
atanaaggat tgggtgaagc tggcgttgtg gt	332

<210> 132

<211> 322

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(322)

<223> n = A,T,C or G

<400> 132

acttttgcca tttgtatat ataaacaatc ttgggacatt ctctgaaaa ctagggtgtcc	60
agtggctaag agaactcgat ttcaagcaat tctgaaagga aaaccagcat gacacagaat	120
ctcaaatcc caaacagggg ctctgtggga aaaatgaggg aggacctttg tatctcgggt	180
tttagcaagt taaaatgaan atgacaggaa aggcttattt atcaacaaag agaagagttg	240
ggatgcttct aaaaaaaact ttggtagaga aaataggaat gctnaatcct agggaagcct	300
gtaacaatct acaattggtc ca	322

<210> 133

<211> 278

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(278)

<223> n = A,T,C or G

<400> 133

acaagccttc acaagtttaa ctaaattggg attaatcttt ctgtanttat ctgcataatt	60
cttggttttc ttccatctg gctcctgggt tgacaatttg tggaaacaac tctattgcta	120
ctatttataa aaaatcaca atctttccct ttaagctatg ttnaattcaa actattcctg	180
ctattcctgt tttgtcaaag aaattatatt ttcaaaaata tgtntatttg tttgatgggt	240
cccacgaaac actaataaaa accacagaga ccagcctg	278

<210> 134

<211> 121

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(121)

<223> n = A,T,C or G

<400> 134

gtttanaaaa cttgtttagc tccatagagg aaagaatgtt aaactttgta ttttaaaaca	60
tgattctctg aggttaaaact tggttttcaa atgttatttt tacttgatt ttgcttttgg	120
t	121

<210> 135

<211> 350
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(350)
 <223> n = A,T,C or G

<400> 135
 acttanaacc atgcctagca catcagaatc cctcaaagaa catcagtata atcctataacc 60
 atancaagtg gtgactgggt aagcgtgcga caaagggtcag ctggcacatt acttgtgtgc 120
 aaacttgata cttttgttct aagtaggaac tagtatacag tncctaggan tggtaactcca 180
 ggggtgcccc caactcctgc agcgcctcct ctgtgccagn ccctgnaagg aactttcgct 240
 ccacctcaat caagccctgg gccatgctac ctgcaattgg ctgaacaaac gtttgctgag 300
 ttccaagga tgcaagcct ggtgctcaac tcctggggcg tcaactcagt 350

<210> 136
 <211> 399
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(399)
 <223> n = A,T,C or G

<400> 136
 tgtaccgtga agacgacaga agttgcatgg cagggaacagg gcaggggccga ggccagggtt 60
 gctgtgattg tatccgaata ntccctcgtga gaaaagataa tgagatgacg tgagcagcct 120
 gcagacttgt gtctgccttc aanaagccag acaggaaggc cctgcctgcc ttggctctga 180
 cctggcggcc agccagccag ccacaggtgg gcttcttcct tttgtgtga caacnccaag 240
 aaaactgcag aggccagggg tcaggtgtna gtgggtangt gaccataaaa caccaggtgc 300
 tcccaggaac ccgggcaaag gccatcccca cctacagcca gcatgcccac tggcgtgatg 360
 ggtgcagang gatgaagcag ccagntgttc tgctgtggt 399

<210> 137
 <211> 165
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(165)
 <223> n = A,T,C or G

<400> 137
 actggtgtgg tngggggtga tgctggtggt anaagttgan gtgacttcan gatggtgtgt 60
 ggaggaagtg tgtgaacgta gggatgtaga ngttttggcc gtgctaaatg agcttcggga 120
 ttggctgggtc ccactggtgg tcactgtcat tggtggggtt cctgt 165

<210> 138
 <211> 338
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(338)
 <223> n = A,T,C or G

<400> 138


```

actcactgga atgccacatt cacaacagaa tcagaggtct gtgaaaacat taatggctcc      60
ttaacttctc cagtaagaat cagggacttg aaatggaaac gttaacagcc acatgcccaa    120
tgctgggcag tctcccatgc cttccacagt gaaagggctt gagaaaaatc acatccaatg    180
tcatgtgttt ccagccacac caaaagggtgc ttgggggtgga gggctggggg catananggt    240
cangcctcag gaagcctcaa gttccattca gctttgccac tgtacattcc ccatntttaa    300
aaaaactgat gccttttttt tttttttttg taaaattc                               338

```

```

<210> 139
<211> 382
<212> DNA
<213> Homo sapien

```

```

<400> 139
gggaatcttg gtttttgga tctggtttgc ctatagccga ggccactttg acagaacaaa      60
gaaagggact tcgagtaaga aggtgattta cagccagcct agtgcccgaa gtgaaggaga    120
attcaaacag acctcgcat tcctggtgtg agcctggtcg gctcaccgcc tatcatctgc    180
atttgcctta ctcaggtgct accggactct ggcccctgat gtctgtagt ttacaggatg    240
ccttatttgt cttctacacc ccacagggcc ccctacttct tcggatgtgt ttttaataat    300
gtcagctatg tgccccatcc tccttcatgc cctccctccc tttcctacca ctgctgagtg    360
gcctggaact tgtttaaagt gt                                           382

```

```

<210> 140
<211> 200
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(200)
<223> n = A,T,C or G

```

```

<400> 140
accaaancct ctttctgttg tgttngattt tactataggg gtttngcttn ttctaaanat      60
acttttcatt taacancctt tgtaagtgt caggtgcac tttgctccat anaattattg    120
ttttcacatt tcaacttgta tgtgtttgtc tcttanagca ttggtgaaat cacatatttt    180
atattcagca taaaggagaa                                           200

```

```

<210> 141
<211> 335
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(335)
<223> n = A,T,C or G

```

```

<400> 141
actttatttt caaaacactc atatgttgca aaaaacacat agaaaaataa agtttggtgg      60
gggtgctgac taaacttcaa gtcacagact tttatgtgac agattggagc agggtttgtt    120
atgcatgtag agaaccctaa ctaatttatt aaacaggata gaaacaggct gtctgggtga    180
aatggttctg agaaccatcc aattcacctg tcagatgctg atanactagc tcttcagatg    240
ttttctacc agttcagaga tnggttaatg actantcca atggggaaaa agcaagatgg    300
attcacaaac caagtaattt taaacaaaga cactt                               335

```

```

<210> 142
<211> 459
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature

```

<222> (1)...(459)

<223> n = A,T,C or G

<400> 142

accaggttaa	tattgccaca	tatatccttt	ccaattgcgg	gctaaacaga	cgtgtattta	60
gggttggtta	aagacaaccc	agcttaatat	caagagaaat	tgtgaccttt	catggagtat	120
ctgatggaga	aaacactgag	ttttgacaaa	tcttatttta	ttcagatagc	agtctgatca	180
cacatgggtcc	aacaacactc	aaataataaa	tcaaataatna	tcagatgtta	aagattggtc	240
ttcaaacatc	atagccaatg	atgccccgct	tgcttataat	ctctccgaca	taaaaccaca	300
tcaaacactc	agtggccacc	aaaccattca	gcacagcttc	cttaactgtg	agctgtttga	360
agctaccagt	ctgagcacta	ttgactatnt	ttttcangct	ctgaatagct	ctagggatct	420
cagcanggggt	gggaggaacc	agctcaacct	tgcgctant			459

<210> 143

<211> 140

<212> DNA

<213> Homo sapien

<400> 143

acatttctct	ccaccaagtc	aggactcctg	gcttctgtgg	gagttcttat	cacctgaggg	60
aaatccaaac	agtctctcct	agaaaggaat	agtgtcacca	acccaccca	tctccctgag	120
accatccgac	ttccctgtgt					140

<210> 144

<211> 164

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(164)

<223> n = A,T,C or G

<400> 144

acttcagtaa	caacatacaa	taacaacatt	aagtgtatat	tgccatcttt	gtcattttct	60
atctatacca	ctctcccttc	tgaaaacaan	aatcactanc	caatcactta	tacaaatttg	120
aggcaattaa	tccatatttg	ttttcaataa	ggaaaaaaag	atgt		164

<210> 145

<211> 303

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(303)

<223> n = A,T,C or G

<400> 145

acgtagacca	tccaactttg	tatttgtaat	ggcaaacatc	cagnagcaat	tcctaaacaa	60
actggagggt	atttataccc	aattatccca	ttcattaaca	tgccctcctc	ctcaggctat	120
gcaggacagc	tatcataagt	cggcccaggc	atccagatac	taccatttgt	ataaacttca	180
gtaggggagt	ccatccaagt	gacaggtcta	atcaaaggag	gaaatggaac	ataagcccag	240
tagtaaaatn	ttgcttagct	gaaacagcca	caaaagactt	accgcogtgg	tgattaccat	300
caa						303

<210> 146

<211> 327

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1)...(327)
 <223> n = A,T,C or G

<400> 146
 actgcagctc aattagaagt ggtctctgac tttcatcanc ttctccctgg gctccatgac 60
 actggcctgg agtgactcat tgctctgggtt gggtgagaga gtccttttgc caacaggcct 120
 ccaagtcagg gctgggattt gtttcccttc cacattctag caacaatatg ctggccactt 180
 cctgaacagg gaggtggga ggagccagca tggaacaagc tgccactttc taaagtagcc 240
 agacttgccc ctgggcctgt cacacctact gatgaccttc tgtgcctgca ggatggaatg 300
 taggggtgag ctgtgtgact ctatggt 327

<210> 147
 <211> 173
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(173)
 <223> n = A,T,C or G

<400> 147
 acattgtttt tttagagataa agcattgana gagctctcct taacgtgaca caatggaagg 60
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
 atattcaagc acatatgtta tatattattc agttccatgt ttatagccta gtt 173

<210> 148
 <211> 477
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(477)
 <223> n = A,T,C or G

<400> 148
 acaaccactt tatctcatcg aattttttaac ccaaactcac tcaactgtgcc tttctatcct 60
 atgggatata ttatttgatg ctccatttca tcacacatat atgaataata cactcactact 120
 gccctactac ctgctgcaat aatcacattc ctttctgtgc ctgaccctga agccattggg 180
 gtggtcctag tggccatcag tccangcctg caccttgagc ccttgagctc cattgctcac 240
 nccanccac ctccaccgacc ccattcctctt acacagctac ctcttgctc tctaacccca 300
 tagattatnt ccaaattcag tcaattaagt tactattaac actctaccg acatgtccag 360
 caccactggt aagccttctc cagccaacac acacacacac acacncacac acacacatat 420
 ccaggcacag gctacctcat cttcacaatc acccctttaa ttaccatgct atggtgg 477

<210> 149
 <211> 207
 <212> DNA
 <213> Homo sapien

<400> 149
 acagttgtat tataatatca agaaataaac ttgcaatgag agcatttaag agggaagaac 60
 taacgtatth tagagagcca aggaaggtht ctgtggggag tgggatgtaa ggtggggcct 120
 gatgataaat aagagtcagc caggtaagtg ggtggtgtgg tatgggcaca gtgaagaaca 180
 tttcaggcag agggaacagc agtgaaa 207

<210> 150
 <211> 111
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(111)
 <223> n = A,T,C or G

<400> 150
 accttgattt cattgctgct ctgatggaaa cccaactatc taatttagct aaaacatggg 60
 cacttaaatg tggtcagtgt ttggacttgt taactantgg catctttggg t 111

<210> 151
 <211> 196
 <212> DNA
 <213> Homo sapien

<400> 151
 agcgcggcag gtcattattga acattccaga tacctatcat tactcgatgc tgttgataac 60
 agcaagatgg ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaaccat 120
 ggataccaac cggaaaaccc ctatcccgca cagcccactg tggccccac tgtctacgag 180
 gtgcatccgg ctcaagt 196

<210> 152
 <211> 132
 <212> DNA
 <213> Homo sapien

<400> 152
 acagcacttt cacatgtaag aaggagaaaa ttccataatg taggagaaaag ataacagaac 60
 cttecccttt tcatctagtgt gtggaaacct gatgctttat gttgacagga atagaaccag 120
 gagggagtgt gt 132

<210> 153
 <211> 285
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(285)
 <223> n = A,T,C or G

<400> 153
 acaanacca nganaggcca ctggccgtgg tgtcatggcc tccaaacatg aaagtgtcag 60
 cttctgtctt tatgtcctca tctgacaact ctttaccatt tttatcctcg ctgagcagga 120
 gcacatcaat aaagtccaaa gtcttggaact tggccttggc ttggaggaag tcatcaacac 180
 cctggctagt gaggggtgcg cgccgtcctt ggatgacggc atctgtgaag tcgtgcacca 240
 gtctgcaggc cctgtggaag cgccgtccac acggagtnag gaatt. 285

<210> 154
 <211> 333
 <212> DNA
 <213> Homo sapien

<400> 154
 accacagtc tgttgggcca gggcttcatg accctttctg tgaaaagcca tattatcacc 60
 accccaaatt tttccttaaa tatctttaac tgaaggggtc agcctcttga ctgcaaagac 120
 cctaagccgg ttacacagct aactcccact ggccctgatt tgtgaaattg ctgctgcctg 180
 attggcacag gagtgcgaagg tgttcagctc cctcctcccg tggaacgaga ctctgatttg 240
 agtttcacaa attctcgggc cacctcgtca ttgctcctct gaaataaaat ccggagaatg 300
 gtcaggcctg tctcatccat atggatcttc cgg 333

<210> 155

<211> 308
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(308)
 <223> n = A,T,C or G

<400> 155
 actggaata ataaaaccca catcacagtg ttgtgtcaaa gatcatcagg gcatggatgg 60
 gaaagtgtt tggaactgt aaagtgccta acacatgac gatgattttt gttataatat 120
 ttgaatcacg gtgcatacaa actctcctgc ctgctcctcc tgggccccag cccagcccc 180
 atcacagctc actgctctgt tcatccaggc ccagcatgta gtggctgatt cttcttggt 240
 gcttttagcc tccanaagtt tctctgaagc caaccfaacc tctangtgta aggcattgtg 300
 gccttggt 308

<210> 156
 <211> 295
 <212> DNA
 <213> Homo sapien

<400> 156
 acctgtctg gtgcttgga catattagga actcaaaata tgagatgata acagtgccta 60
 ttattgatta ctgagagaac tgtagacat ttagttgaag attttctaca caggaactga 120
 gaataggaga ttatgttttg cctcatatt ctctcctatc ctcttgctc cattctatgt 180
 ctaatatatt ctcaatcaaa taaggtttagc ataatcagga aatcgaccaa ataccaatat 240
 aaaaccagat gtctatcctt aagattttca aatagaaaac aaattaacag actat 295

<210> 157
 <211> 126
 <212> DNA
 <213> Homo sapien

<400> 157
 acaagtttaa atagtgtgt cactgtgcat gtgctgaaat gtgaaatcca ccacatttct 60
 gaagagcaaa acaaattctg tcatgtaatc tctatcttgg gtcgtgggta tatctgtccc 120
 cttagt 126

<210> 158
 <211> 442
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(442)
 <223> n = A,T,C or G

<400> 158
 acccactggt cttggaaaca cccatcctta atacgatgat ttttctgtcg tgtgaaaatg 60
 aanccagcag gctgccccta gtcagtcctt ccttccagag aaaaagagat ttgagaaagt 120
 gcctgggtaa ttcaccatta atttctctcc ccaaactctc tgagtcttcc cttaatattt 180
 ctggtggttc tgaccaaaagc aggtcatggt ttgttgagca tttgggatcc cagtgaagta 240
 natgtttgta gccttgcata cttagccctt cccacgcaca aacggagtgg cagagtgggtg 300
 ccaaccctgt tttcccagtc cacgtagaca gattcacagt gcggaattct ggaagctgga 360
 nacagacggg ctctttgcag agccgggact ctgagangga catgagggcc tctgcctctg 420
 tgttcattct ctgatgtcct gt 442

<210> 159
 <211> 498
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(498)

<223> n = A,T,C or G

<400> 159

acttccaggt aacgttggtg tttccgttga gctgaactg atgggtgacg ttgtagggtc	60
tccaacaaga actgaggttg cagagcgggt aggggaagagt gctgttccag ttgcacctgg	120
gctgctgtgg actgttggtg attcctcact acggcccaag gttgtggaac tggcanaaag	180
gtgtgtgtgt gganttgagc tcgggcggct gtggtagggt gtgggctctt caacaggggc	240
tgctgtgggt ccgggangtg aangtggtgt gtcacttgag cttggccagc tctggaaagt	300
antanattct tctgaaggc cagcgcttgt ggagctggca ngggtcantg ttgtgtgtaa	360
cgaaccagtg ctgctgtggg tgggtgtana tctccacaa agcctgaagt tatggtgtcn	420
tcaghtaana atgtggtttc agtgtccctg ggcngctgtg gaaggttgta nattgtcacc	480
aagggaataa gctgtggt	498

<210> 160

<211> 380

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(380)

<223> n = A,T,C or G

<400> 160

acctgcatcc agcttccctg ccaaactcac aaggagacat caacctctag acagggaaac	60
agcttcagga tacttccagg agacagagcc accagcagca aaacaaatat tcccatgcct	120
ggagcatggc atagaggaag ctganaaatg tggggtctga ggaagccatt tgagtctggc	180
cactagacat ctcatcagcc acttgtgtga agagatgcc catgaccca gatgcctctc	240
ccacccttac ctccatctca cacacttgag ctttccactc tgtataattc taacatcctg	300
gagaaaaatg gcagtttgac cgaacctgtt cacaacggta gaggtctgatt tctaacgaaa	360
cttgtagaat gaagcctgga	380

<210> 161

<211> 114

<212> DNA

<213> Homo sapien

<400> 161

actccacatc cctctgagc aggcgggtgt cgttcaaggt gtatttggcc ttgcctgtca	60
cactgtccac tggcccctta tccacttggt gcttaatccc tcgaaagagc atgt	114

<210> 162

<211> 177

<212> DNA

<213> Homo sapien

<400> 162

actttctgaa tcgaatcaaa tgatacttag tgtagtttta atatoctcat atatatcaaa	60
gttttactac tctgataatt ttgtaaacca ggtaaccaga acatccagtc atacagcttt	120
tgggtgatata taacttggca ataaccagtc ctggtgatata ataaaactac tcaactgt	177

<210> 163

<211> 137

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1)...(137)
 <223> n = A,T,C or G

<400> 163

catttatata	gacagggcgtg	aagacattca	cgacaaaaac	gcgaaattct	atcccgtagac	60
canagaaggc	agctacggct	actcctacat	cctggcgtgg	gtggccttcg	cctgcacctt	120
catcagcggc	atgatgt					137

<210> 164
 <211> 469
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(469)
 <223> n = A,T,C or G

<400> 164

cttatcacaa	tgaatgttct	cctgggcagc	gttgtgatct	ttgccacctt	cgtgacttta	60
tgcaatgcat	catgctat	catacctaat	gagggagttc	caggagattc	aaccaggaaa	120
tgcatggatc	tcaaaggaaa	caaacaccca	ataaactcgg	agtggcagac	tgacaactgt	180
gagacatgca	cttgctacga	aacagaaatt	tcatgttgca	cccttgtttc	tacacctgtg	240
ggttatgaca	aagacaactg	ccaaagaatc	ttcaagaagg	aggactgcaa	gtatatcggtg	300
gtggagaaga	aggacccaaa	aaagacctgt	tctgtcagtg	aatggataat	ctaattgtgct	360
tctagtaggc	acagggctcc	caggccaggc	ctcattctcc	tctggcctct	aatagtcaat	420
gattgtgtag	ccatgcctat	cagtaaaaag	atntttgagc	aaacacttt		469

<210> 165
 <211> 195
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(195)
 <223> n = A,T,C or G

<400> 165

acagtttttt	atanatatcg	acattgccgg	cacttggtgt	cagtttcata	aagctgggtg	60
atccgctgtc	atccactatt	ccttggtctag	agtaaaaatt	attcttatag	cccatgtccc	120
tgcaggccgc	ccgccgtag	ttctcgttcc	agtcgtcttg	gcacacaggg	tgccaggact	180
tcctctgaga	tgagt					195

<210> 166
 <211> 383
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(383)
 <223> n = A,T,C or G

<400> 166

acatcttagt	agtgtggcac	atcagggggc	catcagggtc	acagtcactc	atagcctcgc	60
cgaggtcgga	gtccacacca	ccggtgtagg	tgtgctcaat	cttgggcttg	gcgccacct	120
ttggagaagg	gatatgctgc	acacacatgt	ccacaaagcc	tgtgaactcg	ccaaagaatt	180
tttgcagacc	agcctgagca	aggggcggat	gttcagcttc	agctcctcct	tcgtcagggtg	240
gatgccaaac	tcgtctangg	tccgtgggaa	gctggtgtcc	acntcaccta	caacctgggc	300
gangatctta	taaagaggct	ccnagataaa	ctccacgaaa	cttctctggg	agctgctagt	360

nggggccttt ttggtgaact ttc

383

<210> 167
 <211> 247
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(247)
 <223> n = A,T,C or G

<400> 167
 acagagccag accttggcca taaatgaanc agagattaag actaaacccc aagtcganat 60
 tggagcagaa actggagcaa gaagtgggcc tggggctgaa gtagagacca aggccactgc 120
 tatanccata cacagagcca actctcaggc caaggcnatg gttggggcag anccagagac 180
 tcaatctgan tccaaagtgg tggtctggaac actggtcatg acanaggcag tgactctgac 240
 tgangtc 247

<210> 168
 <211> 273
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(273)
 <223> n = A,T,C or G

<400> 168
 acttctaagt tttctagaag tggaaggatt gtantcatcc tgaaaatggg tttacttcaa 60
 aatccctcan ccttggttctt cacnactgtc tatactgana gtgtcatgtt tccacaaagg 120
 gctgacacct gagcctgnat tttactcat ccttgagaag ccctttccag taggggtggc 180
 aattcccaac ttccttgcca caagcttccc aggtttctc ccctggaaaa ctccagcttg 240
 agtcccagat acactcatgg gctgcctgg gca 273

<210> 169
 <211> 431
 <212> DNA
 <213> Homo sapien
 <220>
 <221> misc_feature
 <222> (1)...(431)
 <223> n = A,T,C or G

<400> 169
 acagccttgg cttccccaac ctccacagtc tcagtgcaga aagatcatct tccagcagtc 60
 agctcagacc aggggtcaaag gatgtgacat caacagtttc tggtttcaga acaggttcta 120
 ctactgtcaa atgacccccc atacttcctc aaaggctgtg gtaagttttg cacaggtgag 180
 ggcagcagaa aggggggtant tactgatgga caccatcttc tctgtatact ccacactgac 240
 cttgccatgg gcaaaggccc ctaccacaaa aacaatagga tcaactgctgg gcaccagctc 300
 acgcacatca ctgacaaccg ggatggaaaa agaantgcc aacttcatac atccaactgg 360
 aaagtgatct gatactggat tcttaattac cttcaaaaagc ttctgggggc catcagctgc 420
 tcgaacactg a 431

<210> 170
 <211> 266
 <212> DNA
 <213> Homo sapien
 <220>

55

<221> misc_feature
 <222> (1)...(266)
 <223> n = A,T,C or G

<400> 170
 acctgtgggc tgggctgtta tgccgtgtgcc ggctgtgtgaa agggagttca gaggtggagc 60
 tcaaggagct ctgcaggcat ttggccaanc ctctccanag canagggagc aacctacact 120
 ccccgctaga aagacaccag attggagtcc tgggaggggg agttgggggtg ggcatattgat 180
 gtatacttgt cacctgaatg aangagccag agaggaanga gacgaanatg anattggcct 240
 tcaaagctag gggctctggca ggtgga 266

<210> 171
 <211> 1248
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1248)
 <223> n = A,T,C or G

<400> 171
 ggcagccaaa tcataaacgg cgaggactgc agcccgact cgcagccctg gcaggcggca 60
 ctggtcatgg aaaacgaatt gttctgctcg ggcgtcctgg tgcattccgca gtgggtgctg 120
 tcagccgcac actgtttcca gaagtgagtg cagagctcct acaccatcgg gctgggcctg 180
 cacagtcttg aggcgcacca agagccaggg agccagatgg tggaggccag cctctccgta 240
 cggcaccacag agtacaacag acccttgctc gctaacgacc tcatgctcat caagttggac 300
 gaatccgtgt ccgagtctga caccatccgg agcatcagca ttgcttcgca gtgccctacc 360
 gcggggaact cttgcctcgt ttctggctgg ggtctgctgg cgaacggcag aatgcctacc 420
 gtgctgcagt gcgtgaacgt gtcgggtggtg tctgaggagg tctgcagtaa gctcttatgac 480
 ccgctgtacc accccagcat gttctgcgcc ggcggagggc aagaccagaa ggactcctgc 540
 aacgggtgact ctgggggggcc cctgatctgc aacgggtact tgcagggcct tgtgtctttc 600
 ggaaaagccc cgtgtggcca agttggcgtg ccaggtgtct acaccaacct ctgcaaattc 660
 actgagtggg tagagaaaac cgtccaggcc agttaactct ggggactggg aacctatgaa 720
 attgaccccc aaatacatcc tgcggaagga attcaggaat atctgttccc agccccctcct 780
 ccctcaggcc caggagtcca ggccccagc ccctcctccc tcaaaccaag ggtacagatc 840
 cccagccccct cctccctcag acccaggagt ccagaccccc cagccccctcc tccctcagac 900
 ccaggagtcc agccccctcct cctcagacc caggagtcca gacccccag cccctcctcc 960
 ctgagaccca ggggtccagg cccccaaccc ctccctccct agactcagag gtccaagccc 1020
 ccaaccntc attccccaga cccagaggtc cagggtcccag cccctcntcc ctgagaccca 1080
 gcggtccaat gccacctaga ctntccctgt acacagtgcc cccttggtgg acgttgaccc 1140
 aaccttacca gttggttttt catTTTTngt ccctttcccc tagatccaga aataaagttt 1200
 aagagaagng caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1248

<210> 172
 <211> 159
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)...(159)
 <223> Xaa = Any Amino Acid

<400> 172
 Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro
 1 5 10 15
 Leu Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser
 20 25 30
 Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr
 35 40 45
 Ala Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly

50	55	60
Arg Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu		
65	70	75
Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe		
85	90	95
Cys Ala Gly Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser		
100	105	110
Gly Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe		
115	120	125
Gly Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn		
130	135	140
Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser		
145	150	155

<210> 173
 <211> 1265
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1265)
 <223> n = A,T,C or G

<400> 173

ggcagccgcg	actgcagcc	ctggcaggcg	gcactgggtca	tggaaaacga	attgttctgc	60
tcgggcgtcc	tgggtgcatcc	gcagtggttg	ctgtcagccg	cacactgttt	ccagaactcc	120
tacaccatcg	ggctgggcct	gcacagtctt	gaggccgacc	aagagccagg	gagccagatg	180
gtggaggcca	gcctctccgt	acggcaccca	gagtacaaca	gacccttgct	cgctaacgac	240
ctcatgtctc	tcaagttgga	cgaatccgtg	tccgagtctg	acaccatccg	gagcatcagc	300
attgcttcgc	agtgccttac	cgcggggaac	tcttgccctg	tttctggctg	gggtctgctg	360
gcgaacggtg	agctcacggg	tgtgtgtctg	ccctcttcaa	ggaggtcctc	tgcccagtcg	420
cgggggctga	cccagagctc	tgcgtcccag	gcagaatgcc	taccgtgctg	cagtgcgtga	480
acgtgtcggt	ggtgtctgag	gaggtctgca	gtaagctcta	tgaccgctg	taccaccca	540
gcatgttctg	cgccggcgga	gggcaagacc	agaaggactc	ctgcaacggt	gactctgggg	600
ggccctgat	ctgcaacggg	tacttgagc	gccttggtgc	tttcggaaaa	gccccgtgtg	660
gccaagttgg	cgtgccaggt	gtctacacca	acctctgcaa	attcactgag	tggtatagaga	720
aaaccgtcca	ggccagttaa	ctctggggac	tgggaaccca	tgaaattgac	ccccaaatac	780
atcctgcgga	aggaattcag	gaatatctgt	tcccagcccc	tcctccctca	ggcccaggag	840
tccaggcccc	cagcccctcc	tccctcaaac	caagggtaca	gatccccagc	ccctcctccc	900
tcagaccag	gagtcagac	ccccagccc	ctctccctc	agaccagga	gtccagcccc	960
tcctccntca	gaccaggag	tccagacccc	ccagcccctc	ctccctcaga	cccaggggtt	1020
gaggccccca	acccctcctc	cttcagagtc	agaggtccaa	gcccccaacc	cctcgttccc	1080
cagacccaga	ggtinnaggtc	ccagcccctc	tccntcaga	cccagnngtc	caatgccacc	1140
tagattttcc	ctgnacacag	tgcccccttg	tggngngttg	acccaacctt	accagttggt	1200
ttttcatttt	tngtcccttt	cccctagatc	cagaaataaa	gtttaagaga	ngngcaaaaa	1260
aaaaa						1265

<210> 174
 <211> 1459
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1459)
 <223> n = A,T,C or G

<400> 174

ggtcagccgc	acactgtttc	cagaagtggg	tgcagagctc	ctacaccatc	gggctggggc	60
tgcacagtct	tgaggccgac	caagagccag	ggagccagat	ggtggaggcc	agcctctccg	120
tacggcacc	agagtacaac	agacccttgc	tcgctaacga	cctcatgctc	atcaagttgg	180

acgaatccgt	gtccgagtc	gacaccatcc	ggagcatcag	cattgcttcg	cagtgccta	240
ccgcggggaa	ctcttgccct	gtttctggct	gggtctgct	ggcgaacggt	gagctcacgg	300
gtgtgtgtct	gccctcttca	aggaggctct	ctgccagtc	gcgggggctg	accagagct	360
ctgctccca	ggcagaatgc	ctaccgtgct	gcagtgcgtg	aacgtgtcgg	tggtgtctga	420
ngaggctctgc	antaagctct	atgaccgct	gtaccacccc	ancatgttct	gcgccggcgg	480
agggcaagac	cagaaggact	cctgcaacgt	gagagagggg	aaaggggagg	gcaggcgact	540
cagggaaggg	tggagaaggg	ggagacagag	acacacaggg	ccgcatggcg	agatgcagag	600
atggagagac	acacagggag	acagtgaaca	ctagagagag	aaactgagag	aaacagagaa	660
ataaacacag	gaataaagag	aagcaaagga	agagagaaac	agaaacagac	atggggaggc	720
agaaacacac	acacatagaa	atgcagttga	ccttccaaca	gcctggggcc	tgaggcggt	780
gacctccacc	caatagaaaa	tectcttata	acttttgact	ccccaaaaac	ctgactagaa	840
atagcctact	gttgacgggg	agccttacca	ataacataaa	tagtcgattt	atgcatacgt	900
tttatgcatt	ctgtatatac	ctttgttgga	attttttgat	atttctaagc	tacacagttc	960
gtctgtgaat	ttttttaaat	tgttgcaact	ctcctaaaat	ttttctgatg	tgtttattga	1020
aaaaatccaa	gtataagtgg	acttgtgcat	tcaaacagg	gttgttcaag	ggtcaactgt	1080
gtaccacagag	ggaaacagtg	acacagattc	atagagggtga	aacacgaaga	gaaacaggaa	1140
aatcaagac	tctacaaaga	ggctgggcag	ggtggctcat	gcctgtaatc	ccagcacttt	1200
gggaggcgag	gcaggcagat	cacttgaggt	aaggagttca	agaccagcct	ggccaaaatg	1260
gtgaaatcct	gtctgtacta	aaaatacaaa	agttagctgg	atatggtggc	aggcgctgt	1320
aatcccagct	acttgggagg	ctgaggcagg	agaattgctt	gaatatggga	ggcagaggtt	1380
gaagtgagtt	gagatcacac	cactatactc	cagctggggc	aacagagtaa	gactctgtct	1440
caaaaaaaaa	aaaaaaaaa					1459

<210> 175
 <211> 1167
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(1167)
 <223> n = A,T,C or G

<400> 175						
gcgcagccct	ggcaggcggc	actgggtcatg	gaaaacgaat	tggtctgctc	gggcgtcctg	60
gtgcatccgc	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggg	120
ctgggcctgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggt	ggaggccagc	180
ctctccgtac	ggcaccaga	gtacaacaga	ctcttgctcg	ctaacgacct	catgtctc	240
aagttggacg	aatccgtgtc	cgagtctgac	accatccgga	gcacagcat	tgcttcgcag	300
tgccctaccg	cggggaactc	ttgcctcgtn	tctggctggg	gtctgctggc	gaacggcaga	360
atgcctaccg	tgctgcaactg	cgtgaacgtg	tgggtgggtg	ctgaggangt	ctgcagtaag	420
ctctatgacc	cgtgttacca	ccccagcatg	ttctgcgcgg	gcggagggca	agaccagaag	480
gactcctgca	acggtgactc	tggggggccc	ctgatctgca	acgggtactt	gcagggcctt	540
gtgtctttcg	gaaaagcccc	gtgtggccaa	cttggcgctg	caggtgtcta	caccaacctc	600
tgcaaatcca	ctgagtggat	agagaaaacc	gtccagncca	gttaactctg	gggactggga	660
acccatgaaa	ttgaccccca	aatacatcct	gcggaangaa	ttcaggaata	tctgttccca	720
gccccctctc	cctcaggccc	aggagtccag	gccccagcc	cctcctcct	caaaccaagg	780
gtacagatcc	ccagcccctc	ctccctcaga	cccaggagtc	cagaccccc	agccccctnt	840
ccntcagacc	caggagtcca	gcccctcctc	cntcagacgc	aggagtccag	acccccagc	900
ccntctccg	tcagaccag	gggtgcaggc	ccccaccctc	tctccntca	gagtcagagg	960
tccaagcccc	caacccctcg	ttcccagac	ccagaggtnc	aggctccagc	ccctcctccc	1020
tcagaccag	cgttccaatg	ccacctagan	tntccctgta	cacagtcccc	ccttgtggca	1080
ngttgacca	accttaccag	ttggttttcc	attttttgtc	cctttccct	agatccagaa	1140
ataaagtnta	agagaagcgc	aaaaaaa				1167

<210> 176
 <211> 205
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT

<222> (1)...(205)

<223> Xaa = Any Amino Acid

<400> 176

```

Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1          5          10          15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
          20          25          30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
          35          40          45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Leu Leu Leu
 50          55          60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
 65          70          75          80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
          85          90          95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met
          100          105          110
Pro Thr Val Leu His Cys Val Asn Val Ser Val Val Ser Glu Xaa Val
          115          120          125
Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala
          130          135          140
Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly
          145          150          155          160
Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys
          165          170          175
Ala Pro Cys Gly Gln Leu Gly Val Pro Gly Val Tyr Thr Asn Leu Cys
          180          185          190
Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Xaa Ser
          195          200          205

```

<210> 177

<211> 1119

<212> DNA

<213> Homo sapien

<400> 177

```

gcgcactcgc agccctggca ggccggcactg gtcattgaaa acgaattgtt ctgctcgggc      60
gtcctgggtgc atccgcagtg ggtgctgtca gccgcacact gtttccagaa ctctacacc      120
atcgggcttg gctgcacag tcttgaggcc gaccaagagc cagggagcca gatggtggag      180
gccagcctct cgtacggca cccagagtac aacagaccct tgctcgctaa cgacctcatg      240
ctcatcaagt tggacgaatc cgtgtccgag tctgacacca tccggagcat cagcattgct      300
tcgcagtgcc ctaccgcggg gaactcttgc ctgctttctg gctggggtct gctggcgaac      360
gatgctgtga ttgccatcca gtcccagact gtgggaggct gggagtgtga gaagctttcc      420
caaccctggc agggttgtac catttcggca acttccagtg caaggacgtc ctgctgcatc      480
ctcactgggt gctcactact gctcactgca tcaccggaa cactgtgatc aactagccag      540
caccatagtt ctccgaagtc agactatcat gattactgtg ttgactgtgc tgtctattgt      600
actaaccatg ccgatgttta ggtgaaatta gcgtcacttg gcctcaacca tcttggtatc      660
cagttatcct cactgaattg agatttcctg cttcagtgtc agccattccc acataatttc      720
tgacctacag aggtgaggga tcatatagct cttcaaggat gctggtactc ccctcacaaa      780
ttcattttctc ctggtttagt gaaaggtgag ccctctggag cctcccaggg tgggtgtgca      840
ggtcacaatg atgaatgtat gatcgtgttc ccattacca aagcctttaa atccctcatg      900
ctcagtacac cagggcaggt ctagcatttc ttcatttagt gtatgctgtc cattcatgca      960
accacctcag gactcctgga ttctctgcct agttgagctc ctgcatgctg cctccttggg      1020
gaggtgaggg agagggccca tggttcaatg ggatctgtgc agttgtaaca cattaggtgc      1080
ttaataaaca gaagctgtga tgttaaaaaa aaaaaaaaaa      1119

```

<210> 178

<211> 164

<212> PRT

<213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)...(164)
 <223> Xaa = Any Amino Acid

<400> 178
 Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1 5 10 15
 Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
 20 25 30
 Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
 35 40 45
 Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu
 50 55 60
 Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
 65 70 75 80
 Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
 85 90 95
 Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Asp Ala Val
 100 105 110
 Ile Ala Ile Gln Ser Xaa Thr Val Gly Gly Trp Glu Cys Glu Lys Leu
 115 120 125
 Ser Gln Pro Trp Gln Gly Cys Thr Ile Ser Ala Thr Ser Ser Ala Arg
 130 135 140
 Thr Ser Cys Cys Ile Leu Thr Gly Cys Ser Leu Leu Leu Thr Ala Ser
 145 150 155 160
 Pro Gly Thr Leu

<210> 179
 <211> 250
 <212> DNA
 <213> Homo sapien

<400> 179
 ctggagtgcc ttggtgtttc aagcccctgc aggaagcaga atgcaccttc tgaggcacct 60
 ccagctgccc ccggccgggg gatgcgaggc tcggagcacc cttgcccggc tgtgattgct 120
 gccaggcact gttcatctca gcttttctgt ccctttgctc ccggcaagcg cttctgctga 180
 aagttcatat ctggagcctg atgtcttaac gaataaaggt cccatgctcc acccgaaaaa 240
 aaaaaaaaaa 250

<210> 180
 <211> 202
 <212> DNA
 <213> Homo sapien

<400> 180
 actagtcag tgtggtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca 60
 tcacccagac ccgcccctg ccggtgccc acgtgctgc taacgacagt atgatgctta 120
 ctctgctact cggaactat ttttatgtaa ttaatgtatg ctttcttggt tataaatgcc 180
 tgatttaaaa aaaaaaaaaa aa 202

<210> 181
 <211> 558
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc feature
 <222> (1)...(558)
 <223> n = A,T,C or G

```

<400> 181
tccytttgkt naggtttkk gacacmccck agacctwaan ctgtgtcaca gacttcyngg      60
aatgtttagg cagtgtctagt aatttcytcg taatgattct gttattactt tcctnattct      120
ttattcctct ttcttctgaa gattaatgaa gttgaaaatt gaggtggata aatacaaaaa      180
ggtagtgtga tagtataagt atctaagtgc agatgaaagt gtgttatata tatccattca      240
aaattatgca agttagtaat tactcagggt taactaaatt actttaatat gctgttgaaac      300
ctactctggt ccttggtctag aaaaaattat aaacaggact ttgttagttt gggaagccaa      360
attgataata ttctatgttc taaaagttgg gctatacata aattattaag aaatatggaw      420
ttttattccc aggaatatgg kgttcatttt atgaatatta cscrggatag awgtwtgagt      480
aaaaycagtt ttggtwaata ygtwaatatg tcmtaaataa acaakgcttt gacttatttc      540
caaaaaaaaa aaaaaaaaaa

```

```

<210> 182
<211> 479
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(479)
<223> n = A,T,C or G

```

```

<400> 182
acagggwttk grggatgcta agsccccrga rwtggtttga tccaaccctg gcttwttttc      60
agaggggaaa atggggccta gaagttacag mscatytagy tgggtgcgmg gcacccctgg      120
cstcacacag astcccgagt agctgggact acaggcacac agtcactgaa gcaggccctg      180
ttwgcaattc acgttgccac ctccaactta aacattcttc atatgtgatg tccttagtca      240
ctaagggtta actttcccac ccagaaaagg caacttagat aaaatcttag agtactttca      300
tactmttcta agtcctcttc cagcctcact kkgagtccctm cytggggggtt gataggaant      360
ntctcttggc ttctcctaata aartctctat ycatctcatg ttttaatttg tacgcatara      420
awtgstgara aaattaaaat gttctggtty mactttaaaa aaaaaaaaaa aaaaaaaaaa      479

```

```

<210> 183
<211> 384
<212> DNA
<213> Homo sapien

```

```

<400> 183
aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc      60
agtaccagta ccaataacag tgccagtgcc agtgccagca ccagtgtgtg cttcagtgtc      120
ggtgccagcc tgaccgccac tctcacattt gggctcttcg ctggccttgg tggagctggt      180
gccagcacca gtggcagctc tgggtgctgt ggtttctcct acaagtgaga ttttagatat      240
tgtaaatcct gccagtcttt ctcttcaagc caggggtgat cctcagaaac ctactcaaca      300
cagcactcta ggcagccact atcaatcaat tgaagttgac actctgcatt aratctattt      360
gccatttcaa aaaaaaaaaa aaaa

```

```

<210> 184
<211> 496
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(496)
<223> n = A,T,C or G

```

```

<400> 184
accgaattgg gaccgctggc ttataagcga tcatgtyynt ccrgtatcac ctcaacgagc      60
aggagatcg agtctatagc ctgaagaaat ttgaccgatg gggaacaacg acctgctcag      120
cccatcctgc tcggttctcc ccagatgaca aatactctsg acaccgaatc accatcaaga      180
aacgcttcaa ggtgctcatg accagcaac cgcgcctgt cctctgaggg tcccttaaac      240
tgatgtcttt tctgccacct gttacccttc ggagactcgc taaccaaact cttcggactg      300

```

tgagccctga	tgccctttttg	ccagccatac	tctttggcat	ccagtctctc	gtggcgattg	360
attatgcttg	tgtgaggcaa	tcatggtggc	atcacccata	aagggaacac	atttgacttt	420
tttttctcat	attttaaatt	actacmagaw	tattwmagaw	waaatgawtt	gaaaaactst	480
taaaaaaaaa	aaaaaa					496

<210> 185
 <211> 384
 <212> DNA
 <213> Homo sapien

<400> 185						
gctggtagcc	tatggcgkkg	cccacggagg	ggctcctgag	gccacggrac	agtgacttcc	60
caagtatcyt	gcgcsgcgtc	ttctaccgtc	cctacctgca	gatcttcggg	cagattcccc	120
aggaggacat	ggacgtggcc	ctcatggagc	acagcaactg	ytcgtcggag	cccggcttct	180
gggcacaccc	tcctggggcc	caggcgggca	cctgcgtctc	ccagtatgcc	aactggctgg	240
tggtgctgct	cctcgtcatc	ttcctgctcg	tggccaacat	cctgctggtc	aacttgctca	300
ttgccatggt	cagttacaca	ttcggcaaa	tacagggcaa	cagcgatctc	tactgggaag	360
gcgcagcgtt	accgcctcat	ccgg				384

<210> 186
 <211> 577
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(577)
 <223> n = A,T,C or G

<400> 186						
gagttagctc	ctccacaacc	ttgatgaggt	cgtctgcagt	ggcctctcgc	ttcataccgc	60
tnccatcgct	atactgtagg	tttgccacca	cytoctggca	tcttggggcg	gcntaatatt	120
ccaggaaact	ctcaatcaag	tcaccgtcga	tgaaacctgt	gggctgggtc	tgtcttccgc	180
tcggtgtgaa	aggatctccc	agaaggagtg	ctcgatcttc	cccacacttt	tgatgacttt	240
attgagtcga	ttctgcatgt	ccagcaggag	gttgtagacc	ctctctgaca	gtgaggtcac	300
cagccctatc	atgccgttga	mcgtgccgaa	garacccgag	ccttgtgtgg	gggkkgaa	360
ctcaccacga	ttctgcatta	ccagagagcc	gtggcaaaag	acattgacaa	actcgcccag	420
gtggaaaaag	amcamctect	ggargtgctn	gccgctcctc	gtcmgttggt	ggcagcgctw	480
tccttttgac	acacaaacaa	gttaaaggca	ttttcagccc	ccagaaaant	gtcatcatcc	540
aagatntcgc	acagcactna	tccagttggg	attaaat			577

<210> 187
 <211> 534
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(534)
 <223> n = A,T,C or G

<400> 187						
aacatcttcc	tgtataatgc	tgtgtaatat	cgatccgatn	ttgtctgstg	agaatycatw	60
actkggaaaa	gmaacattaa	agcctggaca	ctgggtattaa	aattcacaat	atgcaacact	120
ttaaacagtg	tgtcaatctg	ctcccyynac	tttgtcatca	ccagtctggg	aakaagggtg	180
tgccctattc	acacctgtta	aaagggcgct	aagcattttt	gattcaacat	cttttttttt	240
gacacaagtc	cgaaaaaagc	aaaagtaaac	agttatyaat	ttgttagcca	attcactttc	300
ttcatgggac	agagccatyt	gattttaaaaa	gcaaattgca	taatattgag	cttygggagc	360
tgatatttga	gcggaagagt	agcctttcta	cttcaccaga	cacaactccc	tttcatattg	420
ggatgttnac	naaagtwtatg	tctctwacag	atgggatgct	tttgtggcaa	ttctgttctg	480
aggatctccc	agtttattta	ccacttgcac	aagaaggcgt	tttcttctc	aggc	534

<210> 188
<211> 761
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(761)
<223> n = A,T,C or G

<400> 188
agaaaccagt atctctnaaa acaacctctc ataccttgtg gacctaatth tgtgtgcgtg 60
tgtgtgtgcg cgcataattat atagacaggc acatcttttt tacttttgta aaagcttatg 120
cctcttttgg atctatatct gtgaaagttt taatgatctg ccataatgtc ttgggggacct 180
ttgtcttctg tgtaaatggg actagagaaa acacctatnt tatgagtcaa tctagttngt 240
tttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc ctkgackarg 300
ggggacaaaag aaaagcaaaa ctgamcataa raaacaatwa cctgggtgaga arttgcataa 360
acagaaatwr ggtagtatat tgaarnacag catcattaaa rmgttwktt wttctccctt 420
gcaaaaaaca tgtacngact tcccggttag taatgccaaag ttgttttttt tatnataaaa 480
cttgcccttc attacatgtt tnaaagtggg gtggtgggcc aaaatattga aatgatggaa 540
ctgactgata aagctgtaca aataagcagt gtgcctaaca agcaacacag taatgttgac 600
atgcttaatt cacaatgct aatttcatta taaatgtttg ctaaaataca ctttgaacta 660
ttttctgtn ttcccagagc tgagatntta gattttatgt agtatnaagt gaaaaantac 720
gaaaataata acattgaaga aaaaananaa aaanaaaaaa a 761

<210> 189
<211> 482
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(482)
<223> n = A,T,C or G

<400> 189
tttttttttt ttgtccgatn ctactattht attgcaggan gtgggggtgt atgcaccgca 60
caccgggggt atnagaagca agaaggaagg agggagggca cagccccttg ctgagcaaca 120
aagccgcctg ctgccttctc tgtctgtctc ctggtgcagg cacatgggga gaccttcccc 180
aaggcagggg ccaccagtcc aggggtggga atacaggggg tgggagtgt gcataagaag 240
tgataggcac aggccaccg gtacagacc ctcggctcct gacaggtnga tttcgaccag 300
gtcattgtgc cctgccagg cacagcgtn atctggaaa gacagaatgc tttccttttc 360
aaatttggct ngtcatngaa ngggcanttt tccaantng gctnggtctt ggtacnctg 420
gttcggccca gctccnctc caaaaantat tcaccnnct ccnaattgct tgcngncccc 480
cc 482

<210> 190
<211> 471
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(471)
<223> n = A,T,C or G

<400> 190
tttttttttt ttttaaaaca gtttttcaca acaaaattha ttagaagaat agtggttttg 60
aaaactctcg catccagtga gaactaccat acaccacatt acagctngga atgtntcca 120
aatgtctggg caaatgatac aatggaacca ttcaatctta cacatgcacg aaagaacaag 180
cgcttttgac atacaatgca caaaaaaaa aggggggggg gaccacatgg attaaaattt 240
taagtactca tcacatacat taagacacag ttctagtcca gtchaaaatc agaactgcnt 300

tgaaaaattt	catgtatgca	atccaaccaa	agaacttnat	tggtgatcat	gantncteta	360
ctacatcnac	cttgcatt	gccaggaacn	aaaagttnaa	ancacncngt	acaaaaanaa	420
tctgtaattn	anttcaacct	ccgtacngaa	aaatnttntt	tatacactcc	c	471

<210> 191

<211> 402

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(402)

<223> n = A,T,C or G

<400> 191

gagggattga	aggctctgttc	tastgtcggm	ctgttcagcc	accaactcta	acaagttgct	60
gtcttccact	cactgtctgt	aagcttttta	accagacwg	tatcttcata	aatagaacaa	120
attcttcacc	agtcacatct	tctaggacct	ttttggattc	agttagtata	agctcttcca	180
cttcctttgt	taagacttca	tctggtaaag	tcttaagttt	tgtagaaagg	aattyaattg	240
ctcgttctct	aacaatgtcc	tctccttgaa	gtatttggct	gaacaacca	cctaaagtcc	300
ctttgtgcat	ccattttaaa	tatacttaat	agggcattgk	tnactagggt	taaattctgc	360
aagagtcatc	tgtctgcaaa	agttgcgtta	gtatatctgc	ca		402

<210> 192

<211> 601

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(601)

<223> n = A,T,C or G

<400> 192

gagctcggat	ccaataatct	ttgtctgagg	gcagcacaca	tatncagtgc	catggnaact	60
ggtctacccc	acatgggagc	agcatgccgt	agntatataa	ggtcattccc	tgagtcagac	120
atgcytyttt	gaytacogtg	tgccaagtgc	tggtgattct	yaacacacyt	ccatcccgyt	180
cttttgtgga	aaaactggca	cttkctctgga	actagcarga	catcacttac	aaattcaccc	240
acgagacact	tgaaagggtgt	aacaaagcga	ytcttgcat	gctttttgtc	cctccggcac	300
cagttgtcaa	tactaacccg	ctggtttgcc	tccatcacat	ttgtgatctg	tagctctgga	360
tacatctcct	gacagtactg	aagaacttct	tcttttgttt	caaaagcarg	tcttggtgcc	420
tgttggatca	ggttcccatt	tcccagtcyg	aatgttcaca	tggcataatt	wacttcccac	480
aaaacattgc	gatttgaggc	tcagcaacag	caaatcctgt	tccggcattg	gctgcaagag	540
cctcgaatga	gccggccagc	gccaaggcag	gcgccgtgag	ccccaccagc	agcagaagca	600
g						601

<210> 193

<211> 608

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(608)

<223> n = A,T,C or G

<400> 193

atacagccca	natcccacca	cgaagatgog	cttgttgact	gagaacctga	tgcggtcact	60
gggtcccgtg	tagccccagc	gactctccac	ctgctggaag	cggttgatgc	tgcaactcytt	120
cccaacgcag	gcagmagcgg	gscgggtcaa	tgaactccay	tcgtggcttg	gggtkgacgg	180
tkaagtgcag	gaagaggctg	accacctcgc	gggtccaccag	gatgcccagc	tgtgcgggac	240
ctgcagcgaa	actcctcgat	ggtcatgagc	gggaagcgaa	tgaggcccag	ggccttgccc	300

```

agaaccttcc gctgtttctc tggcgtcacc tgcagctgct gccgctgaca ctgggcctcg 360
gaccagcgga caaacggcrt tgaacagccg cactcacgg atgcccagtg tgcgcgctc 420
caggammgsc accagcgtgt ccaggtcaat gtcgggtgaag ccctccgcgg gtrattggcg 480
ctgcagtgtt tttgtcgatg ttctccaggc acaggctggc cagctgcggg tcatcgaaga 540
gtgcgcctg cgtgagcagc atgaaggcgt tgcgggctcg cagttcttct tcaggaaactc 600
cacgcaat 608

```

<210> 194

<211> 392

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 194

```

gaacggctgg accttgctc gcattgtgct tgctggcagg gaataccttg gcaagcagyt 60
ccagtcgag cagcccaga ccgctgcgc ccgaagctaa gcctgcctct ggcttcccc 120
tccgcctcaa tgcagaacca gtagtgggag cactgtgttt agagttaaga gtgaacactg 180
tttgatttta cttgggaatt tctctgtta tatagtttt cccaatgcta atttccaaac 240
aacaacaaca aaataacatg tttgcctgtt aagtgtata aaagttagtg attctgtatt 300
taaagaaaat attactgtta catatactgc ttgcaatttc tgtatttatt gktinctstgg 360
aaataaatat agttattaaa ggtgtcant cc 392

```

<210> 195

<211> 502

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(502)

<223> n = A,T,C or G

<400> 195

```

ccsttkgagg ggtkaggkyc cagttyccga gtggaagaaa caggccagga gaagtgcgtg 60
ccgagctgag gcagatgttc ccacagtgc cccagagcc stgggstata gtytctgacc 120
cctcncaagg aaagaccacs ttctggggac atgggctgga gggcaggacc tagaggcacc 180
aaggggaagg ccattccgg ggstgttccc cgaggaggaa ggggaagggc tctgtgtgcc 240
ccccasgagg aagaggccct gagtccctgg atcagacacc ccttcacgtg tatccccaca 300
caaatgcaag ctaccaagg tcccctctca gtccccttcc stacaccctg amcggccact 360
gscscacacc caccagagc acgccaccg ccattgggar tgtgtcaag gartcgcnng 420
gcarcgtgga catctngtcc cagaaggggg cagaatctcc aatagangga ctgarcmstt 480
gctnanaaaa aaaaanaaaa aa 502

```

<210> 196

<211> 665

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(665)

<223> n = A,T,C or G

<400> 196

```

ggttacttg tttcattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc 60
cctctggaag ccttgccgag agcggacttt gtaattgttg gagaataact gctgaatttt 120
wagctgtttk gagttgatts gcaccactgc acccacaact tcaatatgaa aacyawttga 180
actwatttat tatcttgtga aaagtataac aatgaaaatt ttgttcatac tgtattkac 240

```

aagtatgatg	aaaagcaawa	gatatatatt	cttttattat	gttaaattat	gattgccatt	300
attaatcggc	aaaatgtgga	gtgtatgttc	ttttcacagt	aatatatgcc	ttttgtaact	360
tcacttggtt	atttttattgt	aaatgartta	caaaattctt	aatttaagar	aatgggatgt	420
watatttatt	tcattaattt	ctttcctkgt	ttacgtwaat	tttgaaaaga	wtgcatgatt	480
tcttgacaga	aatcgatctt	gatgctgtgg	aagttagttg	accacatcc	ctatgagttt	540
ttcttagaat	gtataaaggt	tgtagcccat	cnaacttcaa	agaaaaaat	gaccacatac	600
tttgcaatca	ggctgaaatg	tggcatgctn	ttctaattcc	aactttataa	actagcaaan	660
aagtg						665

<210> 197
 <211> 492
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(492)
 <223> n = A,T,C or G

<400> 197						
tttntttttt	ttttttttgc	aggaaggatt	ccattttattg	tggatgcatt	ttcacaatat	60
atgtttattg	gagcgatcca	ttatcagtga	aaagtatcaa	gtgtttataa	natttttagg	120
aaggcagatt	cacagaacat	gctngtcngc	ttgcagtttt	acctcgtna	gatnacagag	180
aattatagtc	naaccagtaa	acnaggaatt	tacttttcaa	aagattaaat	ccaaactgaa	240
caaaattcta	ccctgaaact	tactccatcc	aaatattgga	ataanagtca	gcagtgatac	300
attctcttct	gaactttaga	ttttctagaa	aaatatgtaa	tagtgatcag	gaagagctct	360
tgttcaaaaag	tacaacnaag	caatgttccc	ttacatagag	ccttaattca	aactttgatc	420
catttcactc	ccatcacggg	agtcfaatgct	acctgggaca	cttgtatttt	gttcatnctg	480
ancntggctt	aa					492

<210> 198
 <211> 478
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(478)
 <223> n = A,T,C or G

<400> 198						
tttnttttgn	atttcantct	gtannaanta	ttttcattat	gtttattana	aaaatatnaa	60
tgtntccacn	acaaatcatn	ttacntnagt	aagaggccan	ctacattgta	caacatacac	120
tgagtatatt	ttgaaaagga	caagttttaa	gtanacncat	attgccganc	atanacacatt	180
tatacatggc	ttgattgata	tttagcacag	canaaactga	gtgagttacc	agaaanaaat	240
nataatgtgc	aatcngattt	aagatacaaa	acagatccta	tggtacatan	catcntgtag	300
gagttgtggc	tttatgttta	ctgaaagtca	atgcagttcc	tgtacaaaga	gatggccgta	360
agcattctag	tacctctact	ccatgggtta	gaatcgtaca	cttatgttta	catatgtnca	420
gggtaagaat	tgtgttaagt	naanttatgg	agagggtccan	gagaaaaatt	tgatncaa	478

<210> 199
 <211> 482
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(482)
 <223> n = A,T,C or G

<400> 199						
agtgacttgt	cctccaacaa	aacccttga	tcaagtttgt	ggcactgaca	atcagacctta	60

tgctagttcc	tgatcatctat	tcgctactaa	atgcagactg	gaggggacca	aaaaggggca	120
tcaactccag	ctggattatt	ttggagcctg	caaactctatt	cctacttgta	cggactttga	180
agtgttcag	tttctctac	ggatgagaga	ctgggtcaag	aatatcctca	tgcagcttta	240
tgaagccnac	tctgaacacg	ctggttatct	nagatgagaa	ncagagaaat	aaagtcnaga	300
aaatttacct	ggangaaaag	aggctttngg	ctggggacca	tcccattgaa	ccttctctta	360
anggacttta	agaanaaaact	accacatgtn	tgtngtatcc	tggtgccngg	ccgtttantg	420
aacntngacn	ncacccttnt	ggaatanant	cttgacngcn	tcctgaactt	gctcctctgc	480
ga						482

<210> 200
 <211> 270
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(270)
 <223> n = A,T,C or G

<400> 200						
cgcccgcaag	tgcaactcca	gctggggccg	tgccgacgaa	gattctgcca	gcagttggtc	60
cgactgcgac	gacggcgccg	gacacagtcg	caggtgcagc	gccggcgccct	ggggctctgc	120
aaggctgagc	tgacgccgca	gaggtcgtgt	cacgtccac	gaccttgacg	ccgtcgggga	180
cagccggaac	agagcccgt	gaangcggga	ggcctcgggg	agcccctcgg	gaagggcgcc	240
ccgagagata	cgcaggtgca	ggtggccgcc				270

<210> 201
 <211> 419
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(419)
 <223> n = A,T,C or G

<400> 201						
tttttttttt	ttttggaatc	tactgcgagc	acagcaggtc	agcaacaagt	ttattttgca	60
gctagcaagg	taacagggtg	gggcatggtt	acatgttcag	gtcaacttcc	tttgtcgtgg	120
ttgattgggt	tgtctttatg	ggggcggggt	ggggtagggg	aaancgaagc	anaantaaca	180
tgagtggtgt	gcaccctccc	tgtagaacct	ggttacnaaa	gcttggggca	gttcacctgg	240
tctgtgaccg	tcattttctt	gacatcaatg	ttattagaag	tcaggatata	ttttagagag	300
tccactgtnt	ctggaggagg	attaggggtt	cttgccaana	tccaancaa	atccacntga	360
aaaagttgga	tgatncangt	acngaatacc	ganggcatan	ttctcatant	cggtggcca	419

<210> 202
 <211> 509
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(509)
 <223> n = A,T,C or G

<400> 202						
tttntttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
tggaacttaa	tccattttta	tttcaaaatg	tctacaaant	ttnaatncnc	cattatacng	120
gtnattttnc	aaaatctaaa	nnttatccaa	atnagacca	aantccttac	ncaaatnnaa	180
tacncaaaa	aatcaaaaaa	atacntntct	ttcagcaaac	ttngttacat	aaattaaaaa	240
aatatatacg	gctggtgttt	tcaaagtaca	attatcttaa	cactgcaaac	atnttttnnaa	300
ggaactaaaa	taaaaaaaaa	cactnccgca	aaggttaaag	ggaacaacaa	attcntttta	360

```

caacancnnc nattataaaa atcatatctc aaatcttagg ggaatatata cttcacacng 420
ggatctttaac ttttactnca ctttgtttat ttttttanaa ccattgtntt gggccaaca 480
caatggnaat necnecncnc tggactagt 509

```

<210> 203

<211> 583

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(583)

<223> n = A,T,C or G

<400> 203

```

tttttttttt ttttttttga cccccctctt ataaaaaaca agttaccatt ttattttact 60
tacacatatt tttttataa ttggtattag atattcaaaa ggcagctttt aaaatcaaac 120
taaatggaaa ctgccttaga tacataattc ttaggaaata gcttaaaatc tgcctaaagt 180
gaaaatcttc tctagctctt ttgactgtaa atttttgact cttgtaaaac atccaaattc 240
atttttcttg tctttaaaat tatctaattc ttccattttt tccctattcc aagtcaattt 300
gcttctctag cctcatttcc tagctcttat ctactattag taagtggctt ttttcctaaa 360
agggaaaaca ggaagagana atggcacaca aaacaaacat tttatatcca tatttctacc 420
tacgttaata aaatagcatt ttgtgaagcc agctcaaaag aaggcttaga tccttttatg 480
tccatttttag tcaactaaacg atatcnaaag tgccagaatg caaaaaggttt gtgaacattt 540
attcaaaagc taatataaga tatttcacat actcatcttt ctg 583

```

<210> 204

<211> 589

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(589)

<223> n = A,T,C or G

<400> 204

```

ttttttttnt tttttttttt ttttttntct ttcttttttt ttganaatga ggatcgagtt 60
tttcaactct tagatagggc atgaagaaaa ctcatctttc cagcttttaa ataacaatca 120
aatctcttat gctatatcat attttaagtt aaactaatga gtcaactggc tatcttctcc 180
tgaaggaaat ctgttcattc ttctcattca tatagttata tcaagtacta ccttgcata 240
tgagagggtt ttcttctcta ttacacata tatttccatg tgaatttgta tcaaaccttt 300
attttcatgc aaactagaaa ataattgntt cttttgcata agagaagaga acaatatnag 360
cattacaaaa ctgctcaaat tgtttgtaa gnttatccat tataattagt tnggcaggag 420
ctaatacaaa tcacattttac ngacnagcaa taataaaact gaagtaccag ttaaatatcc 480
aaaataatta aaggaacatt tttagcctgg gtataattag ctaattcact ttacaagcat 540
ttattnagaa tgaattcaca tgttattatt centagccca acacaatgg 589

```

<210> 205

<211> 545

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(545)

<223> n = A,T,C or G

<400> 205

```

ttttnttttt ttttttcagt aataatcaga acaatatatta tttttatatt taaaattcat 60
agaaaagtgc cttacattta ataaaagttt gtttctcaaa gtgatcagag gaattagata 120
tngtcttgaa caccaatatt aatttgagga aaatacacca aaatacatta agtaaattat 180

```

```

ttaagatcat agagcttgta agtgaaaaga taaaatttga cctcagaaac tctgagcatt 240
aaaaatccac tattagcaaa taaattacta tggacttctt gctttaattt tgtgatgaat 300
atggggtgtc actggtaaac caacacattc tgaaggatac attacttagt gatagattct 360
tatgtacttt gctanatnac gtggatatga gttgacaagt ttctctttct tcaatctttt 420
aaggggcnga ngaaatgagg aagaaaagaa aaggattacg catactgttc tttctatngg 480
aaggattaga tatgtttcct ttgccaatat taaaaaata ataatgttta ctactagtga 540
aacc 545

```

```

<210> 206
<211> 487
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(487)
<223> n = A,T,C or G

```

```

<400> 206
ttttttttt ttttttagtc aagtttctna tttttattat aattaaagtc ttggtcattt 60
catttattag ctctgcaact tacatattta aattaaagaa acgttnttag acaactgtna 120
caatttataa atgtaagggt ccattattga gtanatatat tcctccaaga gtggatgtgt 180
cccttctccc accaactaat gaancagcaa cattagttta attttattag tagatnatac 240
actgctgcaa acgctaattc tcttctccat ccccatgtng atattgtgta tatgtgtgag 300
ttggtnagaa tgcatacanca atctnacaat caacagcaag atgaagctag gcntgggctt 360
tcggtgaaaa tagactgtgt ctgtctgaat caaatgatct gacctatcct cgggtggcaag 420
aactcttcga accgcttcct caaaggcngc tgccacattt gtggcntctn ttgcacttgt 480
ttcaaaa 487

```

```

<210> 207
<211> 332
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(332)
<223> n = A,T,C or G

```

```

<400> 207
tgaattggct aaaagactgc atttttanaa ctagcaactc ttatttcttt cctttaaaaa 60
tacatagcat taaatcccaa atcctattta aagacctgac agcttgagaa ggtcactact 120
gcatttatag gaccttctgg tggttctgct gttacntttg aantctgaca atccttgana 180
atctttgcat gcagaggagg taaaagggtat tggattttca cagaggaana acacagcgca 240
gaaatgaagg ggccaggctt actgagcttg tccactggag ggctcatggg tgggacatgg 300
aaaagaaggc agcctaggcc ctggggagcc ca 332

```

```

<210> 208
<211> 524
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(524)
<223> n = A,T,C or G

```

```

<400> 208
agggcgtggt gcgaggggcg ttactgtttt gtctcagtaa caataaatac aaaaagactg 60
gttgtgttcc ggcccatcc aaccacgaag ttgattttct tigtgtgcag agtgactgat 120
tttaaaggac atggagcttg tcacaatgtc acaatgtcac agtgtgaagg gcacactcac 180
tcccgcgtga ttcacattta gcaaccaaca atagctcatg agtcatact tgtaataact 240

```

```

tttggcagaa tacttnttga aacttgcaga.tgataactaa gatccaagat atttcccaaa    300
gtaaatagaa gtgggtcata atattaatta cctgttcaca tcagcttcca tttacaagtc    360
atgagcccag acactgacat caaactaagc ccacttagac tcctcaccac cagtctgtcc    420
tgtcatcaga caggaggctg tcaccttgac caaattctca ccagtcaatc atctatccaa    480
aaaccattac ctgatccact tccggtaatg caccaccttg gtga                      524

```

```

<210> 209
<211> 159
<212> DNA
<213> Homo sapien

```

```

<400> 209
gggtgaggaa atccagagtt gccatggaga aaattccagt gtcagcattc ttgtccttgg    60
tggccctctc ctacactctg gccagagata ccacagtcaa acctggagcc aaaaaggaca    120
caaaaggactc tcgacccaaa ctgccccaga ccctctcca                      159

```

```

<210> 210
<211> 256
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(256)
<223> n = A,T,C or G

```

```

<400> 210
actccctggc agacaaaggc agaggagaga gctctgttag ttctgtgttg ttgaactgcc    60
actgaatttc tttccacttg gactattaca tgccanttga gggactaatg gaaaaacgta    120
tggggagatt ttanccaatt tangtntgta aatggggaga ctggggcagg cgggagagat    180
ttgcagggtg naaatgggan ggctgggttg ttanatgaac agggacatag gaggtaggca    240
ccaggatgct aaatca                      256

```

```

<210> 211
<211> 264
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(264)
<223> n = A,T,C or G

```

```

<400> 211
acattgtttt tttgagataa agcattgaga gagctctcct taacgtgaca caatggaagg    60
actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt    120
atattcaagc acatatgtta tatattattc agttccatgt ttatagccta gttaaggaga    180
ggggagatac attcngaaaag aggactgaaa gaaatactca agtnggaaaa cagaaaaaga    240
aaaaaggag caaatgagaa gcct                      264

```

```

<210> 212
<211> 328
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(328)
<223> n = A,T,C or G

```

```

<400> 212
acccaaaaat ccaatgctga atatttggct tcattattcc canattcttt gattgtcaaa    60

```

```

ggatttaatg ttgtctcagc ttgggcactt cagttaggac ctaaggatgc cagccggcag 120
gtttatatat gcagcaacaa tattcaagcg cgacaacagg ttattgaact tgcccgccag 180
ttnaatttca ttccattga cttgggatcc ttatcatcag ccagagagat tgaaaattta 240
cccctacnac tctttactct ctgganaggg ccagtgggtg tagctataag cttggccaca 300
tttttttttc ctttattcct ttgtcaga 328

```

```

<210> 213
<211> 250
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(250)
<223> n = A,T,C or G

```

```

<400> 213
acttatgagc agagcgacat atccnagtgt agactgaata aaactgaatt ctctccagtt 60
taaagcattg ctactgaag ggatagaagt gactgccagg agggaaagta agccaaggct 120
cattatgccca aagganatat acatttcaat tctccaaact tcttcctcat tccaagagtt 180
ttcaatattt gcatgaacct gctgataanc catgttaana aacaaatata tctctnacct 240
tctcatcggt 250

```

```

<210> 214
<211> 444
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(444)
<223> n = A,T,C or G

```

```

<400> 214
accagaatc caatgctgaa tatttggott cattattccc agattctttg attgtcaaag 60
gatttaatgt tgtctcagct tgggcacttc agttaggacc taaggatgcc agccggcagg 120
tttatatatg cagcaacaat attcaagcgc gacaacaggc tattgaactt gcccgccagt 180
tgaatttcat tccattgac ttgggatcct tatcatcagc canagagatt gaaaattttac 240
ccctacgact ctttactctc tggagagggc cagtgggtgt agctataagc ttggccacat 300
ttttttttcc tttattcctt tgtcagagat gcgattcctc catatgctan aaaccaacag 360
agtactttt acaaaattcc tataganatt gtgaataaaa ccttacctat agttgccatt 420
actttgctct ccctaataata cctc 444

```

```

<210> 215
<211> 366
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(366)
<223> n = A,T,C or G

```

```

<400> 215
acttatgagc agagcgacat atccaagtgt anactgaata aaactgaatt ctctccagtt 60
taaagcattg ctactgaag ggatagaagt gactgccagg agggaaagta agccaaggct 120
cattatgccca aagganatat acatttcaat tctccaaact tcttcctcat tccaagagtt 180
ttcaatattt gcatgaacct gctgataagc catgttgaga aacaaatata tctctgacct 240
tctcatcggt aagcagaggc tgtaggcaac atggaccata gcgaanaaaa aacttagtaa 300
tccaagctgt tttctacact gtaaccaggc ttccaaccaa ggtggaaatc tctatactt 360
ggtgcc 366

```


<210> 216
 <211> 260
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(260)
 <223> n = A,T,C or G

<400> 216
 ctgtataaac agaactccac tgcangaggg agggccgggc caggagaatc tccgcttgtc 60
 caagacaggg gcctaaggag ggtctccaca ctgctnntaa gggctnttnc atttttttat 120
 taataaaaag tnnaaaaggc ctcttctcaa cttttttccc ttnggctgga aaatttaaaa 180
 atcaaaaatt tcctnaagtt ntcaagctat catatatact ntatcctgaa aaagcaacat 240
 aattcttcct tccctccttt 260

<210> 217
 <211> 262
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(262)
 <223> n = A,T,C or G

<400> 217
 acctacgtgg gtaagtttan aaatgttata atttcaggaa naggaacgca tataattgta 60
 tcttgccctat aattttctat ttttaataagg aaatagcaaa ttgggggtggg gggaatgtag 120
 ggcattctac agtttgagca aaatgcaatt aaatgtggaa ggacagcact gaaaaatfff 180
 atgaataatc tgtatgatta tatgtctcta gagtagattt ataattagcc acttaccta 240
 atatccttca tgcttgtaaa gt 262

<210> 218
 <211> 205
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(205)
 <223> n = A,T,C or G

<400> 218
 accaaggtgg tgcattaccg gaantggatc aangacacca tcgtggccaa cccctgagca 60
 cccctatcaa ctcccttttg tagtaaacctt ggaaccttgg aaatgaccag gccagactc 120
 aggcctcccc agttctactg acctttgtcc ttangntna ngccagggt tgctaggaaa 180
 anaaatcagc agacacaggt gtaaa 205

<210> 219
 <211> 114
 <212> DNA
 <213> Homo sapien

<400> 219
 tactgttttg tctcagtaac aataaatata aaaagactgg ttgtgttccg gccccatoca 60
 accacgaagt tgatttctct tgtgtgcaga gtgactgatt ttaaaggaca tgga 114

<210> 220
 <211> 93
 <212> DNA

<213> Homo sapien

<400> 220

actagccagc	acaaaaggca	gggtagcctg	aattgctttc	tgctctttac	atttctttta	60
aaataagcat	ttagtgctca	gtccctactg	agt			93

<210> 221

<211> 167

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(167)

<223> n = A,T,C or G

<400> 221

actangtgca	ggtgcgcaca	aatatttgtc	gatattccct	tcatcttga	ttccatgagg	60
tcttttgccc	agcctgtggc	tctactgtag	taagtttctg	ctgatgagga	gccagnatgc	120
ccccactac	cttccctgac	gctcccccana	aatcacccaa	cctctgt		167

<210> 222

<211> 351

<212> DNA

<213> Homo sapien

<400> 222

agggcggtggt	gcgaggggcg	gtactgacct	cattagtagg	aggatgcatt	ctggcacccc	60
gttcttcacc	tgccccccaa	tccttaaaaag	gccatactgc	ataaagtcaa	caacagataa	120
atgtttgctg	aattaaagga	tggtatgaaa	aaattaataa	tgaatttttg	cataatccaa	180
ttttctcttt	tatatttcta	gaagaagttt	ctttgagcct	attagatccc	gggaatcttt	240
taggtgagca	tgattagaga	gcttgttaggt	tgcttttaca	tatatctggc	atatttgagt	300
ctcgtatcaa	aacaatagat	tggtaaaggt	ggtattattg	tattgataag	t	351

<210> 223

<211> 383

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 223

aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	attatcttag	ggactgatat	60
tggttaattat	ggtcaattta	atwrrtrtkt	ggggcatttc	cttacattgt	cttgacaaga	120
ttaaaatgtc	tgtgccaaaa	ttttgtattt	tatttgagga	cttcttatca	aaagtaatgc	180
tgccaaagga	agtctaagga	attagtagtg	ttcccmtcac	ttgtttggag	tgtgctattc	240
taaaagattt	tgatttcctg	gaatgacaat	tatatatttaa	ctttggtggg	ggaaanagtt	300
ataggaccac	agtcttcact	tctgatactt	gtaaattaat	cttttattgc	acttgttttg	360
accattaagc	tatatgttta	aaa				383

<210> 224

<211> 320

<212> DNA

<213> Homo sapien

<400> 224

cccctgaagg	cttcttggtta	gaaaatagta	cagttacaac	caataggaac	aacaaaaaga	60
aaaagtttgt	gacattgtag	tagggagtgt	gtacccttta	ctcccatca	aaaaaaaaat	120
ggatacatgg	ttaaaggata	raagggaat	attttatcat	atgttctaaa	agagaaggaa	180

gagaaaatac	tacttttctc	aaatggaagc	ccttaaaggt	gctttgatac	tgaaggacac	240
aaatgtggcc	gtccatcctc	ctttaragtt	gcatgacttg	gacacggtaa	ctgttgacgt	300
tttaractcm	gcattgtgac					320

<210> 225
 <211> 1214
 <212> DNA
 <213> Homo sapien

<400> 225						
gaggactgca	gcccgcactc	gcagccctgg	caggcggcac	tggtcatgga	aaacgaattg	60
ttctgtctcg	gcgtcctggt	gcatccgcag	tggtgtctgt	cagccgcaca	ctgtttccag	120
aactcctaca	ccatcgggct	gggcctgcac	agtcttgagg	ccgaccaaga	gccagggagc	180
cagatggtgg	agccagcct	ctccgtacgg	caccagaggt	acaacagacc	cttgctcgct	240
aacgacctca	tgctcatcaa	gttgacgaa	tccgtgtccg	agtctgacac	catccggagc	300
atcagcattg	cttcgcagtg	ccctaccgcg	gggaactctt	gcctcgtttc	tggtgggggt	360
ctgctggcga	acggcagaat	gcctaccgtg	ctgcagtgcg	tgaacgtgtc	ggtggtgtct	420
gaggaggtct	gcagtaagct	ctatgacccg	ctgtaccacc	ccagcatggt	ctgcgcgggc	480
ggagggcaag	accagaagga	ctcctgcaac	ggtgactctg	gggggcccct	gatctgcaac	540
gggtacttgc	agggccttgt	gtctttcgga	aaagccccgt	gtggccaagt	tggtgtgcca	600
ggtgtctaca	ccaacctctg	caaatctact	gagtggatag	agaaaaccgt	ccaggccagt	660
taactctggg	gactgggaac	ccatgaaatt	gacccccaaa	tacatcctgc	ggaaggaatt	720
caggaatate	tgttcccagc	ccctcctccc	tcaggcccag	gagtcagggc	ccccagcccc	780
tcctcctca	aaaccaagggt	acagatcccc	agccccctct	ccctcagacc	caggagtcca	840
gacccccag	cccctcctcc	ctcagaccca	ggagtccagc	ccctcctccc	tcagacccag	900
gagtccagac	ccccagcccc	ctcctccctc	agacccaggg	gtccaggccc	ccaacccctc	960
ctccctcaga	ctcagagggtc	caagccccca	acccctcctt	ccccagaccc	agagggtccag	1020
gtcccagccc	ctcctccctc	agaccagcg	gtccaatgcc	acctagactc	tcctgtgaca	1080
cagtgcctcc	ttgtggcaag	ttgacccaac	cttaaccagt	ggtttttcat	tttttgtccc	1140
tttcccttag	atccagaaat	aaagtctaag	agaagcgcaa	aaaaaaaaaa	aaaaaaaaaa	1200
aaaaaaaaaa	aaaa					1214

<210> 226
 <211> 119
 <212> DNA
 <213> Homo sapien

<400> 226						
accagtatg	tgcaggaga	cggaacccca	tgtgacagcc	cactccacca	gggttcccaa	60
agaacctggc	ccagtcataa	tcattcatcc	tgacagtggc	aataatcacg	ataaccagt	119

<210> 227
 <211> 818
 <212> DNA
 <213> Homo sapien

<400> 227						
acaattcata	gggacgacca	atgaggacag	ggaatgaacc	cggtctctcc	ccagccctga	60
tttttgctac	atatggggtc	ccttttcatt	ctttgcaaaa	acactgggtt	ttctgagaac	120
acggacgggt	cttagcacia	tttgtgaaat	ctgtgtaraa	ccgggctttg	caggggagat	180
aattttcctc	ctctggagga	aaggtggtga	ttgacaggca	gggagacagt	gacaaggcta	240
gagaaagcca	cgctcggcct	tctctgaacc	aggatggaac	ggcagacccc	tgaaaacgaa	300
gcttgtcccc	ttccaatcag	ccacttctga	gaacccccat	ctaacttctc	actggaaaag	360
agggcctcct	caggagcagt	ccaagagtgt	tcaaagataa	cgtgacaact	accatctaga	420
ggaaagggtg	caccctcagc	agagaagccg	agagcttaac	tctggtcggt	tccagagaca	480
acctgctggc	tgtcttgagg	tgcgcccagc	ctttgagagg	ccactacccc	atgaacttct	540
gccatccact	ggacatgaag	ctgaggacac	tgggcttcaa	cactgagttg	tcatgagagg	600
gacaggctct	gccctcaagc	cggctgaggg	cagcaaccac	tctcctcccc	tttctcacgc	660
aaagccattc	ccacaaatcc	agaccatacc	atgaagcaac	gagacccaaa	cagtttggtc	720
caagaggata	tgaggactgt	ctcagcctgg	ctttgggctg	acaccatgca	cacacacaag	780
gtccacttct	aggttttcag	cctagatggg	agtcgtgt			818

<210> 228
 <211> 744
 <212> DNA
 <213> Homo sapien

<400> 228
 actggagaca ctgttgaact tgatcaagac ccagaccacc ccaggtctcc ttcgtgggat 60
 gtcattgacgt ttgacatacc tttggaacga gcctcctcct tgggaagatgg aagaccgtgt 120
 tcgtggccga cctggcctct cctggcctgt ttcttaagat gggagtcac atttcaatgg 180
 taggaaaagt ggcttcgtaa aatagaagag cagtcactgt ggaactacca aatggcgaga 240
 tgctcgggtgc acattgggggt gctttgggat aaaagattta tgagccaact attctctggc 300
 accagattct aggccagttt gttccactga agcttttccc acagcagtc acctctgcag 360
 gctggcagct gaatggcctg ccggtggctc tgtggcaaga tcacactgag atcgatgggt 420
 gagaaggcta ggatgcttgt ctagtgttct tagctgtcac gttggctcct tccaggttgg 480
 ccagacggtg ttggccactc ccttctaaaa cacaggcgcc ctctggtga cagtgacccg 540
 ccgtggtatg ccttggccca ttccagcagt cccagttatg cathttcaagt ttgggggttg 600
 ttcttttctg taatgttctt ctgtgttctc agctgtcttc atttctctgg ctaagcagca 660
 ttgggagatg tggaccagag atccactcct taagaaccag tggcgaaaga cactttcttt 720
 cttcactctg aagttagctg tggt 744

<210> 229
 <211> 300
 <212> DNA
 <213> Homo sapien

<400> 229
 cgagtctggg ttttgtctat aaagtttgat ccctcctttt ctcatccaaa tcatgtgaac 60
 cattacacat cgaataaaaa gaaaggtggc agacttgccc aacgccaggc tgacatgtgc 120
 tgcaagggtg ttgtttttta attattattg ttagaaacgt caccacacagt ccctgttaat 180
 ttgtatgtga cagccaactc tgagaaggct ctatttttcc acctgcagag gatccagtct 240
 cactaggctc ctcttgccc tcacactgga gtctccgcca gtgtgggtgc cactgacat 300

<210> 230
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 230
 cagcagaaca aatacaata tgaagagtgc aaagatctca taaaatctat gctgaggaat 60
 gagcgacagt tcaaggagga gaagcttgca gagcagctca agcaagctga ggagctcagg 120
 caatataaag tctgtgttca cactcaggaa cgagagctga cccagtttaag ggagaagttg 180
 cggaaggga gagatgcctc cctctcattg aatgagcatc tccaggccct cctcactccg 240
 gatgaaccgg acaagtccca ggggcaggac ctccaagaaa cagacctcgg ccgcgaccac 300
 g 301

<210> 231
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 231
 gcaagcacgc tggcaaatct ctgtcaggtc agctccagag aagccattag tcatttttagc 60
 caggaactcc aagtccacat ccttggcaac tggggacttg cgcaggttag ccttgaggat 120
 ggcaacacgg gacttctcat caggaagtgg gatgtagatg agctgatcaa gacggccagg 180
 tctgaggatg gcaggatcaa tgatgtcagg ccggttggtg ccgccaatga tgaacacatt 240
 tttttttgtg gacatgccat ccatttctgt caggatctgg ttgatgactc ggtcagcagc 300
 c 301

<210> 232
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 232
 agtaggtatt tcgtgagaag ttcaacacca aaactggaac atagttctcc ttcaagtgtt 60
 ggcgacagcg gggcttcttg attctggaat ataactttgt gtaaattaac agccacctat 120
 agaagagtc atctgctgtg aaggagagac agagaactct gggttccgtc gtctgtcca 180
 cgtgctgtac caagtgtgtg tgccagcctg ttacctgttc tcaactgaaa tctgggtaat 240
 gctctgtgt atcacttctg attctgacaa tcaatcaatc aatggcctag agcactgact 300
 g 301

<210> 233
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 233
 atgactgact tcccagtaag gctctctaag gggtagtag gaggatccac aggatttgag 60
 atgctaaggc cccagagatc gtttgatcca accctcttat ttccagaggg gaaaatgggg 120
 cctagaagtt acagagcatc tagctgggtc gctggcacc ctggcctcac acagactccc 180
 gagttagctg gactacaggc acacagtcac tgaagcaggc cctgttagca attctatgcg 240
 tacaaattaa catgagatga gtagagactt tattgagaaa gcaagagaaa atcctatcaa 300
 c 301

<210> 234
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 234
 aggtcctaca catcgagact catccatgat tgatatgaat ttaaaaatta caagcaaaga 60
 cattttattc atcatgatgc tttcttttgt ttcttctttt cgttttcttc tttttctttt 120
 tcaatttcag caacatactt ctcaatttct tcaggattta aaatcttgag ggattgatct 180
 cgctcatga cagcaagttc aatgtttttg ccacctgact gaaccacttc caggagtgcc 240
 ttgatcacca gcttaatggg cagatcatct gcttcaatgg ctctgctcagt atagttcttc 300
 t 301

<210> 235
 <211> 283
 <212> DNA
 <213> Homo sapien

<400> 235
 tggggctgtg catcaggcgg gtttgagaaa tattcaattc tcagcagaag ccagaatttg 60
 aattccctca tcttttaggg aatcatttac caggtttgga gaggattcag acagctcagg 120
 tgctttcact aatgtctctg aacttctgtc cctctttgtt catggatagt ccaataaata 180
 atgttatctt tgaactgatg ctcataggag agaataaag aactctgagt gatatcaaca 240
 ttagggattc aaagaaatat tagatttaag ctcacactgg tca 283

<210> 236
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 236
 aggtcctcca ccaactgcct gaagcacggt taaaattggg aagaagtata gtgcagcata 60
 aatactttta aatcgatcag atttccttaa ccacatgca atcttcttca ccagaagagg 120
 tcggagcagc atcatthaata ccaagcagaa tgcgtaatag ataaatacaa tggatatag 180
 tgggtagacg gcttcatgag tacagtgtac tgtggtatcg taatctggac ttgggttgta 240
 aagcatcgtg taccagttag aaagcatcaa tactcgacat gaacgaatat aaagaacacc 300
 a 301

<210> 237
 <211> 301

<212> DNA

<213> Homo sapien

<400> 237

cagtggtagt	ggtgggtggac	gtggcggttg	tcgtgggtgcc	ttttttggtg	cccgtcacaa	60
actcaatttt	tgttcgctcc	tttttggcct	tttccaattt	gtccatctca	attttctggg	120
ccttggctaa	tgctcatag	taggagtcct	cagaccagcc	atggggatca	aacatactct	180
ttgggtagtt	ggtgccaagc	tcgtcaatgg	cacagaatgg	atcagcttct	cgtaaatcta	240
gggttccgaa	attctttctt	cctttggata	atgtagttca	tatccattcc	ctcctttatc	300
t						301

<210> 238

<211> 301

<212> DNA

<213> Homo sapien

<400> 238

gggcagggtt	tttttttttt	ttttttgatg	gtgcagaccc	ttgctttatt	tgtctgactt	60
gttcacagtt	cagccccctg	ctcagaaaaac	caacggggcca	gctaaggaga	ggaggaggca	120
ccttgagact	tccggagtcg	aggctctcca	gggttcccca	gcccatacat	cattttctgc	180
acccctgcc	tggaagcag	ctccctgggg	ggtgggaatg	ggtgactaga	agggatttca	240
gtgtgggacc	cagggtctgt	tcttcacagt	aggaggtgga	agggatgact	aatttcttta	300
t						301

<210> 239

<211> 239

<212> DNA

<213> Homo sapien

<400> 239

ataagcagct	aggggaattct	ttatttagta	atgtcctaac	ataaaagtgc	acataactgc	60
ttctgtcaaa	ccatgatact	gagctttgtg	acaaccagga	aataactaag	agaaggcaaa	120
cataatacct	tagagatcaa	gaaacattta	cacagttcaa	ctgtttaaaa	atagctcaac	180
attcagccag	tgagtagagt	gtgaatgcca	gcatacacag	tatacaggtc	cttcaggga	239

<210> 240

<211> 300

<212> DNA

<213> Homo sapien

<400> 240

ggtcctaattg	aagcagcagc	ttccacattt	taacgcaggt	ttacgggtgat	actgtccttt	60
gggatctgcc	ctccagtggg	accttttaag	gaagaagtgg	gcccagacta	agttccacat	120
gctgggtgag	ccagatgact	tctgttcctt	ggtcactttc	ttcaatgggg	cgaatggggg	180
ctgccagggt	tttaaaatca	tgcttcatct	tgaagcacac	ggtcacttca	ccctcctcac	240
gctgtgggtg	tactttgatg	aaaataccca	ctttgttggc	ctttctgaag	ctataatgtc	300

<210> 241

<211> 301

<212> DNA

<213> Homo sapien

<400> 241

gaggtctggt	gctgaggtct	ctgggctagg	aagaggagtt	ctgtggagct	ggaagccaga	60
cctcttttga	ggaaactcca	gcagctatgt	tggtgtctct	gaggggaatgc	aacaaggctg	120
ctcctccatg	tattggaaaa	ctgcaaactg	gactcaactg	gaagggaagt	ctgctgccag	180
tgtgaagaac	cagcctgagg	tgacagaaac	ggaagcaaac	aggaacagcc	agtcttttct	240
tcctcctcct	gtcatacggg	ctctctcaag	catcctttgt	tgtcaggggc	ctaaaaggga	300
g						301

<210> 242

<211> 301

<212> DNA

<213> Homo sapien

<400> 242

ccgagggtcct	gggatgcaac	caatcactct	gtttcacgtg	actttttatca	ccatacaatt	60
tgtggcattt	cctcattttc	tacattgtag	aatcaagagt	gtaaataaat	gtatatcgat	120
gtcttcaaga	atatatcatt	cctttttcac	tagaacccat	tcaaaatata	agtcaagaat	180
cttaatatca	acaaatatat	caagcaaact	ggaaggcaga	ataactacca	taatttagta	240
taagtacca	aagttttata	aatcaaaagc	cctaatagata	accattttta	gaattcaatc	300
a						301

<210> 243

<211> 301

<212> DNA

<213> Homo sapien

<400> 243

aggtaagtcc	cagtttgaag	ctcaaaagat	ctggtatgag	cataggctca	tcgacgacat	60
ggtggcccaa	gctatgaaat	cagagggagg	cttcatctgg	gcctgtaaaa	actatgatgg	120
tgacgtgcag	tcggactctg	tggcccaagg	gtatggctct	ctcggcatga	tgaccagcgt	180
gctggtttgt	ccagatggca	agacagtaga	agcagaggct	gcccacggga	ctgtaacccg	240
tcactaccgc	atgttcaga	aaggacagga	gacgtccacc	aatcccattg	cttccatttt	300
t						301

<210> 244

<211> 300

<212> DNA

<213> Homo sapien

<400> 244

gctggtttgc	aagaatgaaa	tgaatgattc	tacagctagg	acttaacctt	gaaatggaaa	60
gtcatgcaat	cccatttgca	ggatctgtct	gtgcacatgc	ctctgtagag	agcagcattc	120
ccagggacct	tggaacacgt	tgacactgta	agggtgcttg	tccccaagac	acatccctaaa	180
agggtgttga	atgggtgaaa	cgtcttcctt	ctttattgcc	ccttcttatt	tatgtgaaca	240
actgtttgtc	ttttgtgtat	cttttttaaa	ctgtaaagtt	caattgtgaa	aatgaatatc	300

<210> 245

<211> 301

<212> DNA

<213> Homo sapien

<400> 245

gtctgagtat	ttaaaatggt	attgaaatta	tccccaacca	atgttagaaa	agaaagaggt	60
tatatactta	gataaaaaat	gaggtgaatt	actatccatt	gaaatcatgc	tcttagaatt	120
aaggccagga	gatattgtca	ttaatgtara	cttcaggaca	ctagagtata	gcagccctat	180
gttttcaaag	agcagagatg	caattaaata	ttgttttagca	tcaaaaaggc	cactcaatac	240
agctaataaa	atgaaagacc	taattttctaa	agcaattctt	tataattttac	aaagttttaa	300
g						301

<210> 246

<211> 301

<212> DNA

<213> Homo sapien

<400> 246

ggtctgtcct	acaatgcctg	cttcttgaaa	gaagtcggca	ctttctagaa	tagctaaata	60
acctgggctt	atttttaaaga	actatttgta	gtcagatttg	gttttcctat	ggctaaaata	120
agtgttctct	gtgaaaatta	aataaaaacag	ttaattcaaa	gccttgatat	atgttaccac	180
taacaatcat	actaaatata	ttttgaagta	caaagtttga	catgctctaa	agtgaacaac	240
caaatgtgtc	ttacaaaaca	cgttcctaac	aaggtatgct	ttacactacc	aatgcagaaa	300
c						301

<210> 247
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 247
 aggtcctttg gcagggtca tggatcagag ctcaaactgg agggaaaggc atttcgggta 60
 gcctaagagg gcgactggcg gcagcacaac caaggaaggc aagggtgttt cccccacgct 120
 gtgtcctgtg ttcagggtgc acacacaatc ctcatgggaa caggatcacc catgcgctgc 180
 ccttgatgat caaggttggg gcttaagtgg attaaggagg gcaagttctg ggttccttgc 240
 cttttcaaac catgaagtca ggctctgtat ccctcctttt cctaactgat attctaacta 300
 a 301

<210> 248
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 248
 aggtccttgg agatgccatt tcagccgaag gactcttctw ttcggaagta caccctcact 60
 attaggaaga ttcttagggg taatttttct gaggaaggag aactagccaa cttaagaatt 120
 acaggaagaa agtggttttg aagacagcca aagaaataaa agcagattaa attgtatcag 180
 gtacattcca gcctgtttgc aactccataa aaacatttca gattttaatc ccgaatttag 240
 ctaatgagac tggatttttg ttttttatgt tgtgtgtcgc agagctaaaa actcagttcc 300
 c 301

<210> 249
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 249
 gtccagagga agcacctggg gctgaactag gcttgccctg ctgtgaactt gcacttgagg 60
 ccctgacgct gctgttctcc ccgaaaaaacc cgaccgacct ccgcgatctc cgtcccgcgc 120
 ccagggagac acagcagtga ctccagagctg gtgcacact gtgcctccct cctcaccgcc 180
 catcgtaatg aattattttg aaaattaatt ccaccatcct ttcagattct ggatggaaag 240
 actgaatctt tgactcagaa ttgtttgctg aaaagaatga tgtgactttc ttagtcattt 300
 a 301

<210> 250
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 250
 ggtctgtgac aaggacttgc aggctgtggg aggcaagtga cccttaacac tacacttctc 60
 cttatcttta ttggcttgat aaacataatt atttctaaca ctagcttatt tccagttgcc 120
 cataagcaca tcagtacttt tctctggctg gaatagtaaa ctaaagtatg gtacatctac 180
 ctaaaagact actatgtgga ataatacata ctaatgaagt attacatgat ttaaagacta 240
 caataaaaacc aaacatgctt ataacattaa gaaaaacaat aaagatacat gattgaaacc 300
 a 301

<210> 251
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 251
 gccgaggtcc tacatttggc ccagtttccc cctgcaccc ctccaggggc cctgcctcat 60
 agacaacctc atagagcata ggagaactgg ttgccttggg ggcaggggga ctgtctggat 120
 ggcaggggtc ctcaaaaatg ccactgtcac tgccaggaaa tgcttctgag cagtacacct 180
 cattgggatc aatgaaaagc ttcaagaaat cttcaggctc actctcttga aggcccgaa 240

cctctggagg ggggcagtgg aatcccagct ccaggacgga tcctgtcgaa aagatatcct 300
c 301

<210> 252
<211> 301
<212> DNA
<213> Homo sapien

<400> 252
gcaaccaatc actctgtttc acgtgacttt tatcaccata caatttgtgg catttcctca 60
ttttctacat tgtagaatca agagtgtaaa taaatgtata tcgatgtctt caagaatata 120
tcattccttt ttcactagga acccattcaa aatataagtc aagaatctta atatcaacaa 180
atatatcaag caaactggaa ggcagaataa ctaccataat ttagtataag tacccaaagt 240
tttataaatc aaaagcccta atgataacca tttttagaat tcaatcatca ctgtagaatc 300
a 301

<210> 253
<211> 301
<212> DNA
<213> Homo sapien

<400> 253
ttccctaaga agatgttatt ttgttgggtt ttgttccccc tccatctcga ttctcgtacc 60
caactaaaaa aaaaaaataa agaaaaaatg tgctgcgttc tgaaaaataa ctcttagct 120
tggtctgatt gttttcagac cttaaaatat aaacttggtt cacaagcttt aatccatgtg 180
gatttttttt cttagagAAC caaaaacat aaaaggagca agtcggactg aatacctgtt 240
tccatagtgc ccacagggta ttcctcacat tttctccata ggaaaatgct ttttcccaag 300
g 301

<210> 254
<211> 301
<212> DNA
<213> Homo sapien

<400> 254
cgctgcgcct ttcccttggg ggaggggcaa ggccagaggg ggtccaagtg cagcacgagg 60
aacttgacca attcccttga agcgggtggg ttaaaccctg taaatgggaa caaaatcccc 120
ccaaatctct tcactttacc ctggtggact cctgactgta gaattttttg gttgaaacaa 180
gaaaaaataa agcctttgga cttttcaagg ttgcttaaca ggtactgaaa gactggcctc 240
acttaaaactg agccaggaaa agctgcagat ttattaatgg gtgtgttagt gtgcagtgcc 300
t 301

<210> 255
<211> 302
<212> DNA
<213> Homo sapien

<400> 255
agcttttttt tttttttttt tttttttttt ttcattaaaa aatagtgtctc tttattataa 60
attactgaaa tgttttcttt ctgaatataa atataaatat gtgcaaagtt tgacttggat 120
tgggattttt ttgagttctt caagcatctc ctaataccct caagggcctg agtagggggg 180
aggaaaaagg actggagggtg gaatctttat aaaaaacaag agtgattgag gcagattgta 240
aacattatta aaaaacaaga aacaaacaaa aaaatagaga aaaaaaccac cccaacacac 300
aa 302

<210> 256
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 256

gttccagaaa	acattgaagg	tggttccca	aagtctaact	agggataccc	cctctagcct	60
aggaccctcc	tccccacacc	tcaatccacc	aaaccatcca	taatgcaccc	agataggccc	120
acccccaaaa	gcttggacac	cttgagcaca	cagttatgac	caggacagac	tcctctctat	180
aggcaaatag	ctgctggcaa	actggcatta	cctggtttgt	ggggatgggg	gggcaagtgt	240
gtggcctctc	ggcctgggta	gcaagaacat	tcagggtagg	cctaagttan	tcgtgttagt	300
t						301

<210> 257

<211> 301

<212> DNA

<213> Homo sapien

<400> 257

gttgtggagg	aactctggct	tgctcattaa	gtcctactga	ttttcactat	cccctgaatt	60
tccccactta	tttttgtctt	tcactatcgc	aggccttaga	agaggtctac	ctgcctccag	120
tcttacctag	tccagtctac	cccctggagt	tagaatggcc	atcctgaagt	gaaaagtaat	180
gtcacattac	tcccttcagt	gatttcttgt	agaagtgcc	atccctgaat	gccaccaaga	240
tcttaattctt	cacatcttta	atcttatctc	tttgactcct	ctttacaccg	gagaaggctc	300
c						301

<210> 258

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 258

cagcagtagt	agatgccgta	tgccagcacg	cccagcactc	ccaggatcag	caccagcacc	60
aggggcccag	ccaccaggcg	cagaagcaag	ataaacagta	ggctcaagac	cagagccacc	120
cccagggcaa	caagaatcca	ataccaggac	tggggcaaat	cttcaaagat	cttaacactg	180
atgtctcggg	cattgaggct	gtcaataana	cgctgatccc	ctgctgtatg	gtggtgtcat	240
tggtgatccc	tgggagcgcc	ggtggagtaa	cgttgggtcca	tggaaagcag	cgcccacaac	300
t						301

<210> 259

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 259

tcatatatgc	aaacaaatgc	agaactangcc	tcaggcagag	actaaaggac	atctcttggg	60
gtgtcctgaa	gtgatttggg	cccctgaggg	cagacaccta	agtaggaatc	ccagtgggaa	120
gcaaagccat	aaggaagccc	aggattcctt	gtgatcagga	agtgggccag	gaaggctctg	180
tccagctcac	atctcatctg	catgcagcac	ggaccggatg	cgcccaactg	gtcttggctt	240
ccctcccatc	ttctcaagca	gtgtccttgt	tgagccattt	gcaccccttg	ctccaggtgg	300
c						301

<210> 260

<211> 301

<212> DNA

<213> Homo sapien

<400> 260

ttttttttct	ccctaaggaa	aaagaaggaa	caagtctcat	aaaaccaa	aagcaatgg	60
aaggtgtctt	aacttgaaaa	agattaggag	tacttggttt	acaagttata	attgaatgaa	120
agaactgtaa	cagccacagt	tggccatttc	atgccaatgg	cagcaaaca	caggattaac	180
tagggcaaaa	taaataagt	tgtggaagcc	ctgataagt	cttaataaac	agactgattc	240
actgagacat	cagtacctgc	ccgggcggcc	gctcgagccg	aattctgcag	atatccatca	300
c						301

<210> 261

<211> 301

<212> DNA

<213> Homo sapien

<400> 261

aaatattcga	gcaaatcctg	taactaatgt	gtctccataa	aaggctttga	actcagtga	60
tctgcttcca	tccacgattc	tagcaatgac	ctctcggaca	tcaaagctcc	tcttaagggt	120
agcaccaact	attccataca	attcatcagc	aggaaataaa	ggctcttcag	aaggttcaat	180
ggtgacatcc	aattttcttct	gataatttag	attcctcaca	accttcctag	ttaagtgaag	240
ggcatgatga	tcatccaaag	cccagtggtc	acttactcca	gactttctgc	aatgaagatc	300
a						301

<210> 262

<211> 301

<212> DNA

<213> Homo sapien

<400> 262

gaggagagcc	tgttacagca	tttgtaagca	cagaatactc	caggagtatt	tgtaattgtc	60
tgtgagcttc	ttgccgcaag	tctctcagaa	atttaaaaag	atgcaaattcc	ctgagtcacc	120
cctagacttc	ctaaaccaga	tcctctgggg	ctggaacctg	gcactctgca	tttgtaatga	180
gggctttctg	gtgcacacct	aattttgtgc	atctttgccc	taaactctgg	attagtgcc	240
catcattacc	cccacattat	aatgggatag	attcagagca	gatactctcc	agcaaagaat	300
c						301

<210> 263

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 263

tttagcttgt	ggtaaatgac	tcacaaaact	gattttaaaa	tcaagttaat	gtgaattttg	60
aaaattacta	cttaatccta	attcacaata	acaatggcat	taaggtttga	cttgagttgg	120
ttcttagtat	tatttatgg	aataggctc	ttaccacttg	caaataactg	gccacatcat	180
taatgactga	cttcccagta	aggctctcta	aggggtaagt	angaggatcc	acaggatttg	240
agatgctaag	gccccagaga	tcgtttgatc	caaccctctt	attttcagag	gggaaaatgg	300
g						301

<210> 264

<211> 301

<212> DNA

<213> Homo sapien

<400> 264

aaagacgtta	aaccactcta	ctaccacttg	tggaactctc	aaagggtaaa	tgacaaascc	60
------------	------------	------------	------------	------------	------------	----

```

aatgaatgac tctaaaaaca atattttacat ttaatggttt gtagacaata aaaaaacaag 120
gtggatagat ctagaattgt aacattttta gaaaaccata scatttgaca gatgagaaag 180
ctcaattata gatgcaaagt tataactaaa ctactatagt agtaaagaaa tacatttcac 240
acccttcata taaattcact atcttggctt gaggcactcc ataaaatgta tcacgtgcat 300
a 301

```

```

<210> 265
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 265
tgcccaagtt atgtgtaagt gtatccgcac ccagaggtaa aactacactg tcattctttgt 60
cttcttgatga cgcagtattt cttctctggg gagaagccgg gaagtcttct cctggctcta 120
catattcttg gaagtctcta atcaactttt gtccatttg ttccatttct tcaggaggga 180
ttttcagttt gtcaacatgt tctctaacaa cacttgccca tttctgtaaa gaatccaaag 240
cagtccaagg ctttgacatg tcaacaacca gcataactag agtatccttc agagatacgg 300
c 301

```

```

<210> 266
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 266
taccgtctgc cttctctccc atccaggcca tctgccaatc tacatgggtc ctctattcgc 60
acaccagatc actctttcct ctaccacag gcttgctatg agcaagagac acaacctcct 120
ctctctcttg ttccagcttc tttctctgtt ctcccccacc ctttaagttct attcctgggg 180
atagagacac caatacccat aacctctctc ctaagcctcc ttataaccca gggtgcacag 240
cacagactcc tgacaactgg taaggccaat gaactgggag ctcacagctg gctgtgcctg 300
a 301

```

```

<210> 267
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 267
aaagagcaca ggcagctca gcctgccctg gccatctaga ctcagcctgg ctccatgggg 60
gttctcagtg ctgagtcocat ccaggaaaag ctccactaga cttcttgagg ctgaatcttc 120
atcctcacag gcagcttctg agagcctgat attcctagcc ttgatgggtc ggagtaaagc 180
ctcattctga ttcctctcct tcttttcttt caagttggct ttctccacat ccctctgttc 240
aatcgccttc agcttgtctg ctttagccct catttcaga agcttcttct ctttggcatc 300
t 301

```

```

<210> 268
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 268
aatgtctcac tcaactactt cccagcctac cgtggcctaa ttctgggagt tttcttctta 60
gatcttgagg gagctgggtc ttctaaggag aaggaggaag gacagatgta actttggatc 120
tcgaagagga agtctaattg aagtaattag tcaacgggtc ttgttttagac tcttggaata 180
tgctgggtgg ctcagtgagc ctttttgag aaagcaagta ttattcttaa ggagtaacca 240
cttccattg ttctactttc taccatcatc aattgtatat tatgtattct ttggagaact 300
a 301

```

```

<210> 269
<211> 301
<212> DNA
<213> Homo sapien

```

<400> 269
 taacaatata cactagctat ctttttaact gtccatcatt agcaccaatg aagattcaat 60
 aaaattacct ttattcacac atctcaaaac aattctgcaa attcttagtg aagtttaact 120
 atagtcacag accttaataa ttcacattgt tttctatgtc tactgaaaat aagttcacta 180
 cttttctgga tattctttac aaaatcttat taaaattcct ggtattatca cccccaatta 240
 tacagtagca caaccacctt atgtagtttt tacatgatag ctctgtagaa gtttcacatc 300
 t 301

<210> 270
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 270
 cattgaagag cttttgcgaa acatcagaac acaagtgcct ataaaaattaa ttaagcctta 60
 cacaagaata catattcctt ttatttctaa ggagttaaac atagatgtag ctgatgtgga 120
 gagcttgctg gtgcagtga tattggataa cactattcoat ggccgaattg atcaagtcaa 180
 ccaactcctt gaactggatc atcagaagaa ggggtggcgca cgatatactg cactagataa 240
 tggaccaacc aactaaattc tctcaccagg ctgtatcagt aaactggctt aacagaaaac 300
 a 301

<210> 271
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 271
 aaaaggttct cataagatta acaatttaaa taaatatttg atagaacatt ctttctcatt 60
 tttatagctc atcttttagg ttgatattca gttcatgcct cccttgctgt tcttgatcca 120
 gaattgcaat cacttcatca gcctgtattc gctccaattc tctataaagt gggccaagg 180
 tgaaccacag agccacagca cactctttc ccttggtgac tgccttcacc ccatganggt 240
 tctctctctc agatganaac tgatcatgag cccacatttt gggttttata gaagcagtca 300
 c 301

<210> 272
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 272
 taaattgcta agccacagat aacaccaatc aaatggaaca aatcactgtc ttcaaatgtc 60
 ttatcagaaa accaaatgag cctggaatct tcataatacc taaacatgcc gtatttagga 120
 tccaataatt ccctcatgat gagcaagaaa aattctttgc gcacctctcc tgcattccaca 180
 gcatcttctc caacaaatat aaccttgagt ggcttcttgc aatctatgtt ctttgttttc 240
 ctaaggactt ccattgcac tctacaata ttttctctac gcaccactag aattaagcag 300
 g 301

<210> 273
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 273
 acatgtgtgt atgtgtatct ttgggaaaaan aanaagacat cttgtttayt atttttttgg 60
 agagangctg ggacatggat aatcacwtaa tttgctayta tyactttaat ctgactygaa 120
 gaacogtcta aaaataaaat ttacatgtgc dtatattcct tatagtatgc ttatttcacc 180
 ttttttctgt ccagagagag tatcagtgc ananatttma ggggaamac atgmattggg 240
 gggacttnty tttacngagm accctgcccg sgcgcctcg makcngantt ccgcsananc 300
 t 301

<210> 274
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 274
 cttatatact cttttctcaga ggcaaaagag gagatgggta atgtagacaa ttctttgagg 60
 aacagtaaat gattattaga gagaangaat ggaccaagga gacagaaatt aacttgtaaa 120
 tgattctctt tggaaatctga atgagatcaa gagggccagct ttagctttgtg gaaaagtcca 180
 tctaggtagt gttgcattct cgtcttcttt tctgcagtag ataatgaggt aaccgaaggc 240
 aattgtgctt cttttgataa gaagctttct tggtcatatc aggaaattcc aganaaaagtc 300
 c 301

<210> 275
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 275
 tcggtgtcag cagcacgtgg cattgaacat tgcaatgtgg agcccaaacc acagaaaatg 60
 ggggtgaaatt ggccaacttt ctattaactt atgttggcaa ttttgccacc aacagtaagc 120
 tggcccttct aataaaaagaa aattgaaagg tttctcacta aacggaatta agtagtggag 180
 tcaagagact cccaggcctc agcgtacctg ccggggcggc cgctcgaagc cgaattctgc 240
 agatatccat cacactggcg gncgctcgan catgcatcta gaaggnccaa ttcgccttat 300
 a 301

<210> 276
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 276
 tgtacacata ctcaataaat aaatgactgc attgtggtat tattactata ctgattatat 60
 ttatcatgtg acttctaatt agaaaatgta tccaaaagca aaacagcaga tatacaaaat 120
 taaagagaca gaagatagac attaacagat aaggcaactt atacattgag aatccaaatc 180
 caatacattt aaacatttgg gaaatgaggg ggacaaatgg aagccagatc aaatttgtgt 240
 aaaactattc agtatgtttc ccttgcttca tgtctgagaa ggctctcctt caatggggat 300
 g 301

<210> 277
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 277
 tttgttgatg tcagtatttt attactttgcg ttatgagtgc tcacctggga aattctaaag 60
 atacagagga cttggaggaa gcagagcaac tgaatttaat ttaaaagaag gaaaacattg 120
 gaatcatggc actcctgata ctttcccaa tcaacactct caatgcccc ccctcgtcct 180
 caccatagtg gggagactaa agtggccacg gatttgcctt angtgtgcag tgcgttctga 240
 gttcncgtgc gattacatct gaccagtctc ctttttcoga agtcnctcg ttcaatcttg 300
 c 301

<210> 278
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 278
 taccactaca ctccagcctg ggcaacagag caagacctgt ctcaaagcat aaaatggaat 60
 aacatatcaa atgaaacagg gaaaatgaag ctgacaattt atggaagcca gggcttgtca 120
 cagtctctac tgttattatg cattacctgg gaatttatat aagcccttaa taataatgcc 180
 aatgaacatc tcatgtgtgc tcacaatggt ctggcactat tataagtgtc tcacaggttt 240
 tatgtgttct tcgtaacttt atggantagg tactcggccg cgaacacgct aagccgaatt 300
 c 301

<210> 279
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 279
 aaagcaggaa tgacaaagct tgcttttctg gtatgttcta ggtgtattgt gacttttact 60
 gttatattaa ttgccaatat aagtaaatat agattatata tgtatagtgt ttcacaaagc 120
 ttagaccttt accttccagc caccacacag tgcttgatat ttcagagtca gtcattgggt 180
 atacatgtgt agttccaaag cacataagct agaanaanaa atatttctag ggagcactac 240
 catctgtttt cacatgaaat gccacacaca tagaactcca acatcaattt cattgcacag 300
 a 301

<210> 280
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 280
 ggtactggag ttttctccc ctgtgaaaac gtaactactg ttgggagtga attgaggatg 60
 tagaaagggt gtggaaccaa attgtggtca atggaatatg gagaatatgg ttctcactct 120
 tgagaaaaaa acctaaagatt agcccaggta gttgcctgta acttcagttt ttctgcctgg 180
 gtttgcata gtttagggtt ggggttagat taagatctaa attacatcag gacaaagaga 240
 cagactatta actccacagt taattaagga ggtatgttcc atgtttattt gttaaagcag 300
 t 301

<210> 281
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 281
 aggtacaaga aggggaatgg gaaagagctg ctgctgtggc attgttcaac ttggatattc 60
 gccgagcaat ccaaactctg aatgaagggg catcttctga aaaaggagat ctgaatctca 120
 atgtggtagc aatggcttta tcgggttata cgcatgagaa gaactccctt tggagagaaa 180
 tgtgtagcac actgcgatta cagctaaata acccgatttt gtgtgtcatg tttgcatttc 240
 tgacaagtga aacaggatct tacgatggag ttttgtatga aaacaaagtt gcagtacctc 300
 g 301

<210> 282
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 282
 caggtactac agaattaaaa tactgacaag caagtagttt cttggcgtgc acgaattgca 60
 tccagaaccc aaaaattaag aaattcaaaa agacattttg tgggcacctg ctagcacaga 120
 agcgcagaag caaagcccag gcagaacat gctaacctta cagctcagcc tgcacagaag 180
 cgcagaagca aagcccagc agaaccatgc taaccttaca gctcagcctg cacagaagcg 240
 cagaagcaaa gcccaggcag aacatgctaa ccttacagct cagcctgcac agaagcacag 300
 a 301

<210> 283
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 283
 atctgtatc ggcagacaaa ctttatarag tgtagagagg tgagcgaaag gatgcaaaag 60
 cactttgagg gctttataat aatatgctgc ttgaaaaaaa aaatgtgtag ttgatactca 120
 gtgcatctcc agacatagta aggggttgct ctgaccaatc aggtgatcat tttttctatc 180
 acttcccagg ttttatgcaa aaattttgtt aaattctata atggtgatat gcatctttta 240
 ggaaacatat acatttttaa aaatctattt tatgtaagaa ctgacagacg aatttgcttt 300
 g 301

<210> 284
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 284
 caggtacaaa acgctattaa gtggccttaga atttgaacat ttgtggtctt tatttacttt 60
 gcttcgtgtg tgggcaaagc aacatcttcc ctaaaatat attaccaaga aaagcaagaa 120
 gcagattagg tttttgacaa aacaacagg ccaaaagggg gctgacctgg agcagagcat 180
 ggtgagaggc aaggcatgag agggcaagtt tgttgtggac agatctgtgc ctactttatt 240
 actggagtaa aagaaaacaa agttcattga tgtcgaagga tatatacagt gttagaaatt 300
 a 301

<210> 285
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

87

<400> 285
 acatcaccat gatcggatcc cccacccatt atacgttgta tgtttacata aatactcttc 60
 aatgatcatt agtgttttaa aaaaaatact gaaaactcct tctgcatccc aatctctaac 120
 caggaaagca aatgctatct acagacctgc aagccctccc tcaaacnaaa ctatttctgg 180
 attaaatatg tctgacttct tttgaggcca cagcactagg caaatgctat ttacgatctg 240
 caaaagctgt ttgaagagtc aaagcccca tgtgaacacg atttctggac cctgtaacag 300
 t 301

<210> 286
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 286
 taccactgca ttccagcctg ggtgacagag tgagactccg tctccaaaaa aaactttgct 60
 tgtatattat ttttgccctta cagtggatca ttctagtagg aaaggacagt aagatttttt 120
 atcaaatgt gtcattgccag taagagatgt tatattcttt tctcatttct tccccacca 180
 aaaataagct accatatagc ttataagctc caaatTTTTG ccttttacta aaatgtgatt 240
 gtttctgttc attgtgtatg cttcatcacc tatattaggc aaattccatt tttcccttg 300
 t 301

<210> 287
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 287
 tacagatctg ggaactaaat attaaaaatg agtgtggctg gatatatgga gaatgttggg 60
 cccagaagga acgtagagat cagatattac aacagctttg ttttgagggt tagaaatatg 120
 aaatgatttg gttatgaacg cacagttagg gcagcagggc cagaatcctg accctctgcc 180
 ccgtgggtat ctctcccca gcttggctgc ctcatgttat cacagtattc cattttgttt 240
 gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt tttcctctca ttggtaatgc 300
 t 301

<210> 288
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 288
 gtacacctaa ctgcaaggac agctgaggaa tgtaatgggc agccgctttt aaagaagtag 60
 agtcaatagg aagacaaatt ccagttccag ctcatgtctg gtatctgcaa agctgcaaaa 120
 gatcttttaa gacaatttca agagaatatt tccttaaagt tggcaatttg gagatcatac 180
 aaaagcatct gcttttgtga tttaatttag ctcatctggc cactggaaga atccaaacag 240
 tctgccttaa ttttgatga atgcatgatg gaaattcaat aatttagaaa gttaaaaaaa 300
 a 301

<210> 289
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 289
 ggtacactgt ttccatgtta tgtttctaca cattgctacc tcagtgtccc tggaaactta 60
 gcttttgatg tctccaagta gtccaccttc atttaactct ttgaaactgt atcatctttg 120
 ccaagtaaga gtggtggcct atttcagctg ctttgacaaa atgactggct cctgacttaa 180

cgttctataa atgaatgtgc tgaagcaaag tgcccatggt ggcggcgaan aagagaaaga 240
 tgtgttttgt tttggactct ctgtggtccc ttccaatgct gtggggtttcc aaccagngga 300
 a 301

<210> 290
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 290
 acactgagct cttcttgata aatatacaga atgcttggca tatacaagat tctatactac 60
 tgactgatct gttcatttct ctcacagctc ttaccccca aagcttttcc accctaagtg 120
 ttctgacctc cttttctaata cacagtaggg atagaggcag anccacctac aatgaacatg 180
 gagtctatc aagaggcaga aacagcacag aatcccagtt ttaccattcg ctacgagtgc 240
 tgccctgaac aaaaacattt ctccatgtct catTTTTctt atgcctcaag taacagtga 300
 a 301

<210> 291
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 291
 caggtagcaa tttcttctat cctagaaaaca tttcatttta tgttggtgaa acataacaac 60
 tatatcagct agattttttt tctatgcttt acctgctatg gaaaatttga cacattctgc 120
 tttactcttt tgtttatagg tgaatcacaa aatgtatttt tatgtattct gtagtccaat 180
 agccatggct gtttacttca ttaattttat ttagcataaa gacattatga aaaggcctaa 240
 acatgagctt cacttcccca ctaactaatt agcatctgtt atttcttaac cgtaatgcct 300
 a 301

<210> 292
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 292
 accttttagt agtaatgtct aataataaat aagaaatcaa ttttataagg tccatatagc 60
 tgtattaaat aattttttaag tttaaaagat aaaataccat catTTTaaat gttggtattc 120
 aaaaccaaa natataaccg aaaggaaaaa cagatgagac ataaaatgat ttgcnagatg 180
 ggaaatatag tasttyatga atgttnatta aattccagtt ataatagtgg ctacacactc 240
 tcaactacaca cacagacccc acagtccat atgccacaaa cacatttcca taacttgaaa 300
 a 301

<210> 293
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 293
 ggtaccaagt gctgggtgcc gctgtttacc tgttctcact gaaaagtctg gctaagtctc 60
 ttgtgtagtc acttctgatt ctgacaatca atcaatcaat ggccatagagc actgactgtt 120
 aacacaaacg tcaactagcaa agtagcaaca gctttaagtc taaatacaaa gctgttctgt 180

gtgagaatTT tttaaaaggc tacttgtata ataacccttg tcatttttaa tgtacctcgg 240
ccgcgaccac gctaagccga attctgcaga tatccatcac actggcggcc gctcgagcat 300
g 301

<210> 294
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (301)
<223> n = A,T,C or G

<400> 294
tgaccataa caatatacac tagctatctt tttaaactgtc catcattagc accaatgaag 60
attcaataaa attaccttta ttcacacatc tcaaaacaat tctgcaaatt cttagtgaag 120
tttaactata gtcacaganc ttaaataatc acattgtttt ctatgtctac tgaaaataag 180
ttcactactt ttctgggata ttctttacaa aatcttatta aaattcctgg tattatcacc 240
cccaattata cagtagcaca accaccttat gtagttttta catgatagct ctgtagaggt 300
t 301

<210> 295
<211> 305
<212> DNA
<213> Homo sapien

<400> 295
gtactctttc tctccoctcc tctgaattta attctttcaa cttgcaattt gcaaggatta 60
cacatttcac tgtgatgtat atttgtgtgc aaaaaaaaaa gtgtctttgt ttaaaattac 120
ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180
actggtagaa aaacrtctga agagctagtc tatcagcatc tgacagggtga attggatggt 240
tctcagaacc atttcaccca gacagcctgt ttctatctctg ttttaataaat tagtttggtg 300
tctct 305

<210> 296
<211> 301
<212> DNA
<213> Homo sapien

<400> 296
aggtagctatg ggaagctgct aaaataatat ttgatagtaa aagtatgtaa tgtgctatct 60
cacctagtag taaactaaaa ataaactgaa actttatgga atctgaagtt attttccttg 120
attaaataga attaataaac caatatgagg aaacatgaaa ccatgcaatc tactatcaac 180
tttgaaaaag tgattgaacg aaccacttag ctttcagatg atgaacactg ataagtcatt 240
tgtcattact ataaatttta aaatctgtta ataagatggc ctatagggag gaaaaagggg 300
c 301

<210> 297
<211> 300
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)... (300)
<223> n = A,T,C or G

<400> 297
actgagtttt aactggacgc caagcaggca aggetggaag gttttgctct ctttgtgcta 60
aaggttttga aaaccttgaa ggagaatcat ttgacaaga agtacttaag agtctagaga 120
acaaagangt gaaccagctg aaagctctcg gggaanctt acatgtgttg ttaggcctgt 180

tccatcattg ggagtgcact ggccatccct caaaatttgt ctgggctggc ctgagtggtc 240
accgcacctc ggccgcgacc acgctaagcc gaattctgca gatatccatc acactggcgg 300

<210> 298
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 298
tatggggttt gtcacccaaa agctgatgct gagaaaggcc tccctggggc ccctcccgcg 60
ggcatctgag agacctgggtg ttccagtgtt tctggaaatg ggtcccagtg ccgccggctg 120
tgaagctctc agatcaatca cgggaagggtg ctggcggttg tggccacctg gaaccaccct 180
gtcctgtctg tttacatttc actaycaggt tttctctggg cattacnatt tgttccccta 240
caacagtgcac ctgtgcattc tgctgtggcc tgctgtgtct gcaggtggct ctcagcgagg 300
t 301

<210> 299
<211> 301
<212> DNA
<213> Homo sapien

<400> 299
gttttgagac ggagtttcac tcttggtgcc cagactggac tgcaatggca gggctctctgc 60
tcaactgcacc ctctgcctcc caggttcgag caattctcct gcctcagcct ccaggttagc 120
tgggattgca ggctcacgcc accataccca gctaattttt ttgtattttt agtagagacg 180
gagtttcgcc atgttggcca gctgggtctca aactcctgac ctcaagcgac ctgcctgcct 240
cggcctccca aagtgtgga attataggca tgagtcaaca cgccagcct aaagatattt 300
t 301

<210> 300
<211> 301
<212> DNA
<213> Homo sapien

<400> 300
attcagtttt atttgcctgc ccagtatctg taaccaggag tgccacaaaa tcttgccaga 60
tatgtccac acccactggg aaaggctccc acctggctac ttctctatc agctgggtca 120
gctgcattcc acaaggttct cagcctaatt agtttacta cctgccagtc tcaaaactta 180
gtaaagcaag accatgacat tccccacgg aaatcagagt ttgccccacc gtcttgttac 240
tataaagcct gcctctaaca gtccttgctt cttcacacca atccccagcg catccccat 300
g 301

<210> 301
<211> 301
<212> DNA
<213> Homo sapien

<400> 301
ttaaattttt gagaggataa aaaggacaaa taatctagaa atgtgtcttc ttcagtctgc 60
agaggacccc aggtctccaa gcaaccacat ggtcaagggt atgaataatt aaaagtgggt 120
gggaactcac aaagaccctc agagctgaga caccacaac agtgggagct cacaaagacc 180
ctcagagctg agacaccac aacagtggga gctcacaaag accctcagag ctgagacacc 240
cacaacagca cctcgttcag ctgccacatg tgtgaataag gatgcaatgt ccagaagtgt 300
t 301

<210> 302
<211> 301

<212> DNA

<213> Homo sapien

<400> 302

aggtacacat ttagcttggt gtaaatgact cacaaaactg attttaaaat caagttaatg	60
tgaattttga aaattactac ttaatcctaa ttcacaataa caatggcatt aagggttgac	120
ttgagttggt tcttagtatt atttatggta aataggctct taccacttgc aaataactgg	180
ccacatcatt aatgactgac ttcccagtaa ggctctctaa ggggtaagta ggaggatcca	240
caggatttga gatgctaagg ccccagagat cgtttgatcc aaccctctta ttttcagagg	300
g	301

<210> 303

<211> 301

<212> DNA

<213> Homo sapien

<400> 303

aggtaccaac tgtggaata ggtagaggat cattttttct ttccatatca actaagttgt	60
atattgtttt ttgacagttt aacacatctt cttctgtcag agattctttc acaatagcac	120
tggctaattg aactaccgct tgcattgtaa aaatgggtgt ttgtgaaatg atcataggcc	180
agtaacgggt atgtttttct aactgatctt ttgctcgttc caaagggacc tcaagacttc	240
catcgatttt atatctgggg tctagaaaag gagttaatct gttttccctc ataaattcac	300
c	301

<210> 304

<211> 301

<212> DNA

<213> Homo sapien

<400> 304

acatggatgt tattttgcag actgtcaacc tgaatttgta tttgcttgac attgcctaatt	60
tattagtttc agtttcagct taccactttt ttgtctgcaa catgcaraas agacagtgcc	120
cttttttagtg tatcatatca ggaatcatct cacattgggt ttgtgccatta ctgggtgcagt	180
gactttcagc cacttgggta aggtggagtt ggccatatgt ctccactgca aaattactga	240
ttttcctttt gtaattaata agtgtgtgtg tgaagattct ttgagatgag gtatatatct	300
c	301

<210> 305

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 305

gangtacagc gtggtcaagg taacaagaag aaaaaaatgt gagtggcatc ctgggatgag	60
caggggggaca gacctggaca gacacgttgt catttgctgc tgtgggtagg aaaatgggag	120
taaaggagga gaaacagata caaaatctcc aactcagtat taagggtattc tcatgcctag	180
aatattggta gaaacaagaa tacattcata tggcaaataa ctaaccatgg tggacaacaaa	240
ttctgggatt taagttggat accaangaaa ttgtattaaa agagctgttc atggaataag	300
a	301

<210> 306

<211> 8

<212> PRT

<213> Homo sapien

<400> 306

Val Leu Gly Trp Val Ala Glu Leu

1

5

<210> 307
 <211> 637
 <212> DNA
 <213> Homo sapien

<400> 307

acagggratg	aagggaag	gagaggatga	ggaagcccc	ctggggattt	ggtttgggtcc	60
ttgtgatcag	gtggtctatg	gggcttatcc	ctacaaagaa	gaatccagaa	ataggggcac	120
attgaggaat	gatacttgag	cccaaagagc	attcaatcat	tgttttattt	gccttmtttt	180
cacaccattg	gtgaggagg	gattaccacc	ctgggggttat	gaagatgggt	gaacacccca	240
cacatagcac	cggagatatg	agatcaacag	tttcttagcc	atagagattc	acagcccaga	300
gcaggaggac	gcttgccacac	catgcaggat	gacatggggg	atgcgctcgg	gattgggtgtg	360
aagaagcaag	gactgttaga	ggcaggcttt	atagtaacaa	gacggtgggg	caaactctga	420
tttccgtggg	ggaatgtcat	ggtcttgctt	tactaagttt	tgagactggc	aggtagtgaa	480
actcattagg	ctgagaacct	tgtggaatgc	acttgaccca	sctgatagag	gaagtagcca	540
ggtgggagcc	tttcccagtg	ggtgtgggac	atatctggca	agattttgtg	gcactcctgg	600
ttacagatac	tggggcagca	aataaaaactg	aatcttg			637

<210> 308
 <211> 647
 <212> DNA
 <213> Homo sapien

<220>

<221> misc feature

<222> (1)...(647)

<223> n = A,T,C or G

<400> 308

acgattttca	ttatcatgta	aatcgggtca	ctcaaggggc	caaccacagc	tgggagccac	60
tgctcagggg	aaggttcata	tgggactttc	tactgcccaa	ggttctatac	aggatataaaa	120
gngcctcac	agtatagatc	tggtagcaaa	gaagaagaaa	caaacactga	tctctttctg	180
ccacccctct	gacccttttg	aactcctctg	acccttttaga	acaagcctac	ctaatactctg	240
ctagagaaaa	gaccaacaac	ggcctcaaa	gatctcttac	catgaaggtc	tcagctaatt	300
cttggttaag	atgtgggttc	cacattaggt	tctgaatatg	gggggaagg	tcaatttgct	360
catttttgtg	gtggataaag	tcaggatgcc	caggggccag	agcagggggc	tgcttgcttt	420
gggaacaatg	gctgagcata	taaccatagg	ttatggggaa	caaaacaaca	tcaaagtcac	480
tgtatcaatt	gccatgaaga	cttgagggac	ctgaatctac	cgattcatct	taaggcagca	540
ggaccagttt	gagtggcaac	aatgcagcag	cagaatcaat	ggaaacaaca	gaatgattgc	600
aatgtccttt	tttttctcct	gcttctgact	tgataaaagg	ggaccgt		647

<210> 309
 <211> 460
 <212> DNA
 <213> Homo sapien

<400> 309

actttatagt	ttaggctgga	cattggaaaa	aaaaaaaaagc	cagaacaaca	tgtgatagat	60
aatatgattg	gctgcacact	tccagactga	tgaatgatga	acgtgatgga	ctattgtatg	120
gagcacatct	tcagcaagag	ggggaaatac	tcattcatttt	tggccagcag	ttgtttgatc	180
accaaacatc	atgccagaat	actcagcaaa	ccttcttagc	tcttgagaag	tcaaagtccg	240
ggggaattta	ttcctggcaa	ttttaattgg	actccttatg	tgagagcagc	ggctacccag	300
ctggggtggt	ggagcgaacc	cgtcactagt	ggacatgcag	tggcagagct	cctggtaacc	360
acctagagga	atacacaggc	acatgtgtga	tgccaagcgt	gacacctgta	gcactcaaat	420
ttgtcttgtt	tttgtctttc	ggtgtgtaag	attcttaagt			460

<210> 310
 <211> 539
 <212> DNA
 <213> Homo sapien

```

<400> 310
acgggactta tcaaatataag ataggaaaag aagaaaactc aaatattata ggcagaaatg      60
ctaaaggttt taaaatatgt caggattgga agaaggcatg gataaagaac aaagttcagt      120
taggaaagag aaacacagaa ggaagagaca caataaaagt cattatgtat tctgtgagaa      180
gtcagacagt aagattttgt ggaaatgggt tggtttgggt tatggtatgt attttagcaa      240
taatctttat ggcagagaaa gctaaaatcc tttagcttgc gtgaatgac acttgctgaa      300
ttcctcaagg taggcatgat gaaggagggt ttagaggaga cacagacaca atgaactgac      360
ctagatagaa agccttagta tactcagcta ggaatagtga ttctgagggc acactgtgac      420
atgattatgt cattacatgt atggtagtga tggggatgat aggaaggaag aacttatggc      480
atattttcac cccacaaaaa gtcagttaaa tattgggaca ctaaccatcc aggtcaaga      539

```

```

<210> 311
<211> 526
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(526)
<223> n = A,T,C or G

```

```

<400> 311
caaatattgag ccaatgacat agaattttac aaatcaagaa gcttattctg gggccatttc      60
ttttgacgtt ttctctaaac tactaaagag gcattaatga tccataaatt atattatcta      120
catttacagc atttaaaatg tgttcagcat gaaatattag ctacagggga agctaaataa      180
attaacatg gaataaagat ttgtccttaa atataatcta caagaagact ttgatatttg      240
tttttcacaa gtgaagcatt cttataaagt gtcataacct ttttggggaa actatgggaa      300
aaaatgggga aactctgaag ggttttaagt atcttacctg aagctacaga ctccataacc      360
tctctttaca gggagctcct gcagccccta cagaaatgag tggctgagat tcttgattgc      420
acagcaagag cttctcatct aaaccctttc cctttttagt atctgtgtat caagtataaa      480
agttctataa actgtagtnt acttatttta atccccaaag cacagt                      526

```

```

<210> 312
<211> 500
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(500)
<223> n = A,T,C or G

```

```

<400> 312
cctctctctc cccacccctt gactctagag aactgggttt tctccagta ctccagcaat      60
tcattttctga aagcagttga gccactttat tccaaagtac actgcagatg ttcaaactct      120
ccattttctc ttcccttcca cctgccagtt ttgttgactc tcaacttgct atgagtgtaa      180
gcattaagga cattatgctt cttcgattct gaagacaggc cctgctcatg gatgactctg      240
gcttcttagg aaaatatatt tcttccaaaa tcagtaggaa atctaaactt atcccccttt      300
tgcagatgtc tagcagcttc agacatttgg ttaagaacct atgggaaaaa aaaaaatcct      360
tgctaagtgt gtttcctttg taaaccanga ttcttatttg nctgggtatg aatatcagct      420
ctgaacgtgt ggtaaagatt tttgtgtttg aatataggag aaatcagttt gctgaaaagt      480
tagtcttaat tatctattgg                                     500

```

```

<210> 313
<211> 718
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(718)

```

<223> n = A,T,C or G

<400> 313

ggagatttgt	gtggtttgca	gccgagggag	accaggaaga	tctgcatggt	gggaaggacc	60
tgatgataca	gaggtgagaa	ataagaaagg	ctgctgactt	taccatctga	ggccacacat	120
ctgctgaaat	ggagataatt	aacatcacta	gaaacagcaa	gatgacaata	taatgtctaa	180
gtagtacat	gtttttgcac	atttccagcc	cttttaaata	tccacacaca	caggaagcac	240
aaaaggaagc	acagagatcc	ctgggagaaa	tgcccgcccg	ccatcttggg	tcacgatga	300
gcctcgccct	gtgcctgntc	ccgcttggtg	gggaaggaca	ttagaaaatg	aattgatgtg	360
ttccttaaag	gatggcagga	aaacagatcc	tgttgtggat	atttatttga	acgggattac	420
agatttgaaa	tgaagtcaca	aagtgagcat	taccaatgag	aggaaaacag	acgagaaaat	480
cttgatgggt	cacaagacat	gcaacaaaca	aaatggaata	ctgtgatgac	acgagcagcc	540
aactggggag	gagataccac	ggggcagagg	tcaggattct	ggccctgctg	cctaactgtg	600
cgttatacca	atcatttcta	tttctaccct	caaacaagct	gtngaataac	tgacttacgg	660
ttcttntggc	ccacattttc	atnatccacc	centcntttt	aannttantic	caaantgt	718

<210> 314

<211> 358

<212> DNA

<213> Homo sapien

<400> 314

gtttatttac	attacagaaa	aaacatcaag	acaatgtata	ctatttcaaa	tatatccata	60
cataatcaaa	tatagctgta	gtacatgttt	tcattgggtg	agattaccac	aatgcaagg	120
caacatgtgt	agatctcttg	tcttattctt	ttgtctataa	tactgtattg	tgtagtccaa	180
gctctcggtg	gtccagccac	tgtgaaacat	gctcccttta	gattaacctc	gtggacgctc	240
ttgttgatt	gtgaaactgt	agtgcctgt	attttgcttc	tgtctgtgaa	ttctgttgct	300
tctggggcat	ttccttggtg	tgagaggagc	caccacacag	atgacagcaa	tctgaatt	358

<210> 315

<211> 341

<212> DNA

<213> Homo sapien

<400> 315

taccacctcc	ccgctggcac	tgatgagccg	catcaccatg	gtcaccagca	ccatgaaggc	60
ataggtgatg	atgaggacat	ggaatggggc	ccaaggatg	gtctgtccaa	agaagcgagt	120
gacccccatt	ctgaagatgt	ctggaacctc	taccagcagg	atgatgatag	ccccaatgac	180
agtcaccagc	tccccagcca	gccggatata	gtccttaggg	gtcatgtagg	cttcttgaag	240
tagcttctgc	tgtaagaggg	tgttgtcccg	ggggctcggtg	cggttattgg	tcttgggctt	300
gagggggcgg	tagatgcagc	acatggtgaa	gcagatgatg	t		341

<210> 316

<211> 151

<212> DNA

<213> Homo sapien

<400> 316

agactgggca	agactcttac	gccccacact	gcaatttggt	cttggtgccc	tatccattta	60
tgtgggcctt	tctcgagttt	ctgattataa	acaccactgg	agcgatgtgt	tgactggact	120
cattcaggga	gctctgggtg	caatattagt	t			151

<210> 317

<211> 151

<212> DNA

<213> Homo sapien

<400> 317

agaactagt	gatcctaag	aaataacctga	aacatatatt	ggcattttatc	aatggctcaa	60
atcttcattt	atctctggcc	ttaaccttgg	ctcctgaggc	tgccggccagc	agatcccagg	120
ccagggctct	gttcttgcca	cacctgcttg	a			151

<210> 318
<211> 151
<212> DNA
<213> Homo sapien

<400> 318
actggtggga ggcgctgttt agttggctgt ttccagaggg gtctttcgga gggacctoct 60
gctgcaggct ggagtgtott tttcctggc gggagaccgc acattccact gctgaggctg 120
tgggggcggt ttatcaggca gtgataaaca t 151

<210> 319
<211> 151
<212> DNA
<213> Homo sapien

<400> 319
aactagtgga tccagagcta taggtacagt gtgatctcag ctttgcaaac acattttcta 60
catagatagt actaggtatt aatagatatg taaagaaaga aatcacacca ttaataatgg 120
taagattggg tttatgtgat tttagtgggt a 151

<210> 320
<211> 150
<212> DNA
<213> Homo sapien

<400> 320
aactagtgga tccactagtc cagtgtgggt gaattccatt gtgttgggggt tctagatcgc 60
gagcggtgc cttttttttt tttttttttt ggggggaatt tttttttttt aatagttatt 120
gagtgttcta cagcttacag taaataccat 150

<210> 321
<211> 151
<212> DNA
<213> Homo sapien

<400> 321
agcaactttg tttttcatcc aggttatttt aggcttagga tttcctctca cactgcagtt 60
taggggtggca ttgtaaccag ctatggcata ggtgttaacc aaaggctgag taaacatggg 120
tgctctgag aaatcaaagt cttcatacac t 151

<210> 322
<211> 151
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(151)
<223> n = A,T,C or G

<400> 322
atccagcatc ttctcctgtt tcttgccctc ctttttcttc ttottasatt ctgcttgagg 60
tttgggcttg gtcagtttgc cacagggctt ggagatgggt acagtcttct ggcattcggc 120
attgtgcagg gctcgttca nacttccagt t 151

<210> 323
<211> 151
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature

<222> (1)...(151)

<223> n = A,T,C or G

<400> 323

tgaggacttg	tkttcttttt	ctttattttt	aatcctctta	ckttgtaa	atattgccta	60
nagactcant	tactacccag	tttgtggtt	twtgaggag	atgtaactg	acagttagct	120
gttcaatyaa	aaagacactt	ancccatgtg	g			151

<210> 324

<211> 461

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(461)

<223> n = A,T,C or G

<400> 324

acctgtgtg	aatttcagct	ttcctcatgc	aaaaggattt	tgtatccccg	gcctacttga	60
agaagtgtc	agctaaagga	atccaggttg	ttggttgac	tgtaataacc	tttgatgaaa	120
agagttacta	cgaatcccat	cttggttcca	gctatatcac	tgacagcatg	gtagaagact	180
gcgaacctca	cttctagact	ttcacggtgg	gacgaaacgg	gttcagaaac	tgccaggggc	240
ctcatacagg	gatatcaaaa	taccctttgt	gctacccagg	ccctggggaa	tcagggtgact	300
cacacaaatg	caatagtgtg	tactgcatt	tttacctgaa	ccaaagctaa	acccggtgtt	360
gccaccatgc	accatggcat	gccagagtgc	aacactgttg	ctcttgaaaa	ttgggtctga	420
aaaaacgcac	aagagcccct	gccctgccct	agctgangca	c		461

<210> 325

<211> 400

<212> DNA

<213> Homo sapien

<400> 325

acactgtttc	catgttatgt	ttctacacat	tgctacctca	gtgctcctgg	aaacttagct	60
tttgatgtct	ccaagtagtc	caccttcatt	taactctttg	aaactgtatc	atctttgcca	120
agtaagagtg	gtggcctatt	tcagctgctt	tgacaaaatg	actggctcct	gacttaacgt	180
tctataaatg	aatgtgctga	agcaaaagtgc	ccatggtggc	ggcgaagaag	agaaagatgt	240
gttttgtttt	ggactctctg	tggtcccttc	caatgctgtg	ggtttccaac	caggggaagg	300
gtcccttttg	cattgccaaag	tgccataacc	atgagcacta	cgctaccatg	gttctgcctc	360
ctggccaagc	aggctggttt	gcaagaatga	aatgaatgat			400

<210> 326

<211> 1215

<212> DNA

<213> Homo sapien

<400> 326

ggaggactgc	agcccgcaact	cgcagccctg	gcaggcggca	ctgggtcatgg	aaaacgaatt	60
gttctgctcg	ggcgctcctg	tgcatccgca	gtgggtgctg	tcagccgcac	actgtttcca	120
gaactcctac	accatcgggc	tgggcctgca	cagtcttgag	gcgaccaag	agccagggag	180
ccagatggtg	gaggccagcc	tctcgtacg	gcacccagag	tacaacagac	ccttgctcgc	240
taacgacctc	atgctcatca	agttggacga	atccgtgtcc	gagtctgaca	ccatccggag	300
catcagcatt	gttcgcagtg	gccctaccgc	ggggaactct	tgctctggtt	ctggctgggg	360
tctgctggcg	aacggcagaa	tgctaccgt	gctgcagtgc	gtgaacgtgt	cgggtggtgc	420
tgaggaggtc	tgagtaagc	tctatgaccc	gctgtaccac	cccagcatgt	tctgcgccgg	480
cggaggggcaa	gaccagaagg	actcctgcaa	cgggtgactct	ggggggcccc	tgatctgcaa	540
cgggtactttg	cagggccttg	tgtctttcgg	aaaagccccg	tgtggccaag	ttggcgtgcc	600
aggtgtctac	accaacctct	gcaaattcac	tgagtggata	gagaaaaaccg	tccaggccag	660
ttaactctgg	ggactgggaa	cccatgaaat	tgacccccaa	atacatcctg	cgggaaggat	720
tcaggaatat	ctgttcccag	cccctcctcc	ctcaggccca	ggagtccagg	ccccagccc	780
ctctcctc	aaaccaaggg	tacagatccc	cagcccctcc	tccctcagac	ccaggagtcc	840

97

```

agacccccca gccctcctc cctcagaccc aggagtccag cccctcctcc ctcagaccca      900
ggagtccaga cccccagcc cctcctccct cagacccagg ggtccaggcc cccaaccct      960
cctccctcag actcagaggt ccaagcccc aaccctcct tccccagacc cagaggtcca      1020
ggtcccagcc cctcctccct cagacccagc ggtccaatgc cacctagact ctcctgtac      1080
acagtgcccc cttgtggcac gttgacccaa ccttaccagt tggtttttca tttttgtcc      1140
ctttcccta gatccagaaa taaagtctaa gagaagcgca aaaaaaaaaa aaaaaaaaaa      1200
aaaaaaaaa aaaaaa                                     1215

```

<210> 327
 <211> 220
 <212> PRT
 <213> Homo sapien

```

<400> 327
Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met
 1      5      10      15
Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val
      20      25      30
Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly
      35      40      45
Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu
      50      55      60
Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu Ala
      65      70      75      80
Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp
      85      90      95
Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn
      100     105     110
Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met Pro
      115     120     125
Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu Val Cys
      130     135     140
Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala Gly
      145     150     155     160
Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly Pro
      165     170     175
Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys Ala
      180     185     190
Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu Cys Lys
      195     200     205
Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
      210     215     220

```

<210> 328
 <211> 234
 <212> DNA
 <213> Homo sapien

```

<400> 328
cgctcgtctc tggtagctgc agccaaatca taaacggcga ggactgcagc ccgcactcgc      60
agccctggca ggcggcactg gtcattgaaa acgaattgtt ctgctcgggc gtcctgggtgc      120
atccgcagtg ggtgctgtca gccacacact gtttccagaa ctcctacacc atcgggctgg      180
gcctgcacag tcttgaggcc gaccaagagc cagggagcca gatggtggag gcca          234

```

<210> 329
 <211> 77
 <212> PRT
 <213> Homo sapien

```

<400> 329
Leu Val Ser Gly Ser Cys Ser Gln Ile Ile Asn Gly Glu Asp Cys Ser
 1      5      10      15

```

Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met Glu Asn Glu Leu
 20 25 30
 Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val Leu Ser Ala Thr
 35 40 45
 His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly Leu His Ser Leu
 50 55 60
 Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu Ala
 65 70 75

<210> 330
 <211> 70
 <212> DNA
 <213> Homo sapien

<400> 330
 cccaacacaa tggcccgatc ccattccctga ctccgccctc aggatcgctc gtctctggta 60
 gctgcagcca 70

<210> 331
 <211> 22
 <212> PRT
 <213> Homo sapien

<400> 331
 Gln His Asn Gly Pro Ile Pro Ser Leu Thr Pro Pro Ser Gly Ser Leu
 1 5 10 15
 Val Ser Gly Ser Cys Ser
 20

<210> 332
 <211> 2507
 <212> DNA
 <213> Homo sapien

<400> 332
 tgggtgccgt gcagccggca gagatgggtg agtcatgtt cccgctgttg ctctccttc 60
 tgcccttcct tctgtatatg gctgcgcccc aaatcaggaa aatgctgtcc agtgggggtg 120
 gtacatcaac tgttcagctt cctgggaaag tagttgtggt cacaggagct aatacaggta 180
 tcgggaagga gacagccaaa gagctggctc agagaggagc tcgagtatat ttagcttgcc 240
 gggatgtgga aaagggggaa ttgggtggcca aagagatcca gaccacgaca gggaaccagc 300
 aggtgttggt gcggaaactg gacctgtctg atactaagtc tattcgagct tttgctaagg 360
 gcttcttagc tgaggaaaag cacctccacg ttttgatcaa caatgcagga gtgatgatgt 420
 gtccgtactc gaagacagca gatggcttg agatgcacat aggagtcaac cacttgggtc 480
 acttctcctt aacctatctg ctgctagaga aactaaagga atcagcccca tcaaggatag 540
 taaatgtgtc ttccctcgca catcacctgg gaaggatcca cttccataac ctgcagggcg 600
 agaaattcta caatgcaggc ctggcctact gtcacagcaa gctagccaac atcctcttca 660
 cccaggaact ggcccggaaga ctaaaaggct ctggcggttac gacgtattct gtacaccctg 720
 gcacagtcca atctgaactg gttcggcaat catctttcat gagatggatg tgggtggctt 780
 tctccttttt catcaagact cctcagcagg gagccagac cagcctgcac tgtgccttaa 840
 cagaaggctt tgagattcta agtgggaatc atttcagtga ctgtcatgtg gcatgggtct 900
 ctgcccagc tcgtaatgag actatagcaa ggcggctgtg ggacgtcagt tgtgacctgc 960
 tgggcctccc aatagactaa caggcagtgc cagttggacc caagagaaga ctgcagcaga 1020
 ctacacagta cttcttgtca aaatgattct ccttcaagggt tttcaaaacc tttagacaaa 1080
 agagagcaaa acctccagc cttgcctgct tgggtgtccag ttaaaactca gtgtactgcc 1140
 agattcgtct aaatgtctgt catgtccaga tttactttgc ttctgttact gccagagtta 1200
 ctagagatat cataatagga taagaagacc ctcatatgac ctgcacagct cattttcctt 1260
 ctgaaagaaa ctactaccta ggagaatcta agctatagca gggatgattt atgcaaattt 1320
 gaactagctt ctttgttcac aattcagttc ctcccaacca accagtcttc acttcaagag 1380
 ggccacactg caacctcagc ttaacatgaa taacaaagac tggctcagga gcagggcttg 1440
 cccaggcatg gtggatcacc ggaggtcagt agttcaagac cagcctggcc aacatggtga 1500
 aacccacact ctactaaaaa ttgtgtatat ctttgtgtgt cttctgttt atgtgtgcca 1560
 agggagtatt ttcacaaagt tcaaaacagc cacaataatc agagatggag caaaccagtg 1620

ccatccagtc	tttatgcaaa	tgaaatgctg	caaagggag	cagattctgt	atatgttgg	1680
aactaccac	caagagcaca	tgggtagcag	ggaagaagta	aaaaagaga	aggagaatac	1740
tggaagataa	tgcaaaaaat	gaagggacta	gttaaggatt	aactagccct	tttaaggatta	1800
actagttaag	gattaatagc	aaaagayatt	aaatatgcta	acatagctat	ggaggaattg	1860
agggcaagca	cccagagctg	atgagggtctt	aacaaaaacc	agtgtggcaa	aaaaaaaaaa	1920
aaaaaaaaaa	aaaaatccta	aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	1980
attatcttag	ggactgatat	tggttaattat	ggtcaattta	ataatatattt	ggggcatttc	2040
cttacattgt	cttgacaaga	ttaaaatgtc	tgtgccaaaa	ttttgtattt	tatttggaga	2100
cttcttatca	aaagtaatgc	tgccaaagga	agtctaagga	attagtagtg	ttcccatcac	2160
ttgtttggag	tgtgtatttc	taaaagattt	tgatttctctg	gaatgacaat	tatatattta	2220
ctttggtggg	ggaaagagtt	ataggaccac	agtcttcaact	tctgataactt	gtaaatattt	2280
cttttattgc	actgtttttg	accattaagc	tatatgttta	gaaatggtca	ttttacggaa	2340
aaattagaaa	aattctgata	atagtgcaga	ataaatgaat	taatgtttta	cttaatttat	2400
attgaactgt	caatgacaaa	taaaattctt	ttttgattat	ttttgtttt	catttaccag	2460
aataaaaacg	taagaattaa	aagtttgatt	acaaaaaaa	aaaaaaa		2507

<210> 333

<211> 3030

<212> DNA

<213> Homo sapien

<400> 333

gcaggcgact	tgcgagctgg	gagcgattta	aaacgctttg	gattcccccg	gcctgggtgg	60
ggagagcgag	ctgggtgccc	cctagattcc	ccgccccgc	acctcatgag	ccgaccctcg	120
gctccatgga	gcccggcaat	tatgccacct	tgatggagc	caaggatata	gaaggcttgc	180
tgggagcggg	aggggggagg	aatctggctg	cccactcccc	tctgaccagc	caccagcgcg	240
cgctacgct	gatgcctgct	gtcaactatg	cccccttggg	tctgccaggc	tcggcgaggc	300
cgccaaagca	atgccacca	tgccctgggg	tgccccaggg	gacgtcccca	gctcccgtgc	360
cttatgggta	ctttggaggc	gggtactact	cctgcgcgag	gtcccgagc	tcgctgaaac	420
cctgtgcccc	ggcagccacc	ctggccgcgt	accccgcgga	gactccacag	gccggggaag	480
agtaccccag	ycgcccact	gagtttgctt	tctatccggg	atatccggga	acctaccagc	540
ctatggccag	ttacctggac	gtgtctgtgg	tgcaactctt	gggtgctcct	ggagaaccgc	600
gacatgactc	cctgttgctt	gtggacagtt	accagtcttg	ggctctcgct	ggtggctgga	660
acagccagat	gtgttgccag	ggagaacaga	acccaccagg	tcccttttgg	aaggcagcat	720
ttgcagactc	cagcgggcag	caccctctctg	acgcctgcgc	ctttcgctgc	ggccgcaaga	780
aacgcattcc	gtacagcaag	gggcagttgc	gggagctgga	gcgggagtat	gcggctaaca	840
agttcatcac	caaggacaag	aggcgcaaga	tctcggcagc	caccagcctc	tcggagcgcc	900
agattaccat	ctggtttcag	aaccgcgggg	tcaaagagaa	gaaggttctc	gccaagggtga	960
agaacagcgc	taccctttaa	gagatctcct	tgccctgggtg	ggaggagcga	aagtgggggt	1020
gtcctgggga	gaccaggaac	ctgccaagcc	caggctgggg	ccaaggactc	tgctgagagg	1080
cccctagaga	caacaccctt	cccaggccac	tggtctgtgg	actgttctct	aggagcggcc	1140
tggtgaccca	gtatgtgcag	ggagacggaa	cccatgtgta	cagccactc	caccagggtt	1200
cccaaagaac	ctggcccagt	cataatcatt	catcctgaca	gtggcaataa	tcacgataac	1260
cagtactagc	tgccatgata	gttagcctca	tattttctat	ctagagctct	gtagagcact	1320
ttagaaaccg	ctttcatgaa	ttgagctaata	tatgaataaa	tttggaaggc	gatccctttg	1380
cagggaagct	ttctctcaga	cccccttcca	ttacacctct	caccctggta	acagcaggaa	1440
gactgaggag	aggggaacgg	gcagattcgt	tgtgtggctg	tgatgtccgt	ttagcatttt	1500
tctcagctga	cagctgggta	ggtggacaat	tgtagaggct	gtctcttctt	ccctccttgt	1560
ccaccccata	gggtgtaccc	actggtcttg	gaagcaccca	tccttaatac	gatgattttt	1620
ctgtcgtgtg	aaaatgaagc	cagcaggctg	cccctagtca	gtccttctct	ccagagaaaa	1680
agagatttga	gaaagtgcct	gggttaattca	ccattaattt	cctcccccaa	actctctgag	1740
tcttccctta	atatttcttg	tggttctgac	caaagcaggt	catgggtttg	tgagcatttg	1800
ggatcccagt	gaagtagatg	tttgtagcct	tgcatactta	gcccttccca	ggcaciaaac	1860
gagtggcaga	gtggtgccaa	ccctgttttc	ccagtcacag	tagacagatt	cacagtgcgg	1920
aattctggaa	gctggagaca	gacgggctct	ttgcagagcc	gggactctga	gagggaatg	1980
agggcctctg	cctctgtgtt	cattctctga	tgctctgtac	ctgggctcag	tgcccgggtg	2040
gactcatctc	ctggccgcgc	agcaaagcca	gcgggttcgt	gctgggtcctt	cctgcacctt	2100
aggctggggg	tggggggcct	gccggcgcat	tctccacgat	tgagcgcaca	ggcctgaagt	2160
ctggacaacc	cgcagaaccg	aagctccgag	cagcgggtcg	gtggcgagta	gtggggctcg	2220
tgggcagcag	ttggtgtgtg	gcggcgcccg	ccactacctc	gaggacattt	ccctcccgga	2280
gccagctctc	ctagaaaccc	cgcggcgggc	gccgcagcca	agtgtttatg	gcccgcggtc	2340
gggtgggata	ctagccctgt	ctcctctcct	gggaaggagt	gagggtggga	cgtgacttag	2400

100

acacctacaa	atctatttac	caaagaggag	cccgggactg	agggaaaagg	ccaaagagt	2460
tgagtgcac	cggaactggg	gttcagggga	agaggacgag	gaggaggaag	atgaggtcga	2520
tttcttgatt	taaaaaatcg	tccaagcccc	gtgggtccagc	ttaaggctcct	cggttacatg	2580
cgccgctcag	agcaggtcac	tttctgcctt	ccacgtcctc	cttcaaggaa	gccccatgtg	2640
ggtagctttc	aatatcgag	gttcttactc	ctctgcctct	ataagctcaa	acccaccaac	2700
gatcggggcaa	gtaaaccccc	tccctcgccg	acttcgggaa	tggcgagagt	tcagcgagga	2760
tgggctgtg	gggagggggc	aagatagatg	agggggagcg	gcatgggtgcg	gggtgacccc	2820
ttggagagag	gaaaaaggcc	acaagagggg	ctgccaccgc	cactaacgga	gatggccctg	2880
gtagagacct	ttgggggtct	ggaacctctg	gactcccat	gctctaactc	ccacactctg	2940
ctatcagaaa	cttaaaacttg	aggattttct	ctgtttttca	ctcgcaataa	aytcagagca	3000
aacaaaaaaa	aaaaaaaaaa	aaaactcgag				3030

<210> 334

<211> 2417

<212> DNA

<213> Homo sapien

<400> 334

ggcggccgct	ctagagctag	tgggatcccc	cgggctgcac	gaattcggca	cgagtgaagt	60
ggagttttac	ctgtattgtt	ttaatttcaa	caagcctgag	gactagccac	aaatgtaccc	120
agttttacaaa	tgaggaaaca	ggtgcaaaaa	ggttggtacc	tgtcaaagg	cgtagtggtc	180
agagccaaga	tttgagccca	gttatgtctg	atgaacttag	cctatgtctc	ttaaacttct	240
gaatgtgcag	cattgaggat	atctaaactt	agatcaattg	cattttccct	ccaagactat	300
ttactttatca	atacaataat	accaccttta	ccaatctatt	gttttgatac	gagactcaaa	360
tatgccagat	atatgtaaaa	gcaacctaca	agctctctaa	tcatgtcac	ctaaaagatt	420
cccgggatct	aataggctca	aagaaacttc	ttctagaaat	ataaaagaga	aaattggatt	480
atgcaaaaat	tcattattaa	tttttttcat	ccatccttta	attcagcaaa	catttatctg	540
ttgttgactt	tatgcagtat	ggccttttaa	ggattggggg	acaggtgaag	aacgggggtgc	600
cagaatgcat	cctcctacta	atgaggtcag	tacacatttg	cattttaaaa	tgccctgtcc	660
agctgggcat	ggtggatcat	gcctgtaatc	tcaacattgg	aaggccaagg	caggaggatt	720
gcttcagccc	aggagttaa	gaccagcctg	ggcaacatag	aaagaccca	tctctcaatc	780
aatcaatcaa	tgccctgtct	ttgaaaataa	aactctttaa	gaaagggtta	atgggcaggg	840
tgtggtagct	catgcctata	atacagcact	ttgggaggct	gaggcaggag	gatcacttta	900
gcccagaagt	tcaagaccag	cctgggcaac	aagtgcacac	tcacttcaat	tttttaataa	960
aatgaataca	tacataagga	aagataaaaa	gaaaagttaa	atgaaagaat	acagtataaa	1020
acaaatctct	tggaacctaaa	agtatttttg	ttcaagccaa	atattgtgaa	tcacctctct	1080
gtgttgagga	tacagaatat	ctaagcccag	gaaactgagc	agaaagtcca	tgtactaact	1140
aatcaacccg	aggcaaggca	aaaaatgagc	taactaatca	atccgaggca	aggggcaaat	1200
tagacgggaac	ctgactctgg	tctatttaagc	gaacactttc	cctctgttgt	atttttcttt	1260
tattcaatgt	aaaaggataa	aaactctcta	aaactaaaaa	caatgtttgt	caggagttac	1320
aaaccatgac	caactaatta	tggggaatca	taaaatatga	ctgtatgaga	tcttgatggt	1380
ttacaaagt	taccactgt	taatcacttt	aaacattaat	gaacttaaaa	atgaatttac	1440
ggagattgga	atgtttcttt	cctgttgat	tagttggctc	aggetgccat	aacaaaatac	1500
cacagactgg	gaggcttaag	taacagaaat	tcatttctca	cagttctggg	ggctggaagt	1560
ccacgatcaa	ggtgcaggaa	aggcaggctt	cattctgagg	cccctctctt	ggctcacatg	1620
tggccaccct	cccactgcgt	gctcacatga	cctctttgtg	ctcctggaaa	gaggggtgtg	1680
gggacagagg	gaaagagaag	gagaggggaa	tctctggtgt	ctcgtctttc	aaggacccta	1740
acctgggcca	ctttggccca	ggcactgtgg	ggtggggggg	tgtggctgct	ctgctctgag	1800
tggccaagat	aaagcaacag	aaaaatgtcc	aaagctgtgc	agcaaagaca	agccaccgaa	1860
cagggatctg	ctcatcagtg	tggggacctc	caagtcggcc	accctggagg	caagccccca	1920
cagagcccat	gcaagggtgg	agcagcagaa	gaagggaatt	gtccctgtcc	ttggcacatt	1980
cctcaccgac	ctggtgatgc	tggacactgc	gatgaatggt	aatgtggatg	agaatatgat	2040
ggactcccag	aaaaggagac	ccagctgtct	aggtggctgc	aaatcattac	agccttcac	2100
ctggggagga	actggggggc	tgtttctggg	tcagagagca	gcccagtgag	ggtgagagct	2160
acagcctgtc	ctgccagctg	gatccccagt	cccggtcaac	cagtaatcaa	ggctgagcag	2220
atcaggcttc	ccggagctgg	tcttgggaag	ccagccctgg	ggtgagttgg	ctcctgtctg	2280
ggtactgaga	caatattgtc	ataaattcaa	tgcgcccttg	tatccctttt	tcttttttat	2340
ctgtctacat	ctataatcac	tatgcatact	agtctttgtt	agtgtttcta	ttcmacttaa	2400
tagagatatg	ttatact					2417

<210> 335

<211> 2984

101

<212> DNA

<213> Homo sapien

<400> 335

```

atccctcctt cccactctc ctttcagaa ggcacttggg gtcttatctg ttggactctg      60
aaaacacttc aggcgccctt ccaaggcttc cccaaccccc taagcagccg cagaagcgct      120
cccagactgc cttctccac actcaggtga tgcagttgga gaggaagttc agccatcaga      180
agtacctgtc ggccctgaa cgggccacc tggccaagaa cctcaagctc acggagaccc      240
aagtgaagat atggttccag aacagacgct ataagactaa gcgaaagcag ctctcctcgg      300
agctgggaga cttggagaag cactcctctt tgccggccct gaaagaggag gccttctccc      360
gggcctccct ggtctccgtg tataacagct atccttacta cccatacctg tactgcgtgg      420
gcagctggag ccagctttt tggtaatgcc agctcaggtg acaaccatta tgatcaaaaa      480
ctgccttccc cagggtgtct ctatgaaaag cacaaggggc caaggtcagg gagcaagagg      540
tgtgcacacc aaagctattg gagatttgcg tggaaatctc asattcttca ctggtgagac      600
aatgaaacaa cagagacagt gaaagtttta atacctaagt cattccccca gtgcatactg      660
taggtcattt tttttgcttc tggctacctg tttgaagggg agagaggggaa aatcaagtg      720
tattttccag cactttgtat gattttggat gagctgtaca cccaaggatt ctgttctgca      780
actccatcct cctgtgtcac tgaatatcaa ctctgaaaga gcaaacctaa caggagaaag      840
gacaaccagg atgaggatgt caccaactga attaaactta agtcagaag cctcctgttg      900
gccttggaat atggccaagg ctctctctgt cctgttaaaa gagaggggca aatagagagt      960
ctccaagaga acgcctcat gctcagcaca tatttgcatt ggagggggag atgggtggga      1020
ggagatgaaa atatcagctt ttcttattcc tttttattcc ttttaaaatg gtatgccaac      1080
ttaagtattt acagggtggc ccaaatagaa caagatgcac tcgctgtgat ttaagacaa      1140
gctgtataaa cagaactcca ctgcaagagg gggggccggg ccaggagaat ctccgcttgt      1200
ccaagacagg ggctaagga gggctctccac actgctgcta ggggctgttg cattttttta      1260
ttaagtagaaa gtggaaggc ctctctcaca cttttttccc ttgggctgga gaatttagaa      1320
tcagaagttt cctggagttt tcaggtatc atatatctg tatcctgaaa ggcaacataa      1380
ttcttccttc cctcctttta aaattttgtg ttcttttttg cagcaattac tcactaaagg      1440
gcttcatttt agtcagatt tttagttctg ctgcacctaa cttatgcctc gcttatttag      1500
cccagatctt ggtctttttt tttttttttt tttttccgtc tccccaaagc tttatctgtc      1560
ttgacttttt aaaaaagttt gggggcagat tctgaattgg ctaaaagaca tgcattttta      1620
aaactagcaa ctcttatttc ttccctttaa aaatacatag cattaaatcc caaatcctat      1680
ttaagacctt gacagcttga gaaggctcact actgcattta taggaacctc tgggtggtct      1740
gctgttacgt ttgaagtctg acaatccttg agaatccttg catgcagagg aggtaaagg      1800
tattggattt tcacagagga agaacacagc gcagaatgaa gggccaggct tactgagctg      1860
tcagtgaggg ggctcatggg tgggacatgg aaaagaaggc agcctaggcc ctggggagcc      1920
cagtcacttg agcaagcaag ggactgagtg agccttttgc aggaaaaggc taagaaaaag      1980
gaaaaccatt ctaaaacaca acaagaaact gtccaaatgc tttgggaact gtgtttattg      2040
cctataatgg gtccccaata tgggtaacct agacttcaga gagaatgagc agagagcaaa      2100
ggagaaatct ggctgtcctt ccattttcat tctgttatct cagggtgagct ggtagagggg      2160
agacattaga aaaaaatgaa acaacaaaac aattactaat gaggtacgct gaggcctggg      2220
agtctcttga ctccactact taattccgtt tagtgagaaa cctttcaatt ttcttttatt      2280
agaagggcca gcttactgtt ggtggcaaaa ttgccaaatc aagttaatag aaagtgggcc      2340
aatttcaccc cattttctgt ggtttgggct ccacattgca atgttcaatg ccacgtgctg      2400
ctgacaccga ccggagtact agccagcaca aaaggcaggg tagcctgaat tgctttctgc      2460
tctttacatt tcttttaaaa taagcattta gtgctcagtc cctactgagt actctttctc      2520
tcccctcttc tgaatttaat tctttcaact tgcaatttgc aaggattaca catttcaact      2580
tgatgtatat tgtgttgcaa aaaaaaaaaa aagtgtcttt gtttaaaatt acttggtttg      2640
tgaatccatc ttgctttttc cccattggaa ctagtcatc acccatctct gaactggtag      2700
aaaaacatct gaagagctag tctatcagca tctgacaggt gaattggatg gttctcagaa      2760
ccatttcacc cagacagcct gtttctatcc tgtttaataa attagtttgg gttctctaca      2820
tgcataacaa accctgtccc aatctgtcac ataaaagtct gtgacttgaa gtttagtcag      2880
cacccccacc aaactttatt tttctatgtg ttttttgcaa catatgagtg ttttgaaaaa      2940
aaagtaccca tgtctttatt agaaaaaaaa aaaaaaaaaa aaaa      2984

```

<210> 336

<211> 147

<212> PRT

<213> Homo sapien

<400> 336

Pro Ser Phe Pro Thr Leu Leu Ser Arg Arg His Leu Gly Ser Tyr Leu

102

```

      1           5           10           15
Leu Asp Ser Glu Asn Thr Ser Gly Ala Leu Pro Arg Leu Pro Gln Thr
      20           25           30
Pro Lys Gln Pro Gln Lys Arg Ser Arg Ala Ala Phe Ser His Thr Gln
      35           40           45
Val Ile Glu Leu Glu Arg Lys Phe Ser His Gln Lys Tyr Leu Ser Ala
      50           55           60
Pro Glu Arg Ala His Leu Ala Lys Asn Leu Lys Leu Thr Glu Thr Gln
      65           70           75           80
Val Lys Ile Trp Phe Gln Asn Arg Arg Tyr Lys Thr Lys Arg Lys Gln
      85           90           95
Leu Ser Ser Glu Leu Gly Asp Leu Glu Lys His Ser Ser Leu Pro Ala
      100          105          110
Leu Lys Glu Glu Ala Phe Ser Arg Ala Ser Leu Val Ser Val Tyr Asn
      115          120          125
Ser Tyr Pro Tyr Tyr Pro Tyr Leu Tyr Cys Val Gly Ser Trp Ser Pro
      130          135          140
Ala Phe Trp
145

```

```

<210> 337
<211> 9
<212> PRT
<213> Homo sapien

```

```

<400> 337
Ala Leu Thr Gly Phe Thr Phe Ser Ala
1           5

```

```

<210> 338
<211> 9
<212> PRT
<213> Homo sapien

```

```

<400> 338
Leu Leu Ala Asn Asp Leu Met Leu Ile
1           5

```

```

<210> 339
<211> 318
<212> PRT
<213> Homo sapien

```

```

<400> 339
Met Val Glu Leu Met Phe Pro Leu Leu Leu Leu Leu Leu Pro Phe Leu
1           5           10           15
Leu Tyr Met Ala Ala Pro Gln Ile Arg Lys Met Leu Ser Ser Gly Val
      20           25           30
Cys Thr Ser Thr Val Gln Leu Pro Gly Lys Val Val Val Val Thr Gly
      35           40           45
Ala Asn Thr Gly Ile Gly Lys Glu Thr Ala Lys Glu Leu Ala Gln Arg
      50           55           60
Gly Ala Arg Val Tyr Leu Ala Cys Arg Asp Val Glu Lys Gly Glu Leu
      65           70           75           80
Val Ala Lys Glu Ile Gln Thr Thr Thr Gly Asn Gln Gln Val Leu Val
      85           90           95
Arg Lys Leu Asp Leu Ser Asp Thr Lys Ser Ile Arg Ala Phe Ala Lys
      100          105          110
Gly Phe Leu Ala Glu Glu Lys His Leu His Val Leu Ile Asn Asn Ala
      115          120          125
Gly Val Met Met Cys Pro Tyr Ser Lys Thr Ala Asp Gly Phe Glu Met

```


103

130 135 140
 His Ile Gly Val Asn His Leu Gly His Phe Leu Leu Thr His Leu Leu
 145 150 155 160
 Leu Glu Lys Leu Lys Glu Ser Ala Pro Ser Arg Ile Val Asn Val Ser
 165 170 175
 Ser Leu Ala His His Leu Gly Arg Ile His Phe His Asn Leu Gln Gly
 180 185 190
 Glu Lys Phe Tyr Asn Ala Gly Leu Ala Tyr Cys His Ser Lys Leu Ala
 195 200 205
 Asn Ile Leu Phe Thr Gln Glu Leu Ala Arg Arg Leu Lys Gly Ser Gly
 210 215 220
 Val Thr Thr Tyr Ser Val His Pro Gly Thr Val Gln Ser Glu Leu Val
 225 230 235 240
 Arg His Ser Ser Phe Met Arg Trp Met Trp Trp Leu Phe Ser Phe Phe
 245 250 255
 Ile Lys Thr Pro Gln Gln Gly Ala Gln Thr Ser Leu His Cys Ala Leu
 260 265 270
 Thr Glu Gly Leu Glu Ile Leu Ser Gly Asn His Phe Ser Asp Cys His
 275 280 285
 Val Ala Trp Val Ser Ala Gln Ala Arg Asn Glu Thr Ile Ala Arg Arg
 290 295 300
 Leu Trp Asp Val Ser Cys Asp Leu Leu Gly Leu Pro Ile Asp
 305 310 315

<210> 340
 <211> 483
 <212> DNA
 <213> Homo sapien

<400> 340
 gccgaggtct gccttcacac ggaggacacg agactgcttc ctcaagggct cctgcctgcc 60
 tggacactgg tgggaggcgc tgttttagttg gctgttttca gaggggtctt tcggagggac 120
 ctctgctgc aggttgaggt gtctttattc ctggcgggag accgcacatt ccaactgtga 180
 ggttgtgggg gcggtttatc aggcagtgat aaacataaga tgtcatttcc ttgactccgg 240
 ccttcaattt tctctttggc tgacgacgga gtccgtggtg tcccgatgta actgaccct 300
 gctccaaacg tgacatcact gatgctcttc tcgggggtgc tgatggcccg cttggtcacg 360
 tgetcaatct cgccattcga ctcttgctcc aaactgtatg aagacacctg actgcacggt 420
 tttctgggc ttccagaatt taaagtgaag ggcagcactc ctaagctccg actccgatgc 480
 ctg 483

<210> 341
 <211> 344
 <212> DNA
 <213> Homo sapien

<400> 341
 ctgctgctga gtcacagatt tcattataaa tagcctccct aaggaaaata cactgaatgc 60
 tatttttact aaccattcta tttttataga aatagctgag agtttctaaa ccaactctct 120
 gctgccttac aagtattaaa tattttactt ctttccataa agagtagctc aaaatatgca 180
 attaatataa taattttctga tgatgggttt atctgcagta atatgtatat catctattag 240
 aatttactta atgaaaaact gaagagaaca aaatttgtaa ccactagcac ttaagtactc 300
 ctgattctta acattgtctt taatgaccac aagacaacca acag 344

<210> 342
 <211> 592
 <212> DNA
 <213> Homo sapien

<400> 342
 acagcaaaaa agaaactgag aagcccaaty tgctttcttg ttaacatcca cttatccaac 60
 caatgtggaa acttcttata cttgggtcca ttatgaagtt ggacaattgc tgctatcaca 120
 cctggcaggt aaaccaatgc caagagagtg atggaaacca ttggcaagac tttgttgatg 180

104

```

accaggattg gaattttata aaaatattgt tgatgggaag ttgctaaagg gtgaattact 240
tccctcagaa gagtgtaaag aaaagtcaga gatgctataa tagcagctat ttttaattggc 300
aagtgccact gtggaaagag ttctgtgtg tgctgaagtt ctgaaggga gtcaaattca 360
tcagcatggg ctgtttgggt caaatgcaaa agcacaggtc tttttagcat gctgggtctct 420
cccgtgtcct tatgcaaata atcgtcttct tctaaatttc tcttaggctt cattttccaa 480
agttcttctt ggtttgtgat gtcttttctg ctttccatta attctataaa atagtatggc 540
ttcagccacc cactcttcgc cttagcttga ccgtgagtc cggctgccgc tg 592

```

```

<210> 343
<211> 382
<212> DNA
<213> Homo sapien

```

```

<400> 343
ttcttgacct cctcctcctt caagctcaaa caccacctcc cttattcagg accggcactt 60
cttaatgttt gtggctttct ctccagcctc tcttaggagg ggtaatggtg gagttggcat 120
cttgtaactc tcctttctcc tttcttcccc tttctctgcc cgcttttccc atcctgctgt 180
agacttcttg attgtcagtc tgtgtcacat ccagtgattg ttttggtttc tgttcccttt 240
ctgactgccc aaggggctca gaaccccagc aatcccttcc ttccactacc ttcttttttg 300
ggggtagtgg gaaggggactg aaattgtggg gggaaggtag gaggcacatc aataaagagg 360
aaaccaccaa gctgaaaaaa aa 382

```

```

<210> 344
<211> 536
<212> DNA
<213> Homo sapien

```

```

<400> 344
ctgggcctga agctgtaggg taaatcagag gcaggcttct gagtgatgag agtcctgaga 60
caataggcca cataaacttg gctggatgga acctcacaat aagggtgtca cctcttgttt 120
gtttaggggg atgccaagga taaggccagc tcagttatat gaagagaagc agaacaaaca 180
agtctttcag agaaatggat gcaatcagag tgggatcccg gtcacatcaa ggtcacactc 240
caccttcatg tgcctgaatg gttgccaggt cagaaaaatc cacccttac gagtgcggt 300
tcgaccctat atccccgcc cgcgtccctt tctccataaa attcttcta gtagctatta 360
ccttcttatt atttgatcta gaaattgcc tcttttacc cctaccatga gccctacaaa 420
caactaacct gccactaata gttatgtcat cctcttatt aatcatcatc ctagccctaa 480
gtctggccta tgagtgacta caaaaaggat tagactgagc cgaataacaa aaaaaa 536

```

```

<210> 345
<211> 251
<212> DNA
<213> Homo sapien

```

```

<400> 345
accttttgag gtctctctca ccacctccac agccaccgtc accgtgggat gtgctggatg 60
tgaatgaagc ccccatcttt gtgcctcctg aaaagagagt ggaagtgtcc gaggactttg 120
gcggtggcca ggaaatcaca tcctacactg ccaggagcc agacacattt atggaacaga 180
aaataacata tcggatttgg agagacactg ccaactggct ggagattaat ccggacactg 240
gtgccatttc c 251

```

```

<210> 346
<211> 282
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(282)
<223> n = A,T,C or G

```

```

<400> 346
cgctctctg acactgtgat catgacaggg gttcaaacag aaagtgcctg ggcctcctt 60

```

105

ctaagtcttg	ttaccaaaaa	aaggaaaaag	aaaagatctt	ctcagttaca	aattctggga	120
aggagacta	tacctggctc	ttgccctaag	tgagaggctc	tccctccgc	accaaaaat	180
agaaaggctt	tctatttcac	tgcccaggt	agggggaagg	agagtaactt	tgagtctgtg	240
ggtctcattt	cccaaggtgc	cttcaatgct	catnaaaacc	aa		282

<210> 347
 <211> 201
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)..(201)
 <223> n = A,T,C or G

<400> 347	
acacacataa	tattataaaa
tgccatctaa	ttggaaggag
ctttctatca	ttgcaagtca
60	
taaatataac	ttttaaaaa
ntactancag	cttttaccta
ngctcctaaa	tgcttgtaaa
120	
tctgagactg	actggaccca
cccagaccca	gggcaaagat
acatgttacc	atatcatctt
180	
tataaagaat	ttttttttgt
c	
201	

<210> 348
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 348	
ctgttaatca	caacatttgt
gcatcacttg	tgccaagtga
gaaaatgttc	taaaatcaca
60	
agagagaaca	gtgccagaat
gaaactgacc	ctaagtccca
ggtgccctg	ggcaggcaga
120	
aggagacact	cccagcatgg
aggagggttt	atcttttcat
cctaggtcag	gtctacaatg
180	
ggggaagggt	ttattataga
actcccaaca	gccacactca
ctcctgccac	ccaccgatg
240	
gccctgctc	c
251	

<210> 349
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 349	
taaaaatcaa	gccatttaat
tgtatctttg	aaggtaaaca
atatatggga	gctggatcac
60	
aacccctgag	gatgccagag
ctatgggtcc	agaacatggt
gtggtattat	caacagagtt
120	
cagaagggtc	tgaactctac
gtgttaccag	agaacataat
gcaattcatg	cattccactt
180	
agcaattttg	taaaatacca
gaaacagacc	ccaagagtct
ttcaagatga	ggaaaattca
240	
actctggtt	t
251	

<210> 350
 <211> 908
 <212> DNA
 <213> Homo sapien

<400> 350	
ctggacactt	tgcgagggt
tttgetggct	gctgctgctg
cccgtcatgc	tactcatcgt
60	
agcccgcccg	gtgaagctcg
ctgctttccc	tacctcctta
agtgaactgc	aaacgcccac
120	
cggtctggaat	tgctctggtt
atgatgacag	agaaaatgat
ctcttcctct	tgacaccaa
180	
cacctgtaaa	tttgatgggg
aatgtttaag	aattggagac
actgtgactt	gcgtctgtca
240	
gttcaagtgc	aacaatgact
atgtgcctgt	gtgtggctcc
aatggggaga	gctaccagaa
300	
tgagtgttac	ctgcgacagg
ctgcatgcaa	acagcagagt
gagatacttg	tggtgtcaga
360	
aggatcatgt	gccacagtcc
atgaaggctc	tggagaaaact
agtcaaaaagg	agacatccac
420	
ctgtgatatt	tgccagtttg
gtgcagaatg	tgaogaagat
gccgaggatg	tctggtgtgt
480	
gtgtaatat	gactgttctc
aaaccaactt	caatcccctc
tgcgcttctg	atgggaaatc
540	
ttatgataat	gcatgccaaa
tcaaagaagc	atcgtgtcag
aaacaggaga	aaattgaagt
600	
catgtctttg	ggtcgatgtc
aagataacac	aactacaact
actaagtctg	aagatgggca
660	

ttatgcaaga	acagattatg	cagagaatgc	taacaaatta	gaagaaagt	ccagagaaca	720
ccacatacct	tgtccggaac	attacaatgg	cttctgcatg	catgggaagt	gtgagcattc	780
tatcaatatg	caggagccat	cttgcaagg	tgatgctgg	tatactggac	aacactgtga	840
aaaaaaggac	tacagtgttc	tatacgttgt	tcccggtcct	gtacgatttc	agtatgtctt	900
aatcgag						908

<210> 351
 <211> 472
 <212> DNA
 <213> Homo sapien

<400> 351						
ccagttattt	gcaagtggta	agagcctatt	taccataaat	aatactaaga	accaactcaa	60
gtcaaacctt	aatgccattg	ttattgtgaa	ttaggattaa	gtagtaattt	tcaaaattca	120
cattaacttg	attttaaaat	cagwtttgyg	agtcattttac	cacaagctaa	atgtgtacac	180
tatgataaaa	acaaccattg	tattcctggt	tttctaaaca	gtcctaattt	ctaactctgt	240
atatatcctt	cgacatcaat	gaactttggt	ttcttttact	ccagtaataa	agtaggcaca	300
gatctgtcca	caacaaactt	gccctctcat	gccttgcttc	tcacatgct	ctgctccagg	360
tcagccccc	tttggcctgt	ttgttttgct	aaaaaccta	tctgcttctt	gcttttcttg	420
gtaatatata	tttagggaag	atgttgcttt	gccacacac	gaagcaaagt	aa	472

<210> 352
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 352						
ctcaaagcta	atctctcggg	aatcaaacca	gaaaagggca	aggatcttag	gcatggtgga	60
tgtggataag	gccaggtcaa	tggctgcaag	catgcagaga	aagaggtaca	tcggagcgtg	120
caggctgcgt	tccgtcctta	cgatgaagac	cacgatgcag	tttccaaaca	ttgccactac	180
atacatggaa	aggaggggga	agccaacca	gaaatgggct	ttctctaata	ctgggatacc	240
aataagcaca	a					251

<210> 353
 <211> 436
 <212> DNA
 <213> Homo sapien

<400> 353						
tttttttttt	tttttttttt	ttttttacaa	caatgcagtc	atttatttat	tgagtatgtg	60
cacattatgg	tattattact	atactgatta	tatttatcat	gtgacttcta	attaraaaat	120
gtatccaaaa	gcaaaacagc	agatatacaa	aattaaagag	acagaagata	gacattaaca	180
gataaggcaa	cttatacatt	gacaatccaa	atccaatata	tttaaactt	tgggaaatga	240
gggggacaaa	tggagccar	atcaaatttg	tgtaaaacta	ttcagtatgt	ttcccttgct	300
tcatgtctga	raaggctctc	ccttcaatgg	ggatgacaaa	ctccaaatgc	cacacaaatg	360
ttaacagaat	actagattca	cactggaacg	ggggtaaaga	agaaattatt	ttctataaaa	420
gggctcctaa	tgtagt					436

<210> 354
 <211> 854
 <212> DNA
 <213> Homo sapien

<400> 354						
ccttttctag	ttcaccagtt	ttctgcaagg	atgctgggta	gggagtgtct	gcaggaggag	60
caagtctgaa	accaaactca	ggaaacatag	gaaacgagcc	aggcacaggg	ctgggtgggcc	120
atcagggacc	accctttggg	ttgatatttt	gcttaatctg	catcttttga	gtaagatcat	180
ctggcagtag	aagctgttct	ccagggtacat	ttctctagct	catgtacaaa	aacatcctga	240
aggactttgt	caggtgcctt	gctaaaagcc	agatgcgttc	ggcacttctc	tggctgagg	300
ttaattgcac	acctacaggc	actgggctca	tgctttcaag	tattttgtcc	tcactttagg	360
gtgagtga	gatccccatt	ataggagcac	ttgggagaga	tcatataaaa	gctgactcct	420
gagtacatgc	agtaatggg	tagatgtgtg	tgggtgtgtc	tcattcctgc	aagggtgctt	480

107

gttagggagt	gtttccagga	ggaacaagtc	tgaaccaat	catgaaataa	atggtaggtg	540
tgaactggaa	aactaattca	aaagagagat	cgtgatatca	gtgtggttga	tacaccttgg	600
caatatggaa	ggctctaatt	tgcccatatt	tgaataata	attcagcttt	ttgtaataca	660
aaataacaaa	ggattgagaa	tcatggtgtc	taatgtataa	aagaccagg	aaacataaat	720
atatcaactg	cataaatgta	aaatgcatgt	gacccaagaa	ggccccaag	tggcagacaa	780
cattgtaccc	attttccctt	ccaaaatgtg	agcggcgggc	ctgctgcttt	caaggctgtc	840
acacgggatg	tcag					854

<210> 355
 <211> 676
 <212> DNA
 <213> Homo sapien

<400> 355						
gaaattaagt	atgagctaaa	ttccctgtta	aaacctctag	gggtgacaga	tctcttcaac	60
caggtcaaag	ctgatctttc	tggaatgtca	ccaaccaagg	gcctatattt	atcaaaagcc	120
atccacaagt	catacctgga	tgtcagcgaa	gagggcacgg	aggcagcagc	agccactggg	180
gacagcatcg	ctgtaaaaag	cctaccaatg	agagctcagt	tcaaggcgaa	ccacccttc	240
ctgttcttta	taaggcacac	tcataccaac	acgatcctat	tctgtggcaa	gcttgctct	300
ccctaatacag	atggggttga	gtaaggctca	gagttgcaga	tgaggtgcag	agacaatcct	360
gtgactttcc	cacggccaaa	aagctgttca	cacctcacgc	acctctgtgc	ctcagtttgc	420
tcacttgcaa	aataaggctc	ggatttcttc	caaccatttc	atgagttgtg	aagctaaggc	480
tttgttaatc	atggaaaaag	gtagacttat	gcagaaagcc	tttctggctt	tcttatctgt	540
ggtgtctcat	ttgagtgtcg	tccagtgcga	tgatcaagtc	aatgagtaaa	attttaaggg	600
attagatttt	cttgacttgt	atgtatctgt	gagatcttga	ataagtgacc	tgacatctct	660
gcttaagaa	aaccag					676

<210> 356
 <211> 574
 <212> DNA
 <213> Homo sapien

<400> 356						
tttttttttt	tttttcagga	aaacattctc	ttactttatt	tgcatctcag	caaaggttct	60
catgtggcac	ctgactggca	tcaaaccaaa	gttcgtaggc	caacaaagat	gggccactca	120
caagcttccc	atttgtagat	ctcagtgcct	atgagtatct	gacacctgtt	cctctcttca	180
gtctcttagg	gaggcttaaa	tctgtctcag	gtgtgctaag	agtgccagcc	caaggkggtc	240
aaaagtccac	aaaactgcag	tctttgctgg	gatagtaagc	caagcagtgc	ctggacagca	300
gagttctttt	cttgggcaac	agataaccag	acaggactct	aatcgtgtct	ttattcaaca	360
ttcttctgtc	tctgcttaga	ctggaataaa	aagccaatct	ctctcgtggc	acagggaagg	420
agatacaagc	tcgtttacat	gtgatagatc	taacaaaggc	atctaccgaa	gtctggtctg	480
gatagacggc	acagggagct	cttaggtcag	cgctgtggtt	tggaggacat	tcctgagtc	540
agctttgcag	cctttgtgca	acagtacttt	ccca			574

<210> 357
 <211> 393
 <212> DNA
 <213> Homo sapien

<400> 357						
tttttttttt	tttttttttt	tttttttttt	tacagaatat	aratgcttta	tcaactgkact	60
taatattgkg	kcttggtcac	tatacttaaa	aatgcaccac	tcataaatat	ttaattcagc	120
aagccacaac	caaracttga	ttttatcaac	aaaaaccctt	aatataaac	ggsaaaaaag	180
atagatataa	ttattccagt	ttttttaaaa	cttaaaarat	attccattgc	cgaattaara	240
araarataag	tggttatatg	aaagaagggc	attcaagcac	actaaaraaa	cctgaggkaa	300
gcataatctg	tacaaaatta	aactgtcctt	tttggcattt	taacaaattt	gcaacgktct	360
tttttttctt	tttctgtttt	tttttttttt	tac			393

<210> 358
 <211> 630
 <212> DNA
 <213> Homo sapien

<400> 358
acagggtaaa caggaggatc cttgctctca cggagcttac attctagcag gaggacaata 60
ttaatgttta taggaaaatg atgagtttat gacaaaggaa gtagatagtg ttttacaaga 120
gcatagagta gggaaagctaa tccagcacag ggaggtcaca gagacatccc taagggaagt 180
gagtttaaac tgagagaagc aagtgcctaa actgaaggat gtgttgaaga agaagggaga 240
gtagaacaat ttgggcagag ggaaccttat agaccctaag gtgggaagggt tcaaagaact 300
gaaagagagc tagaacagct ggagccgttc tccggtgtaa agaggagtca aagagataag 360
attaaagatg tgaagattaa gatcttggtg gcattcaggg attggcactt ctacaagaaa 420
tcactgaagg gagtaatgtg acattacttt tcaactcagg atggccattc taactccagg 480
gggtagactg gactaggtaa gactggaggc aggtagacct cttctaaggc ctgcgatagt 540
gaaagacaaa aataagtggg gaaattcagg ggatagttaa aatcagtagg acttaatgag 600
caagccagag gttcctccac aacaaccagt 630

<210> 359
<211> 620
<212> DNA
<213> Homo sapien

<400> 359
acagcattcc aaaatataca tctagagact aarrgtaaat gctctatagt gaagaagtaa 60
taattaaaaa atgctactaa tatagaaaat ttataatcag aaaaataaat attcagggag 120
ctcaccagaa gaataaagtg ctctgccagt tattaaagga ttactgctgg tgaattaaat 180
atggcattcc ccaagggaaa tagagagatt cttctggatt atgttcaata tttatttcac 240
aggattaact gttttaggaa cagatataaa gcttcgccac ggaagagatg gacaaagcac 300
aaagacaaca tgatacctta ggaagcaaca ctaccctttc aggcataaaa tttggagaaa 360
tgcaacatta tgcttcatga ataatatgta gaaagaagggt ctgatgaaaa tgacatcctt 420
aatgtaagat aactttataa gaattctggg tcaaataaaa ttctttgaag aaaacatcca 480
aatgtcattg acttatcaaa tactatcttg gcatataacc tatgaaggca aaactaaaca 540
aacaanaagc tcacaccaa caaaaccatc aacttatttt gtattctata acatacgaga 600
ctgtaaagat gtgacagtgt 620

<210> 360
<211> 431
<212> DNA
<213> Homo sapien

<400> 360
aaaaaaaaa agccagaaca acatgtgata gataatatga ttggctgcac acttccagac 60
tgatgaatga tgaacgtgat ggactattgt atggagcaca tcttcagcaa gagggggaaa 120
tactcatcat ttttggccag cagttgtttg atcaccaaac atcatgccag aatactcagc 180
aaaccttctt agctcttgag aagtcaaagt ccgggggaat ttattcctgg caattttaat 240
tggaactcct atgtgagagc agcggctacc cagctggggg ggtggagcga acccgctact 300
agtggacatg cagtggcaga gctcctggta accacctaga ggaatacaca ggacatgtg 360
tgatgccaag cgtgacacct gtagcactca aatttgtctt gtttttgtct ttcgggtgtg 420
agattcttag t 431

<210> 361
<211> 351
<212> DNA
<213> Homo sapien

<400> 361
acactgattt ccgatcaaaa gaatcatcat ctttaccttg acttttcagg gaattactga 60
actttcttct cagaagatag ggcacagcca ttgccttggc ctcaattgaa gggctctgcat 120
ttgggtcctc tggctctctt ccaagtttcc cagccactcg agggagaaat atcgggaggt 180
ttgacttctt ccggggcttt cccgagggct tcaccgtgag ccctgcggcc ctgagggctg 240
caatcctgga ttcaatgtct gaaacctcgc tctctgcctg ctggacttct gaggccgtca 300
ctgccactct gtctccagc tctgacagct cctcatctgt ggtcctgttg t 351

<210> 362
<211> 463

109

<212> DNA

<213> Homo sapien

<400> 362

acttcacag gccataatgg gtgcctcccg tgagaatcca agcacctttg gactgcgcga	60
tgtagatgag cgggctgaag atcttgcgca tgcgcggctt cagggcggaag ttcttggcgc	120
ccccggtcac agaaatgacc aggttgggtg ttttcagggtg ccagtgcctgg gtcagcagct	180
cgtaaaaggat ttccgcgtcc gtgtcgcagg acagacgtat atacttcctt ttcttcccca	240
gtgtctcaaa ctgaatatcc ccaaaggcgt cggtaggaaa ttccttggtg tgtttcttgt	300
agttccattt ctcaactttg ttgattctggg tgccttccat gtgctggctc tgggcatagc	360
cacacttgca cacattctcc ctgataagca cgatggtgtg gacaggaagg aaggatttca	420
ttgagcctgc ttatggaaac tggatttgtt agcttaaata gac	463

<210> 363

<211> 653

<212> DNA

<213> Homo sapien

<220>

<221> misc feature

<222> (1)...(653)

<223> n = A,T,C or G

<400> 363

acccocaggt ncctgnctgg catactgnga acgaccaacg acacacccaa gctcggcctc	60
ctcttgngga ttctgggtga catcttcatg aatggcaacc gtgccagwga ggctgtcctc	120
tgggaggcac tacgcaagat gggactgcgt cctgggggtga gacatcctct ccttgagat	180
ctaacgaaac ttctcaccta tgagttgtaa agcagaaata cctgnactac agacgagtgc	240
ccaacagcaa cccccggaa gtatgagttc ctctrgggcc tccgttccta ccatgagasc	300
tagcaagatg naagtgttga gantcattgc agaggttcag aaaagagacc cntcgtgact	360
ggtctgcaca gttcatggag gctgcagatg aggccttgga tgctctggat gctgctgcag	420
ctgaggccga agcccgggct gaagcaagaa cccgcattgg aattggagat gaggctgtgt	480
ntgggcctg gagctgggat gacattgagt ttgagctgct gacctgggat gaggaaggag	540
atcttgagga tccttggtcc agaattccat ttacctctg ggccagatac caccagaatg	600
cccgcctcag attccctcag acctttgccg gtcccattat tggctcstggt ggt	653

<210> 364

<211> 401

<212> DNA

<213> Homo sapien

<400> 364

actagaggaa agacgttaaa ccactctact accacttgtg gaactctcaa agggtaaatg	60
acaaagccaa tgaatgactc taaaaacaat atttacattt aatggtttgt agacaataaa	120
aaaacaaggt ggatagatct agaattgtaa cattttaaga aaaccatagc atttgacaga	180
tgagaaagct caattataga tgcaaagtta taactaaact actatagtag taaagaaata	240
catctcacac ccttcatata aattcactat cttggcttga ggcaactccat aaaatgtatc	300
acgtgcatag taaatcttta tatttgctat ggcgttgac tagaggactt ggactgcaac	360
aagtggatgc gcggaaaatg aaatcttctt caatagccca g	401

<210> 365

<211> 356

<212> DNA

<213> Homo sapien

<400> 365

ccagtgtcat atttgggctt aaaatttcaa gaagggcact tcaaattggct ttgcatttgc	60
atgtttcagt gctagagcgt aggaatagac cctggcgctc actgtgagat gttcttcagc	120
taccagagca tcaagtctct gcagcaggtc attcttgggt aaagaaatga cttccacaaa	180
ctctccatcc cctggctttg gcttcggcct tgcgttttcg gcatcatctc cgtaaatggt	240
gactgtcacg atgtgtatag tacagtttga caagcctggg tccatacaga ccgctggaga	300
acattcggca atgtccctt tgtagccagt ttcttcttcg agctcccga gagcag	356

110

<210> 366
 <211> 1851
 <212> DNA
 <213> Homo sapien

<400> 366
 tcataccat tgccagcagc ggcaccgtta gtcaggtttt ctgggaatcc cacatgagta 60
 cttccgtgtt cttcattctt cttcaatagc cataaatctt ctagctctgg ctggctgttt 120
 tcaactcctt taagcctttg tgactcttcc tctgatgtca gctttaagtc ttgttctgga 180
 ttgctgtttt cagaagagat ttttaacatc tgtttttctt tgtagtcaga aagtaactgg 240
 caaattacat gatgatgact agaaacagca tactctctgg ccgtctttcc agatcttgag 300
 aagatacatc aacattttgc tcaagtagag ggctgactat acttgctgat ccacaacata 360
 cagcaagtat gagagcagtt cttccatata tatccagcgc atttaaattc gcttttttct 420
 tgattaaaaa tttcaccact tgctgttttt gctcatgtat accaagtagc agtgggtgtga 480
 ggccatgctt gttttttgat tccgatcag caccgtataa gagcagtgtt ttggccatta 540
 atttatcttc attgtagaca gcatagtgtg gactgggtatt tccatactca tctggaatat 600
 ttggatcagt gccatgttcc agcaacatta acgcacattc atcttctctg cattgtacgg 660
 cctttgtcag agctgtcttc tttttgttgt caaggacatt aagttgacat cgtctgtcca 720
 gcacgagttt tactacttct gaattcccat tggcagaggg cagatgtaga gcagtcctct 780
 tttgctgttc cctctgttcc acatccgtgt ccttgagcat gacgatgaga tcccttctgg 840
 ggactttacc ccaccaggca gctctgtgga gcttgtccag atcttctcca tggacgtggt 900
 acctgggacg catgaaggcg ctgtcatcgt agtctcccca agcgaccacg ttgctcttgc 960
 cgctcccctg cagcagggga agcagtggca gcaccacttg cactcttgc tcccaagcgt 1020
 cttcacagag gactcgttgt ggtctccaga agtgcccacg ttgctcttgc cgtccccct 1080
 gtccatccag ggaggaagaa atgcaggaaa tgaaagatgc atgcacgatg gtatactcct 1140
 cagccatcaa acttctggac agcaggtcac ttccagcaag gtggagaaaag ctgtccaccc 1200
 acagaggatg agatccagaa accacaatat ccattcacaa acaaacactt ttcagccaga 1260
 cacaggatct gaaatcatgt catctgcggc aacatgggtg aacctacca atcacacatc 1320
 aagagatgaa gacactgcag tatatctgca caacgtaata ctcttcatcc ataacaaaat 1380
 aatataattt tctctggag ccataatgat gaactatgaa ggaagaactc cccgaagaag 1440
 ccagtcgcag agaagccaca ctgaagctct gtctcagcc atcagcgcca cggacaggar 1500
 tgtgtttctt cccagtgat gcagcctcaa gttatcccga agctgccgca gcacacgggtg 1560
 gctcttgaga aacaccccag ctcttcggg ctaacacagg caagtcaata aatgtgataa 1620
 tcacataaac agaattaaaa gcaaaagcac ataagcatct caacagacac agaaaaggca 1680
 ttgacaaaaa tccagcatcc ttgtatttat tggtgcagtt ctgagaggaa atgcttctaa 1740
 cttttcccca tttagtatta tgttggtgtt gggcttgtca taggtgggtt ttattacttt 1800
 aaggtatgtc ccttctatgc ctgttttgtt gaggggttta attctcgtgc c 1851

<210> 367
 <211> 668
 <212> DNA
 <213> Homo sapien

<400> 367
 cttgagcttc caaataygga agactggccc ttacacasgt caatgttaaa atgaatgcat 60
 ttcagtattt tgaagataaa attttagat ctataccttg ttttttgatt cgatatcagc 120
 accrtataag agcagtgtt tggccattaa tttatcttcc attttagaca gcttagtgga 180
 gactgggtatt tccatactca tctggaatat ttggatcagt gccatgttcc agcaacatta 240
 acgcacattc atcttctctg cattgtacgg cctgtcagta ttagacccaa aaacaaatta 300
 catatcttag gaattcaaaa taacattcca cagctttcac caactagtta tatttaaagg 360
 agaaaactca tttttatgcc atgtattgaa atcaaaccca cctcatgctg atatagttgg 420
 ctactgcata cctttatcag agctgtcttc tttttgttgt caaggacatt aagttgacat 480
 cgtctgtcca gcaggagttt tactacttct gaattcccat tggcagaggc cagatgtaga 540
 gcagtcctat gagagtgaga agacttttta ggaattgta gtgcactagc tacagccata 600
 gcaatgattc atgtaactgc aaacactgaa tagcctgcta ttactctgcc ttcaaaaaaa 660
 aaaaaaaa 668

<210> 368
 <211> 1512
 <212> DNA
 <213> Homo sapien

<400> 368

gggtcgccca	gggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggctgggc	trgaatcccc	tgctgggggt	ggcagggttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagttggt	gaaactggtt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaaagc	agatggtggt	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tgggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagt	600
gccttcatgg	agcccaggta	ccacgtccgt	ggagaagatc	tggacaagct	ccacagagct	660
gcctggtggg	gtaaagtccc	cagaaaggat	ctcatcgtca	tgctcaggga	cactgacgtg	720
aacaagaagg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcggt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	aggtatagat	ctactaattt	tatcttcaaa	atactgaaat	gcattcattt	1080
taacattgac	gtgtgtaagg	gccagtcttc	cgtattttga	agctcaagca	taacttgaat	1140
gaaaatattt	tgaaatgacc	taattatctm	agactttatt	ttaaataattg	ttattttcaa	1200
agaagcatta	gagggtacag	tttttttttt	ttaaatgcac	ttctggtaaa	tacttttggt	1260
gaaaacactg	aattttgtaaa	aggtaataact	tactattttt	caatttttcc	ctcctaggat	1320
ttttttcccc	taatgaatgt	aagatggcaa	aattttgcct	gaaatagggt	ttacatgaaa	1380
actccaagaa	aagttaaaca	tgtttcagtg	aatagagatc	ctgctccttt	ggcaagttcc	1440
taaaaaacag	taatagatac	gagggtgatgc	gcctgtcagt	ggcaagggtt	aagatatttc	1500
tgatctcgtg	cc					1512

<210> 369

<211> 1853

<212> DNA

<213> Homo sapien

<400> 369

gggtcgccca	gggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggctgggc	trgaatcccc	tgctgggggt	ggcagggttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagttggt	gaaactggtt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaaagc	agatggtggt	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tgggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	agtgggtgctg	ccactgcttc		540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagy	600
gccttcatgg	akcccaggta	ccacgtccrt	ggagaagatc	tggacaagct	ccacagagct	660
gcctggtggg	gtaaagtccc	cagaaaggat	ctcatcgtca	tgctcaggga	cackgaygtg	720
aacaagargg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcggt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	agcatggcct	cacaccactg	ytacttggtt	tacatgagca	aaaacagcaa	1080
gtsgtgaaat	ttttaatyaa	gaaaaaagcg	aattttaaatt	gcrctggata	gatatggaag	1140
ractgctctc	atacttgctg	tatgtttgtg	atcagcaagt	atagtcagcc	ytctacttga	1200
gcaaaatrtr	gatgtatctt	ctcaagatct	ggaaagacgg	ccagagagta	tgctgtttct	1260
agtcatcatc	atgtaatttg	ccagttactt	tctgactaca	aagaaaaaca	gatgttaaaa	1320
atctcttctg	aaaacagcaa	tccagaacaa	gacttaaaagc	tgacatcaga	ggaagagtca	1380
caaaggctta	aagggaagtga	aaacagccag	ccagaggcat	ggaaaactttt	aaattttaa	1440
ttttggttta	atgttttttt	tttttgcctt	aataatatta	gatagtccca	aatgaaatwa	1500
cctatgagac	taggctttga	gaatcaatag	attctttttt	taagaatctt	ttggctagga	1560
gcggtgtctc	acgcctgtaa	ttccagcacc	ttgagaaggct	gaggtgggca	gatcacgaga	1620

112

tcaggagatc	gagaccatcc	tggctaacac	ggtgaaaccc	catctctact	aaaaatataa	1680
aaacttagct	gggtgtggtg	gcggtgcct	gtagtcccag	ctactcagga	rgctgaggca	1740
ggagaatggc	atgaacccgg	gaggtggagg	ttgcagttag	ccgagatccg	ccactacact	1800
ccagcctggg	tgacagagca	agactctgtc	tcaaaaaaaa	aaaaaaaaaa	aaa	1853

<210> 370

<211> 2184

<212> DNA

<213> Homo sapien

<400> 370

ggcacgagaa	ttaaaaccct	cagcaaaaac	ggcatagaag	ggacatacct	ttaaagtaata	60
aaaaccacct	atgacaagcc	cacagccaac	ataatactaa	atggggaaaa	gttagaagca	120
tttctctga	gaactgcaac	aataaatata	aggatgctgg	attttgtcaa	atgccttttc	180
tgtgtctgtt	gagatgctta	tgtgactttg	cttttaattc	tgtttatgtg	attatcacat	240
ttattgactt	gcctgtgtta	gaccggaaga	gctggggtgt	ttctcaggag	ccaccgtgtg	300
ctgcggcagc	ttcgggataa	cttgaggctg	catcactggg	gaagaaacac	aytcctgtcc	360
gtggcgctga	tggctgagga	cagagcttca	gtgtggcttc	tctgcgactg	gcttcttcgg	420
ggagttcttc	cttcatagtt	catccatatg	gctccagagg	aaaattatat	tattttgtta	480
tggatgaaga	gtattacgtt	gtgcagatat	actgcagtgt	cttcatctct	tgatgtgtga	540
ttgggtaggt	tccaccatgt	tgccgcagat	gacatgattt	cagtacctgt	gtctggctga	600
aaagtgtttg	tttgtgaatg	gatattgtgg	tttctggatc	tcatcctctg	tgggtggaca	660
gctttctcca	ccttgctgga	agtgcctgc	tgccagaag	tttgatggct	gaggagtata	720
ccatcgtgca	tgcatctttc	atttcttgca	tttcttctc	cctggatgga	cagggggagc	780
ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	gacgcttggg	840
agcaagaggt	gcaagtgggtg	ctgccactgc	ttccctgct	gcaggggagc	ggcaagagca	900
acgtggtcgc	ttggggagac	tacgatgaca	gcgccttcat	ggatcccagg	taccacgtcc	960
atggagaaga	tctggacaag	ctccacagag	ctgcctggtg	gggtaaagtc	cccagaaagg	1020
atctcatcgt	catgctcagg	gacacggatg	tgaacaagag	ggacaagcaa	aagaggactg	1080
ctctacatct	ggcctctgcc	aatgggaatt	cagaagtagt	aaaactcgtg	ctggacagac	1140
gatgtcaact	taatgtcctt	gacaacaaaa	agaggacagc	tctgacaaaag	gccgtacaat	1200
gccaggaaga	tgaatgtgcg	ttaatgttgc	tggaaacatg	cactgatcca	aatattccag	1260
atgagtatgg	aaataccact	ctacactatg	ctgtctacaa	tgaagataaa	ttaatggcca	1320
aagcactgct	cttatacggg	gctgatatac	aatcaaaaaa	caagcatggc	ctcacaccac	1380
tgctacttgg	tatacatgag	caaaaacagc	aagtggtgaa	atttttaatc	aagaaaaaag	1440
cgaattttaa	tgcgctggat	agatatggaa	gaactgctct	catacttgct	gtatgtttgtg	1500
gatcagcaag	tatagtcagc	cctctacttg	agcaaaatgt	tgatgtatct	tctcaagatc	1560
tggaaagacg	gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	1620
ttctgactac	aaagaaaaac	agatgttaaa	aatctcttct	gaaaacagca	atccagaaca	1680
agacttaaa	ctgacatcag	aggaagagtc	acaaaggctt	aaaggaagtg	aaaacagcca	1740
gccagaggca	tggaaacttt	taaattttaa	cttttgggtt	aatgtttttt	ttttttgcct	1800
taataatatt	agatagtcct	aaatgaaatw	acctatgaga	ctaggctttg	agaatcaata	1860
gattcttttt	ttaagaatct	tttggctagg	agcgggtgtc	cacgcctgta	attccagcac	1920
cttgagaggc	tgaggtgggc	agatcacgag	atcaggagat	cgagaccatc	ctggctaaca	1980
cgggtgaaacc	ccatctctac	taaaaatata	aaaacttagc	tgggtgtggt	ggcgggtgcc	2040
tgtagtccca	gctactcagg	argctgaggc	aggagaatgg	catgaacccg	ggaggtggag	2100
gttgcaagtga	gccgagatcc	gccactacac	tccagcctgg	gtgacagagc	aagactctgt	2160
ctcaaaaaaa	aaaaaaaaaa	aaaa				2184

<210> 371

<211> 1855

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1855)

<223> n = A,T,C or G

<400> 371

tgcacgcac	ggccagtgtc	tgtgccacgt	acactgacgc	cccctgagat	gtgcacgccg	60
cacgcgcac	ttgcacgcgc	ggcagcggct	tggctggctt	gtaacggctt	gcacgcgcac	120

gccgcccccg	cataaccgtc	agactggcct	gtaacggcct	gcaggcgcac	gccgcacgcg	180
cgtaacggct	tggctgcct	gtaacggcct	gcacgtgcat	gctgcacgcg	cgtaacggc	240
ttggctggca	tgtagccgct	tggcttggct	ttgcattytt	tgctkggctk	ggcgttgkty	300
tcttgattg	acgttctctc	cttggatkga	cgtttctctc	ttggatkga	gtttctyty	360
tcgcgttct	ttgctggact	tgacctttty	tctgctgggt	ttggcattcc	tttgggggtg	420
gctgggtgtt	ttctccgggg	gggkktgccc	ttctgggggt	ggcgtgggk	cgccccagg	480
gggcgtgggc	ttccccggg	tgggtgtggg	ttttctggg	gtgggtggg	ctgtgctggg	540
atccccctgc	tggggttggc	agggattgac	tttttcttc	aaacagattg	gaaaccogga	600
gtaacntgct	agttggtgaa	actggttgg	agacgcgac	tgctggtact	actgtttctc	660
ctggctgtta	aaagcagatg	gtggctgagg	ttgattcaat	gccggctgct	tcttctgtga	720
agaagccatt	tggctcagg	agcaagatgg	gcaagtggg	cgccactgct	tccctgctg	780
cagggggagc	ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	840
gacgcttggg	agcaagaggt	gcaagtggg	ctgcccactg	cttcccctgc	tgcaggggag	900
cggaagagc	aacgtggkcg	cttggggaga	ctacgatgac	agcgccttca	tggakccag	960
gtaccacgtc	crtggagaag	atctggacaa	gctccacaga	gctgcctggt	ggggtaaagt	1020
ccccagaaag	gatctcatcg	tcatgctcag	ggacactgay	gtgaacaaga	rggacaagca	1080
aaagaggact	gctctacatc	tggcctctgc	caatgggaat	tcagaagtag	taaaactcgt	1140
gctggacaga	cgatgtcaac	ttaatgtcct	tgacaacaaa	aagaggacag	ctctgacaaa	1200
ggcgtacaa	tgccaggaag	atgaatgtgc	gttaatgttg	ctggaacatg	gcaactgctc	1260
aaatattcca	gatgagtatg	gaaataccac	tctaca'ctat	gctgtctaca	atgaagataa	1320
attaatggcc	aaagcactgc	tcttatacgg	tgctgatatc	gaatcaaaaa	acaaggtata	1380
gatctactaa	ttttatcttc	aaaatactga	aatgcattca	ttttaacatt	gacgtgtgta	1440
agggccagtc	ttccgtattt	ggaagctcaa	gcataacttg	aatgaaaata	ttttgaaatg	1500
acctaattat	ctaagacttt	attttaata	ttgttatttt	caaagaagca	ttagagggtg	1560
cagttttttt	tttttaaatg	cacttctggt	aaatactttt	gttgaaaaca	ctgaatttgt	1620
aaaaggtaat	acttactatt	tttcaatttt	tccctoctag	gatttttttc	ccctaatagaa	1680
tgtaaagatg	caaaatttgc	cctgaaatag	gttttacatg	aaaactccaa	gaaaagttaa	1740
acatgtttca	gtgaatagag	atcctgctcc	tttggaagt	tcctaaaaaa	cagtaataga	1800
tacgaggtga	tgcgcctgtc	agtggcaagg	tttaagatat	ttctgatctc	gtgcc	1855

<210> 372
 <211> 1059
 <212> DNA
 <213> Homo sapien

<400> 372						
gcaacgtggg	cacttcttga	gaccacaacg	actcctctgt	gaagacgctt	gggagcaaga	60
ggtgcaagt	gtgctgccc	ctgcttcccc	tgctgcagg	gagcggcaag	agcaacgtgg	120
gcgcttgrgg	agactmcgat	gacagygcct	tcatggagcc	caggtaccac	gtccgtggag	180
aagatctgga	caagctccac	agagctgccc	tgggtgggta	aagtccccag	aaaggatctc	240
atcgtcatgc	tcagggacac	tgaygtgaac	aagarggaca	agcaaaagag	gactgctcta	300
catctggcct	ctgccaatgg	gaattcagaa	gtagtataaac	tcstgctgga	cagacgatgt	360
caacttaatg	tccttgacaa	caaaaagagg	acagctctga	yaaaggccgt	acaatgccag	420
gaagatgaat	gtgcgttaat	gttgctggaa	catggcactg	atccaaatat	tccagatgag	480
tatggaaata	ccactctrca	ctaygctrct	tayaatgaag	ataaattaat	ggccaaagca	540
ctgctcttat	aygggtgctga	tatcgaatca	aaaaacaagg	tatagatcta	ctaattttat	600
cttcaaaaata	ctgaaatgca	ttcatttttaa	cattgacgtg	tgtaaaggcc	agtcttccgt	660
atttggaagc	tcaagcataa	cttgaatgaa	aatatttttg	aatgacctaa	ttatctaaga	720
ctttattttta	aatattgtta	ttttcaaaaga	agcatttagag	ggtacagttt	ttttttttta	780
aatgcacttc	tggtaaatat	ttttgttgaa	aacactgaat	ttgtaaaagg	taatacttac	840
tatttttcaa	tttttccctc	ctaggattttt	tttcccctaa	tgaatgtaag	atggcaaaat	900
ttgccttgaa	ataggtttta	catgaaaact	ccaagaaaag	ttaaacaatgt	ttcagtgaat	960
agagatcctg	ctcctttggc	aagttcctaa	aaaacagtaa	tagatacgag	gtgatgcgcc	1020
tgtcagtggc	aaggttttaag	atattttctga	tctcgtgcc			1059

<210> 373
 <211> 1155
 <212> DNA
 <213> Homo sapien

<400> 373						
atgggtggtt	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttggtctc	60

aggagcaaga	tgggcaagt	gtgctgccgt	tgcttcccct	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcagg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaaaca	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	ggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccagggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtgggg	aaagtcacca	gaaaggatct	catcgctcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgctttaa	tgttgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtga	840
catgagcaaa	aacagcaagt	cgtgaaat	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tgacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaaa	tgtctcaaga	1140
accagaaata	ataaa					1155

<210> 374

<211> 2000

<212> DNA

<213> Homo sapien

<400> 374

atggtggttg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atltggtctc	60
aggagcaaga	tgggcaagt	gtgctgccgt	tgcttcccct	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcagg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaaaca	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	ggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccagggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtgggg	aaagtcacca	gaaaggatct	catcgctcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgctttaa	tgttgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtga	840
catgagcaaa	aacagcaagt	cgtgaaat	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tgacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtg	cactgctggc	1320
aatggtgata	atggattaat	tcccaaaagg	aagagcagaa	cacctgaaaa	tcagcaattt	1380
cctgacaacg	aaagtgaaga	gtatcacaga	atltgcaaat	tagtttctga	ctacaaagaa	1440
aaacagatgc	caaaatactc	ttctgaaaac	agcaaccag	aacaagactt	aaagctgaca	1500
tcagaggaag	agtcacaaag	gcttgagggc	agtgaaaatg	gccagccaga	gctagaaaat	1560
tttatggcta	tcgaagaaat	gaagaagcac	ggaagtactc	atgtcggatt	cccagaaaaac	1620
ctgactaatg	gtgccactgc	tggcaatggt	gatgatggat	taattcctcc	aaggaagagc	1680
agaacacctg	aaagccagca	atttctctgac	actgagaatg	aagagtatca	cagtgcagaa	1740
caaatgata	ctcagaagca	atlttgtaaa	gaacagaaca	ctggaatatt	acacgatgag	1800
attctgattc	atgaagaaaa	gcagatagaa	gtgggtgaaa	aatgaattc	tgagctttct	1860
cttagttgta	agaaagaaaa	agacatcttg	catgaaaata	gtacgttgcg	ggaagaaatt	1920
gccatgctaa	gactggagct	agacacaatg	aaacatcaga	gccagctaaa	aaaaaaaaaa	1980
aaaaaaaaaa	aaaaaaaaaa					2000

<210> 375

<211> 2040
 <212> DNA
 <213> Homo sapien

<400> 375
 atggtggttg aggttgattc catgccggct gcctcttctg tgaagaagcc atttggtctc 60
 aggagcaaga tgggcaagtg gtgctgccgt tgcttcccct gctgcaggga gagcggcaag 120
 agcaacgtgg gcacttcttg agaccacgac gactctgcta tgaagacact caggagcaag 180
 atgggcaagt ggtgccgcca ctgcttcccc tgctgcaggg ggagtggcaa gagcaacgtg 240
 ggcgcttctg gagaccacga cgactctgct atgaagacac tcaggaacaa gatgggcaag 300
 tgggtgctgcc actgcttccc ctgctgcagg gggagcggca agagcaaggt gggcgcttgg 360
 ggagactacg atgacagtgc cttcatggag ccaggtacc acgtccgtgg agaagatctg 420
 gacaagctcc acagagctgc ctggtggggt aaagtcccca gaaaggatct catcgctcatg 480
 ctgagggaca ctgacgtgaa caagaaggac aagcaaaaga ggactgctct acatctggcc 540
 tctgccaatg ggaattcaga agtagtaaaa ctctgctgg acagacgatg tcaacttaat 600
 gtcccttgaca acaaaaagag gacagctctg ataaaggccg tacaatgcca ggaagatgaa 660
 tgtgcgttaa tgttgcctga acatggcact gatccaaata ttccagatga gtatggaaa 720
 acctctctgc actacgctat ctataatgaa gataaattaa tggccaaagc actgctctta 780
 tatggtgctg atatcgaatc aaaaaacaag catggcctca caccactgtt acttggtgta 840
 catgagcaaaa aacagcaagt cgtgaaatct ttaatcaaga aaaaagcgaa tttaaatgca 900
 ctggatagat atggaaggac tgctctcata cttgctgtat gttgtggatc agcaagtata 960
 gtcagccttc tacttgagca aaatattgat gtatcttctc aagatctatc tggacagacg 1020
 gccagagagt atgctgtttc tagtcacat catgtaattt gccagttact ttctgactac 1080
 aaagaaaaac agatgctaaa aatctcttct gaaaacagca atccagaaca agacttaaaag 1140
 ctgacatcag aggaagagtc acaaagggtc aaaggcagtg aaaatagcca gccagagaaa 1200
 atgtctcaag aaccagaaat aaataaggat ggtgatagag aggttgaaag agaaatgaag 1260
 aagcatgaaa gtaataatgt gggattacta gaaaacctga ctaatggtgt cactgctggc 1320
 aatgggtgata atggattaat tcctcaaagg aagagcagaa cacctgaaaa tcagcaattt 1380
 cctgacaacg aaagtgaaga gtatcacaga atttgcgaat tagtttctga ctacaaagaa 1440
 aaacagatgc caaaatactc ttctgaaaac agcaacccag aacaagactt aaagctgaca 1500
 tcagaggaag agtcacaaaag gcttgagggc agtgaaaatg gccagccaga gaaaagatct 1560
 caagaaccag aaataaataa ggatggtgat agagagctag aaaattttat ggctatcgaa 1620
 gaaatgaaga agcacggaag tactcatgtc ggattcccag aaaacctgac taatgggtgcc 1680
 actgctggca atgggtgatga tggattiaatt cctccaagga agagcagaac acctgaaagc 1740
 cagcaatttc ctgacactga gaatgaagag tatcacagt acgaacaaaa tgatactcag 1800
 aagcaatttt gtgaagaaca gaacactgga atattacacg atgagattct gattcatgaa 1860
 gaaaagcaga tagaagtggg tgaaaaaatg aattctgagc tttctcttag ttgtaagaaa 1920
 gaaaagaca tcttgcataa aaatagtagc ttgcgggaag aaattgccat gctaagactg 1980
 gagctagaca caatgaaaca tcagagccag ctaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040

<210> 376
 <211> 329
 <212> PRT
 <213> Homo sapien

<400> 376
 Met Asp Ile Val Val Ser Gly Ser His Pro Leu Trp Val Asp Ser Phe
 1 5 10 15
 Leu His Leu Ala Gly Ser Asp Leu Leu Ser Arg Ser Leu Met Ala Glu
 20 25 30
 Glu Tyr Thr Ile Val His Ala Ser Phe Ile Ser Cys Ile Ser Ser Ser
 35 40 45
 Leu Asp Gly Gln Gly Glu Arg Gln Glu Gln Arg Gly His Phe Trp Arg
 50 55 60
 Pro Gln Arg Leu Leu Cys Glu Asp Ala Trp Glu Gln Glu Val Gln Val
 65 70 75 80
 Val Leu Pro Leu Leu Pro Leu Leu Gln Gly Ser Gly Lys Ser Asn Val
 85 90 95
 Val Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr
 100 105 110
 His Val His Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp
 115 120 125

116

Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp
 130 135 140
 Val Asn Lys Arg Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser
 145 150 155 160
 Ala Asn Gly Asn Ser Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys
 165 170 175
 Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala
 180 185 190
 Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly
 195 200 205
 Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr
 210 215 220
 Ala Val Tyr Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr
 225 230 235 240
 Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu
 245 250 255
 Leu Gly Ile His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys
 260 265 270
 Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu
 275 280 285
 Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu
 290 295 300
 Glu Gln Asn Val Asp Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu
 305 310 315 320
 Ser Met Leu Phe Leu Val Ile Ile Met
 325

<210> 377
 <211> 148
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)...(148)
 <223> Xaa = Any Amino Acid

<400> 377
 Met Thr Xaa Pro Ser Trp Ser Pro Gly Thr Thr Ser Val Glu Lys Ile
 1 5 10 15
 Trp Thr Ser Ser Thr Glu Leu Pro Trp Trp Gly Lys Val Pro Arg Lys
 20 25 30
 Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Xaa Asp Lys
 35 40 45
 Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu
 50 55 60
 Val Val Lys Leu Xaa Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp
 65 70 75 80
 Asn Lys Lys Arg Thr Ala Leu Xaa Lys Ala Val Gln Cys Gln Glu Asp
 85 90 95
 Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro
 100 105 110
 Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Xaa Tyr Asn Glu Asp
 115 120 125
 Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser
 130 135 140
 Lys Asn Lys Val
 145

<210> 378
 <211> 1719
 <212> PRT

<213> Homo sapien

<400> 378

```

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1          5          10          15
Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20          25          30
Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35          40          45
His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50          55          60
Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65          70          75          80
Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85          90          95
Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
100          105          110
Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
115          120          125
Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
130          135          140
Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
145          150          155          160
Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
165          170          175
Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
180          185          190
Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
195          200          205
Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
210          215          220
Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
225          230          235          240
Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
245          250          255
Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
260          265          270
Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
275          280          285
Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
290          295          300
Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
305          310          315          320
Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
325          330          335
Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
340          345          350
Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
355          360          365
Ser Ser Glu Asn Ser Asn Pro Glu Asn Val Ser Arg Thr Arg Asn Lys
370          375          380
Pro Arg Thr His Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser
385          390          395          400
Ser Val Lys Lys Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys
405          410          415
Cys Arg Cys Phe Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly
420          425          430
Thr Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys
435          440          445
Met Gly Lys Trp Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly
450          455          460
Lys Ser Asn Val Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys

```

465					470					475				480
Thr	Leu	Arg	Asn	Lys	Met	Gly	Lys	Trp	Cys	Cys	His	Cys	Phe	Pro Cys
				485					490					495
Cys	Arg	Gly	Ser	Gly	Lys	Ser	Lys	Val	Gly	Ala	Trp	Gly	Asp	Tyr Asp
			500					505					510	
Asp	Ser	Ala	Phe	Met	Glu	Pro	Arg	Tyr	His	Val	Arg	Gly	Glu	Asp Leu
		515					520					525		
Asp	Lys	Leu	His	Arg	Ala	Ala	Trp	Trp	Gly	Lys	Val	Pro	Arg	Lys Asp
	530					535					540			
Leu	Ile	Val	Met	Leu	Arg	Asp	Thr	Asp	Val	Asn	Lys	Lys	Asp	Lys Gln
545					550				555					560
Lys	Arg	Thr	Ala	Leu	His	Leu	Ala	Ser	Ala	Asn	Gly	Asn	Ser	Glu Val
			565						570					575
Val	Lys	Leu	Leu	Leu	Asp	Arg	Arg	Cys	Gln	Leu	Asn	Val	Leu	Asp Asn
			580					585					590	
Lys	Lys	Arg	Thr	Ala	Leu	Ile	Lys	Ala	Val	Gln	Cys	Gln	Glu	Asp Glu
		595					600					605		
Cys	Ala	Leu	Met	Leu	Leu	Glu	His	Gly	Thr	Asp	Pro	Asn	Ile	Pro Asp
	610					615					620			
Glu	Tyr	Gly	Asn	Thr	Thr	Leu	His	Tyr	Ala	Ile	Tyr	Asn	Glu	Asp Lys
625					630				635					640
Leu	Met	Ala	Lys	Ala	Leu	Leu	Leu	Tyr	Gly	Ala	Asp	Ile	Glu	Ser Lys
				645					650					655
Asn	Lys	His	Gly	Leu	Thr	Pro	Leu	Leu	Leu	Gly	Val	His	Glu	Gln Lys
			660					665					670	
Gln	Gln	Val	Val	Lys	Phe	Leu	Ile	Lys	Lys	Lys	Ala	Asn	Leu	Asn Ala
		675					680					685		
Leu	Asp	Arg	Tyr	Gly	Arg	Thr	Ala	Leu	Ile	Leu	Ala	Val	Cys	Cys Gly
	690					695					700			
Ser	Ala	Ser	Ile	Val	Ser	Leu	Leu	Leu	Glu	Gln	Asn	Ile	Asp	Val Ser
705					710				715					720
Ser	Gln	Asp	Leu	Ser	Gly	Gln	Thr	Ala	Arg	Glu	Tyr	Ala	Val	Ser Ser
			725						730					735
His	His	His	Val	Ile	Cys	Gln	Leu	Leu	Ser	Asp	Tyr	Lys	Glu	Lys Gln
			740					745					750	
Met	Leu	Lys	Ile	Ser	Ser	Glu	Asn	Ser	Asn	Pro	Glu	Gln	Asp	Leu Lys
		755					760					765		
Leu	Thr	Ser	Glu	Glu	Glu	Ser	Gln	Arg	Phe	Lys	Gly	Ser	Glu	Asn Ser
	770					775					780			
Gln	Pro	Glu	Lys	Met	Ser	Gln	Glu	Pro	Glu	Ile	Asn	Lys	Asp	Gly Asp
785					790				795					800
Arg	Glu	Val	Glu	Glu	Glu	Met	Lys	Lys	His	Glu	Ser	Asn	Asn	Val Gly
			805						810					815
Leu	Leu	Glu	Asn	Leu	Thr	Asn	Gly	Val	Thr	Ala	Gly	Asn	Gly	Asp Asn
			820					825					830	
Gly	Leu	Ile	Pro	Gln	Arg	Lys	Ser	Arg	Thr	Pro	Glu	Asn	Gln	Gln Phe
	835						840					845		
Pro	Asp	Asn	Glu	Ser	Glu	Glu	Tyr	His	Arg	Ile	Cys	Glu	Leu	Val Ser
	850					855					860			
Asp	Tyr	Lys	Glu	Lys	Gln	Met	Pro	Lys	Tyr	Ser	Ser	Glu	Asn	Ser Asn
865					870				875					880
Pro	Glu	Gln	Asp	Leu	Lys	Leu	Thr	Ser	Glu	Glu	Glu	Ser	Gln	Arg Leu
			885						890					895
Glu	Gly	Ser	Glu	Asn	Gly	Gln	Pro	Glu	Leu	Glu	Asn	Phe	Met	Ala Ile
			900					905					910	
Glu	Glu	Met	Lys	Lys	His	Gly	Ser	Thr	His	Val	Gly	Phe	Pro	Glu Asn
	915						920					925		
Leu	Thr	Asn	Gly	Ala	Thr	Ala	Gly	Asn	Gly	Asp	Asp	Gly	Leu	Ile Pro
	930					935					940			
Pro	Arg	Lys	Ser	Arg	Thr	Pro	Glu	Ser	Gln	Gln	Phe	Pro	Asp	Thr Glu
945					950				955					960
Asn	Glu	Glu	Tyr	His	Ser	Asp	Glu	Gln	Asn	Asp	Thr	Gln	Lys	Gln Phe

				965					970					975	
Cys	Glu	Glu	Gln	Asn	Thr	Gly	Ile	Leu	His	Asp	Glu	Ile	Leu	Ile	His
			980					985					990		
Glu	Glu	Lys	Gln	Ile	Glu	Val	Val	Glu	Lys	Met	Asn	Ser	Glu	Leu	Ser
		995					1000					1005			
Leu	Ser	Cys	Lys	Lys	Glu	Lys	Asp	Ile	Leu	His	Glu	Asn	Ser	Thr	Leu
	1010					1015					1020				
Arg	Glu	Glu	Ile	Ala	Met	Leu	Arg	Leu	Glu	Leu	Asp	Thr	Met	Lys	His
1025				1030						1035					104
Gln	Ser	Gln	Leu	Pro	Arg	Thr	His	Met	Val	Val	Glu	Val	Asp	Ser	Met
			1045						1050					1055	
Pro	Ala	Ala	Ser	Ser	Val	Lys	Lys	Pro	Phe	Gly	Leu	Arg	Ser	Lys	Met
		1060						1065					1070		
Gly	Lys	Trp	Cys	Cys	Arg	Cys	Phe	Pro	Cys	Cys	Arg	Glu	Ser	Gly	Lys
	1075						1080					1085			
Ser	Asn	Val	Gly	Thr	Ser	Gly	Asp	His	Asp	Asp	Ser	Ala	Met	Lys	Thr
	1090					1095					1100				
Leu	Arg	Ser	Lys	Met	Gly	Lys	Trp	Cys	Arg	His	Cys	Phe	Pro	Cys	Cys
1105					1110					1115					112
Arg	Gly	Ser	Gly	Lys	Ser	Asn	Val	Gly	Ala	Ser	Gly	Asp	His	Asp	Asp
			1125						1130					1135	
Ser	Ala	Met	Lys	Thr	Leu	Arg	Asn	Lys	Met	Gly	Lys	Trp	Cys	Cys	His
		1140						1145					1150		
Cys	Phe	Pro	Cys	Cys	Arg	Gly	Ser	Gly	Lys	Ser	Lys	Val	Gly	Ala	Trp
	1155						1160					1165			
Gly	Asp	Tyr	Asp	Asp	Ser	Ala	Phe	Met	Glu	Pro	Arg	Tyr	His	Val	Arg
	1170					1175					1180				
Gly	Glu	Asp	Leu	Asp	Lys	Leu	His	Arg	Ala	Ala	Trp	Trp	Gly	Lys	Val
1185					1190					1195					120
Pro	Arg	Lys	Asp	Leu	Ile	Val	Met	Leu	Arg	Asp	Thr	Asp	Val	Asn	Lys
			1205						1210					1215	
Lys	Asp	Lys	Gln	Lys	Arg	Thr	Ala	Leu	His	Leu	Ala	Ser	Ala	Asn	Gly
		1220						1225					1230		
Asn	Ser	Glu	Val	Val	Lys	Leu	Leu	Leu	Asp	Arg	Arg	Cys	Gln	Leu	Asn
	1235						1240					1245			
Val	Leu	Asp	Asn	Lys	Lys	Arg	Thr	Ala	Leu	Ile	Lys	Ala	Val	Gln	Cys
	1250					1255					1260				
Gln	Glu	Asp	Glu	Cys	Ala	Leu	Met	Leu	Leu	Glu	His	Gly	Thr	Asp	Pro
1265					1270					1275					128
Asn	Ile	Pro	Asp	Glu	Tyr	Gly	Asn	Thr	Thr	Leu	His	Tyr	Ala	Ile	Tyr
			1285						1290					1295	
Asn	Glu	Asp	Lys	Leu	Met	Ala	Lys	Ala	Leu	Leu	Leu	Tyr	Gly	Ala	Asp
		1300					1305						1310		
Ile	Glu	Ser	Lys	Asn	Lys	His	Gly	Leu	Thr	Pro	Leu	Leu	Leu	Gly	Val
	1315						1320					1325			
His	Glu	Gln	Lys	Gln	Gln	Val	Val	Lys	Phe	Leu	Ile	Lys	Lys	Lys	Ala
	1330					1335					1340				
Asn	Leu	Asn	Ala	Leu	Asp	Arg	Tyr	Gly	Arg	Thr	Ala	Leu	Ile	Leu	Ala
1345					1350					1355					136
Val	Cys	Cys	Gly	Ser	Ala	Ser	Ile	Val	Ser	Leu	Leu	Leu	Glu	Gln	Asn
			1365						1370					1375	
Ile	Asp	Val	Ser	Ser	Gln	Asp	Leu	Ser	Gly	Gln	Thr	Ala	Arg	Glu	Tyr
		1380					1385						1390		
Ala	Val	Ser	Ser	His	His	His	Val	Ile	Cys	Gln	Leu	Leu	Ser	Asp	Tyr
	1395						1400					1405			
Lys	Glu	Lys	Gln	Met	Leu	Lys	Ile	Ser	Ser	Glu	Asn	Ser	Asn	Pro	Glu
	1410					1415					1420				
Gln	Asp	Leu	Lys	Leu	Thr	Ser	Glu	Glu	Glu	Ser	Gln	Arg	Phe	Lys	Gly
1425					1430					1435					144
Ser	Glu	Asn	Ser	Gln	Pro	Glu	Lys	Met	Ser	Gln	Glu	Pro	Glu	Ile	Asn
			1445						1450					1455	
Lys	Asp	Gly	Asp	Arg	Glu	Val	Glu	Glu	Glu	Met	Lys	Lys	His	Glu	Ser

120

1460 1465 1470
 Asn Asn Val Gly Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly
 1475 1480 1485
 Asn Gly Asp Asn Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu
 1490 1495 1500
 Asn Gln Gln Phe Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys
 1505 1510 1515 152
 Glu Leu Val Ser Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser
 1525 1530 1535
 Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu
 1540 1545 1550
 Ser Gln Arg Leu Glu Gly Ser Glu Asn Gly Gln Pro Glu Lys Arg Ser
 1555 1560 1565
 Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Leu Glu Asn Phe
 1570 1575 1580
 Met Ala Ile Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe
 1585 1590 1595 160
 Pro Glu Asn Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly
 1605 1610 1615
 Leu Ile Pro Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro
 1620 1625 1630
 Asp Thr Glu Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln
 1635 1640 1645
 Lys Gln Phe Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile
 1650 1655 1660
 Leu Ile His Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser
 1665 1670 1675 168
 Glu Leu Ser Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn
 1685 1690 1695
 Ser Thr Leu Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr
 1700 1705 1710
 Met Lys His Gln Ser Gln Leu
 1715

<210> 379
 <211> 656
 <212> PRT
 <213> Homo sapien

<400> 379
 Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
 165 170 175

121

Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
 340 345 350
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
 355 360 365
 Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
 370 375 380
 Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
 385 390 395 400
 Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
 405 410 415
 Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
 420 425 430
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
 435 440 445
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
 450 455 460
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
 465 470 475 480
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
 485 490 495
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu
 500 505 510
 Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys
 515 520 525
 Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly
 530 535 540
 Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser
 545 550 555 560
 Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr
 565 570 575
 His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln
 580 585 590
 Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln
 595 600 605
 Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys
 610 615 620
 Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile
 625 630 635 640
 Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu
 645 650 655

<210> 380

122

<211> 671
 <212> PRT
 <213> Homo sapien

<400> 380

```

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1          5          10          15
Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
      20          25          30
Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
      35          40          45
His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
      50          55          60
Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
      65          70          75          80
Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
      85          90          95
Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
      100          105          110
Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
      115          120          125
Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
      130          135          140
Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
      145          150          155          160
Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
      165          170          175
Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
      180          185          190
Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
      195          200          205
Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
      210          215          220
Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
      225          230          235          240
Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
      245          250          255
Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
      260          265          270
Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
      275          280          285
Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
      290          295          300
Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
      305          310          315          320
Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
      325          330          335
Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
      340          345          350
Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
      355          360          365
Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
      370          375          380
Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
      385          390          395          400
Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
      405          410          415
Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
      420          425          430
Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
      435          440          445
Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu

```

450		455		460
Ser Glu Glu Tyr His Arg	Ile Cys Glu Leu Val	Ser Asp Tyr Lys Glu		
465	470	475	480	
Lys Gln Met Pro Lys Tyr Ser Ser	Glu Asn Ser Asn Pro Glu Gln Asp			
	485	490	495	
Leu Lys Leu Thr Ser Glu Glu Glu	Ser Gln Arg Leu Glu Gly Ser Glu			
	500	505	510	
Asn Gly Gln Pro Glu Lys Arg Ser	Gln Glu Pro Glu Ile Asn Lys Asp			
	515	520	525	
Gly Asp Arg Glu Leu Glu Asn Phe Met Ala Ile	Glu Glu Met Lys Lys			
	530	535	540	
His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly Ala				
545	550	555	560	
Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser Arg				
	565	570	575	
Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr His				
	580	585	590	
Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln Asn				
	595	600	605	
Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln Ile				
	610	615	620	
Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys Lys				
625	630	635	640	
Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile Ala				
	645	650	655	
Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu				
	660	665	670	

<210> 381
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 381
 ggagaagcgt ctgctggggc aggaaggggt ttccctgccc tctcacctgt ccctcaccaa 60
 ggtaacatgc ttcccctaag ggtatcccaa cccaggggcc tcaccatgac ctctgagggg 120
 ccaatatccc aggagaagca ttggggaggt gggggcaggt gaaggacca ggactcacac 180
 atcctgggcc tccaaggcag aggagagggt cctcaagaag gtcaggagga aaatccgtaa 240
 caagcagtca g 251

<210> 382
 <211> 3279
 <212> DNA
 <213> Homo sapiens

<400> 382
 ctctctgcag ccccatgct ggtgaggggc acgggcagga acagtggacc caacatggaa 60
 atgctggagg gtgtcaggaa gtgatcgggc tctggggcag ggaggagggg tggggagtgt 120
 cactgggagg ggacatcctg cagaaggtag gagtgcagaa acaccgctg caggggaggg 180
 gagagccctg cggcacctgg gggagcagag ggagcagcac ctgcccaggc ctgggaggag 240
 gggcctggag ggcgtgagga ggagcgaggg ggctgcatgg ctggagttag ggatcagggg 300
 cagggcgcgga gatggcctca cacagggaag agaggggccc tctgcaggg cctcacctgg 360
 gccacaggag gacactgctt ttctctctag gagtgcaggag ctgtggatgg tgctggacag 420
 aagaaggaca gggcctggct caggtgtcca gaggctgtcg ctggcttccc tttgggatca 480
 gactgcaggg agggagggcg gcagggttgt ggggggagtg acgatgagga tgacctgggg 540
 gtggctccag gccttgcccc tgcttgggcc ctcaccagc ctccctcaca gtctcctggc 600
 cctcagttct tcccctccac tccatcctcc atctggcctc agtgggtcat tctgatcact 660
 gaactgacca taccagccc tgcccacggc cctccatggc tcccgaatgc cctggagagg 720
 ggacatctag tcagagagta gtcctgaaga ggtggcctct gcgatgtgcc tgtgggggca 780
 gcacatctga gatggtcccg gccctcatcc tgctgacctg tctgcaggga ctgtcctcct 840
 ggaccttgcc ccttgctgag gagctggacc ctgaagtccc ctcccatag gccaaagactg 900
 gaggctgtgt ccctctgttg gactccctgc ccatattctt gtgggagtgg gttctggaga 960

```

catttctgtc tgttcttgag agctgggaat tgcctcagc catctgcctg cgcggttctg 1020
agagatggag ttgcttaggc agttattggg gccaatcttt ctactgtgt ctctcctcct 1080
ttacccttag ggtgattctg ggggtccact tgcctgtaat ggtgtgcttc aaggtatcac 1140
atcatggggc cctgagccat gtgccttgcc tgaaaagcct gctgtgtaca ccaaggtggt 1200
gcattaccgg aagtggatca aggacaccat cgcagccaac ccctgagtgc ccctgtccca 1260
cccctacctc tagtaaattt aagtccacct cactgtctgg catcacttgg cctttctgga 1320
tgctggacac ctgaagcttg gaactcacct ggccgaagct cgagcctcct gactcctact 1380
gacctgtgct ttctggtgtg gactccaggg ctgctaggaa aaggaatggg cagacacagg 1440
tgtatgccaa tgtttctgaa atgggtataa tttcgtcttc tccttcggaa cactggctgt 1500
ctctgaagac ttctcgctca gtttcagtga ggacacacac aaagacgtgg gtgaccatgt 1560
tgtttgtggg gtgcagagat gggaggggtg gggcccaccc tggaagagtg gacagtga 1620
caaggtggac actctctaca gatcactgag gataagctgg agccacaatg catgaggcac 1680
acacacagca aggttgacgc tgtaaacata gccacgctg tcctgggggc actgggaagc 1740
ctagataagg ccgtgagcag aaagaagggg aggatcctcc tatgtgttg aaggagggac 1800
tagggggaga aactgaaagc tgattaatta caggaggttt gttcaggtcc cccaaaccac 1860
cgtcagattt gatgatttcc tagcaggact tacagaaata aagagctatc atgctgtggt 1920
ttattatggt ttgttacatt gataggatag atactgaaat cagcaaaaaa aacagatgta 1980
tagattagag tgtggagaaa acagaggaaa acttgcagtt acgaagactg gcaacttggc 2040
tttactaagt tttcagactg gcagggaagc aaacctatta ggctgaggac cttgtggagt 2100
gtagctgata cagctgatag aggaactagc caggtggggg cctttccctt tggatggggg 2160
gcatatccga cagttattct ctccaagtgg agacttacgg acagcatata attctccctg 2220
caaggatgta tgataatatg tacaagtaa ttccaactga ggaagctcac ctgacctcta 2280
gtgtccaggg tttttactgg gggctctgtg gacagtatg gactacttga ataattgacc 2340
tgaagtcttc agacctgagg ttccctagag ttcaaacaga tacagcatgg tccagagtcc 2400
cagatgtaca aaaacaggga ttcatcaca atcccatctt tagcatgaag ggtctggcat 2460
ggcccaaggc cccaagtata tcaaggcact tgggcagAAC atgccaagga atcaaatgtc 2520
atctcccagg agttattcaa gggtagagccc tttacttggg atgtacaggc tttgagcagt 2580
gcagggtctg tgagtcaacc ttttattgta cagggatga gggaaaggga gaggatgagg 2640
aagccccctt ggggatttgg tttggtcttg tgatcaggtg gtctatgggg ctatccctac 2700
aaagaagaat ccagaaatag gggcacattg aggaatgata ctgagcccaa agagcattca 2760
atcattgttt tatttgcctt cttttcacac cattggtgag ggagggatta ccaccctggg 2820
gttatgaaga tggttgaaca ccccacacat agcaccggag atatgagatc aacagtttct 2880
tagccataga gattcacagc ccagagcagg aggaagctgc acaccatgca ggatgacatg 2940
ggggatcgcc tcgggattgg tgtgaagaag caaggactgt tagaggcagg ctttatagta 3000
acaagacggt ggggcaaaact ctgatttccg tgggggaatg tcatgggtctt gctttactaa 3060
gttttgagac tggcaggtag tgaactcat taggctgaga accttgtgga atgcagctga 3120
cccagctgat agaggaagta gccaggtggg agcctttccc agtgggtgtg ggacatatct 3180
ggcaagattt tgtggcactc ctggttacag atactggggc agcaataaaa actgaatctt 3240
gttttcagac cttaaaaaaa aaaaaaaaaa aaaagtttt 3279

```

<210> 383

<211> 155

<212> PRT

<213> Homo sapiens

<400> 383

```

Met Ala Gly Val Arg Asp Glu Gly Gln Gly Ala Arg Trp Pro His Thr
          5              10              15

```

```

Gly Lys Arg Gly Pro Leu Leu Gln Gly Leu Thr Trp Ala Thr Gly Gly
          20              25              30

```

```

His Cys Phe Ser Ser Glu Glu Ser Gly Ala Val Asp Gly Ala Gly Gln
          35              40              45

```

```

Lys Lys Asp Arg Ala Trp Leu Arg Cys Pro Glu Ala Val Ala Gly Phe
          50              55              60

```

```

Pro Leu Gly Ser Asp Cys Arg Glu Gly Gly Arg Gln Gly Cys Gly Gly
          65              70              75              80

```

```

Ser Asp Asp Glu Asp Asp Leu Gly Val Ala Pro Gly Leu Ala Pro Ala

```

125

	85		90		95										
Trp	Ala	Leu	Thr	Gln	Pro	Pro	Ser	Gln	Ser	Pro	Gly	Pro	Gln	Ser	Leu
		100						105					110		
Pro	Ser	Thr	Pro	Ser	Ser	Ile	Trp	Pro	Gln	Trp	Val	Ile	Leu	Ile	Thr
		115					120					125			
Glu	Leu	Thr	Ile	Pro	Ser	Pro	Ala	His	Gly	Pro	Pro	Trp	Leu	Pro	Asn
		130					135					140			
Ala	Leu	Glu	Arg	Gly	His	Leu	Val	Arg	Glu						
	145					150									

<210> 384
 <211> 557
 <212> DNA
 <213> Homo sapiens

<400> 384
 ggatcctcta gagcgccgc ctactactac taaattcgcg gccgcgtcga cgaagaagag 60
 aaagatgtgt ttgttttgg actctctgtg gtcccttcca atgctgtggg tttccaacca 120
 ggggaagggt cctttttgca ttgccaagtg ccataaccat gagcactact ctacatgggt 180
 tctgcctcct ggccaagcag gctggtttgc aagaatgaaa tgaatgattc tacagctagg 240
 acttaacctt gaaatggaaa gtcttgcaat cccatttgca ggatccgtct gtgcacatgc 300
 ctctgtagag agcagcattc ccagggacct tggaaacagt tggcactgta aggtgcttgc 360
 tccccaaagac acatcctaaa aggtgttgta atggtgaaaa cgtcttctt ctttattgcc 420
 ccttcttatt tatgtgaaca actgtttgtc tttttttgta tcttttttaa actgtaaagt 480
 tcaattgtga aaatgaatat catgcaaata aattatgcga tttttttttc aaagtataaa 540
 aaaaaaaaaa aaaaaaa 557

<210> 385
 <211> 337
 <212> DNA
 <213> Homo sapiens

<400> 385
 ttcccagggt atgtgcgagg gaagacacat ttactatcct tgatggggct gattccttta 60
 gtttctctag cagcagatgg gttaggagga agtgacccaa gtggttgact cctatgtgca 120
 tctcaaagcc atctgctgtc ttcgagtacg gacacatcat cactcctgca ttgttgatca 180
 aaacgtggag gtgcttttcc tcagctaaga agcccttagc aaaagctcga atagacttag 240
 tatcagacag gtccagtttc cgcaccaaca cctgctggtt ccctgtcgtg gtctggatct 300
 ctttgccac caattccccc ttttccacat cccggca 337

<210> 386
 <211> 300
 <212> DNA
 <213> Homo sapiens

<400> 386
 gggcccgtcta ccggcccagg ccccgccctcg cgagtcctcc tccccgggtg cctgcccgcga 60
 gcccgctcgg cccagagggt gggcgcgggg ctgcctctac cggtggcggt ctgtaactca 120
 gcgaccttgg ccggaaggct ctagcaagga cccaccgacc ccagccggtg cggcgcggtc 180
 gcggactttg cccggtgtgt gggcgggagc ggactgcgtg tccgcggtg ggcagcgaag 240
 atgttagcct tcgctgccag gaccgtggac cgatccagg gctgtggtgt aacctcagcc 300

<210> 387
 <211> 537
 <212> DNA
 <213> Homo sapiens

126

<400> 387
 gggccgagtc gggcaccaag ggactctttg caggcttcct tcctcggatc atcaaggctg 60
 cccctcctg tgccatcatg atcagcacct atgagttcgg caaaagcttc ttccagaggc 120
 tgaaccagga cgggcttctg ggcggtgaa aggggcaagg aggcaaggac cccgtctctc 180
 ccacggatgg ggagagggca ggaggagacc cagccaagtg ccttttcctc agcactgagg 240
 gagggggctt gtttcccttc cctcccggcg acaagctcca gggcagggct gtccctctgg 300
 gcggcccagc acttcctcag acacaacttc ttctgtctgc tccagtcgtg gggatcatca 360
 cttaccacc ccccaagttc aagaccaaatt cttccagctg ccccttcgt gtttccctgt 420
 gtttctgtga gctgggcatg tctccaggaa ccaagaagcc ctcagcctgg tgtagtctcc 480
 ctgacccttg ttaattcctt aagtctaaag atgatgaact tcaaaaaaaaa aaaaaaa 537

<210> 388
 <211> 520
 <212> DNA
 <213> Homo sapiens

<400> 388
 aggataatth ttaaaccaat caaatgaaaa aaacaaacaa acaaaaaagg aaatgtcatg 60
 tgaggttaaa ccagtttgca ttcccctaatt gtggaaaaag taaggaggact actcagcact 120
 gtttgaagat tgcctcttct acagcttctg agaatttgtt tatttcaactt gccaaagtga 180
 ggacccctc cccaacatgc cccagccac ccctaagcat ggtcccttgt caccaggcaa 240
 ccaggaaact gctacttgtg gacctcacca gagaccagga gggtttggtt agctcacagg 300
 acttcccca cccagaaga ttagcatccc atactagact catactcaac tcaactaggc 360
 tcatactcaa ttgatggtta ttagacaatt ccatttcttt ctggttatta taaacagaaa 420
 atctttcctc ttctcattac cagtaaaggc tcttggtatc tttctgttgg aatgatttct 480
 atgaacttgt cttattttaa tgggtgggtt ttttctggt 520

<210> 389
 <211> 365
 <212> DNA
 <213> Homo sapiens

<400> 389
 cggtgcccc gtttgacaga aggaaaggcg gagcttattc aaagtctaga gggagtggag 60
 gagttaaggc tggatttcag atctgcctgg ttccagccgc agtgtgccct ctgctcccc 120
 aacgactttc caaataatct caccagcgcc ttccagctca ggcgtcctag aagcgtcttg 180
 aagcctatgg ccagctgtct ttgtgttccc tctcaccgc ctgtcctcac agctgagact 240
 cccaggaaac cttcagacta ccttctctg ccttcagcaa gggcggttgc ccacattctc 300
 tgagggtcag tggaagaacc tagactocca ttgctagagg tagaaagggg aagggtgctg 360
 gggag 365

<210> 390
 <211> 221
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(221)
 <223> n = A,T,C or G

<400> 390
 tgctctcca tcctggcccc gacttctctg tcaggaaagt ggggatggac cccatctgca 60
 tacacgntt ctcattgggtg tggaacatct ctgcttgcg tttcaggaag gcctctggct 120
 gctctangag tctgancnga ntcgttgccc cantntgaca naaggaaaagg cggagcttat 180
 tcaagtcta gagggagtgg agggagttaag gctggatttc a 221

<210> 391
 <211> 325
 <212> DNA
 <213> Homo sapiens

127

<220>
 <221> misc_feature
 <222> (1)...(325)
 <223> n = A,T,C or G

<400> 391
 tggagcaggt cccgaggcct ccctagagcc tggggccgac tctgtgncga tgcangcttt 60
 ctctcgcgcc cagcctggag ctgctcctgg catctaccaa caatcagncg aggcgagcag 120
 tagccagggc actgctgccca acagccagtc cnnataccat catgtnaccc ggtgngctct 180
 naanttngat ntccanagcc ctacccatcn tagttctgct ctcccaccgg ntaccagccc 240
 cactgcccag gaatcctaca gccagtaccc tgtcccgaag tctctaccta ccagtacgat 300
 gagacctccg gctactacta tgacc 325

<210> 392
 <211> 277
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(277)
 <223> n = A,T,C or G

<400> 392
 atattgttta actccttctt ttatatcttt taacattttc atggngaaag gttcacatct 60
 agtctcactt nggcnagn gn ctctacttg agtctcttcc cggcctggn ccagtngnaa 120
 antaccanga accgncatgn cttanaaact ncttggtttn tgggttnntc aatgactgca 180
 tgagtgccac caccctgtcc actacgtgat gctgtaggat taaagtctca cagtgggcgg 240
 ctgaggatac agcgcgcgct cctgtgttgc tggggaa 277

<210> 393
 <211> 566
 <212> DNA
 <213> Homo sapiens

<400> 393
 actagtccag tgtggtggaa ttgcgggccg cgtcgacgga caggtcagct gtctggctca 60
 gtgatctaca ttctgaagtt gtctgaaaat gtcttcatga tttaaattcag cctaaacggt 120
 ttgcccggaa cactgcagag acaatgctgt gagtttccaa ccttagocca tctgcgggca 180
 gagaaggtct agtttgctca tcagcattat catgatata ggactgggta cttgggttaag 240
 gaggggtcta ggagatctgt cctttttaga gacaccttac ttataatgaa gtatttggga 300
 ggggtggttt caaaagtaga aatgtcctgt attccgatga tcatcctgta aacattttat 360
 catttattaa tcatccctgc ctgtgtctat tattatattc atatctctac gctggaaact 420
 ttctgcctca atgtttactg tgcctttggt tttgctagtt tgtgttggtg aaaaaaaaaa 480
 cattctctgc ctgagtttta atttttgtcc aaagttattt taatctatac aattaaaagc 540
 ttttgcttat caaaaaaaaa aaaaaa 566

<210> 394
 <211> 384
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(384)
 <223> n = A,T,C or G

<400> 394
 gaacatacat gtcccggcac ctgagctgca gtctgacatc atcgccatca cgggcctcgc 60
 tgcaaattng gaccggggcca aggcctggact gctggagcgt gtgaaggagc tacaggccna 120
 gcaggaggac cgggctttta ggagttttta gctgagtgct actgtagacc ccaaatacca 180
 tccaagatt atcggggagaa agggggcagt aattacccaa atccgggttg agcatgacgt 240

gaacatccag tttcctgata aggacgatgg gaaccagccc caggaccaa ttaccatcac 300
agggtacgaa aagaacacag aagctgccag ggatgctata ctgagaattg.tgggtgaact 360
tgagcagatg gtttctgagg acgt 384

<210> 395

<211> 399

<212> DNA

<213> Homo sapiens

<400> 395

ggcaaaactg tgtgacctca ataagacctc gcagatccaa ggtcaagtat cagaagtgc 60
tctgaccttg gactccaaga cctacatcaa cagcctggct atattagatg atgagccagt 120
tatcagaggt ttcacatttg cggaaattgt ggagtctaag gaaatcatgg cctctgaagt 180
attcacgtct ttcacgtacc ctgagttctc tatagagttg cctaacacag gcagaattgg 240
ccagctactt gtctgcaatt gtatcttcaa gaataccctg gccatccctt tgactgacgt 300
caagttctct ttggaaagcc tgggcatctc ctactacag acctctgacc atgggacggt 360
gcagcctggt gagaccatcc aatcccaaat aaaatgcac 399

<210> 396

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(403)

<223> n = A,T,C or G

<400> 396

tggagtntc agtgcaaaca agccataaag cttcagtagc aaattactgt ctacagaaa 60
gacattttca acttctgctc cagctgctga taaaacaaat catgtgttta gcttgactcc 120
agacaaggac aacctgttcc ttcataactc tctagagaaa aaaaggagtt gttagtagat 180
actaaaaaaaa gtggatgaat aatctggata tttttcttaa aaagattcct tgaaacacat 240
taggaaaaatg gagggcctta tgatcagaat gctagaatta gtccattgtg ctgaagcagg 300
gttttagggga gggagtggag gataaaagaa ggaaaaaaag aagagtgaga aaacctattt 360
atcaaagcag gtgctatcac tcaatgttag gcctgtctt ttt 403

<210> 397

<211> 100

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(100)

<223> n = A,T,C or G

<400> 397

actagtnacg tgtgggtggaa ttgcgggccg cgtcgacctt naanccatct ctatagcaaa 60
tccatccccg ctctgggttg gtnacagaat gactgacaaa 100

<210> 398

<211> 278

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(278)

<223> n = A,T,C or G

<400> 398

129

```

gcgggccgcgt cgacagcagt tccgccagcg ctgcgccctg ggtggggatg tgctgcacgc 60
ccacctggac atctggaagt cagcggcctg gatgaaagag cggacttcac ctggggcgat 120
tcactactgt gcctcgacca gtgaggagag ctggaccgac agcgaggagg actcatcatg 180
ctccgggcag cccatccacc tgtggcagtt cctcaaggag ttgctactca agccccacag 240
ctatggccgc ttcattangt ggctcaacaa ggagaagg 278

```

```

<210> 399
<211> 298
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(298)
<223> n = A,T,C or G

```

```

<400> 399
acggagggtg aggaagcgnc cctgggatcg anaggatggg tctgncatt gaccncctcn 60
gggggtgccng catggagcgc atgggcgcgg gcctgggcca cggcatggat cgcgtgggct 120
ccgagatcga gcgcattggc ctggatcatg accgcatggg ctccgtggag cgcattgggct 180
ccggcattga gcgcattggc ccgctgggccc tcgaccacat,ggcctccanc attgancgca 240
tgggcccagac catggagcgc attggctctg gcgtggagcn catgggtgccc ggcatggg 298

```

```

<210> 400
<211> 548
<212> DNA
<213> Homo sapiens

```

```

<400> 400
acatcaacta cttcctcatt ttaaggatat gcagttccct tcatccoctt ttcctgcctt 60
gtacatgtac atgtatgaaa tttccttctc ttaccgaact ctctccacac atcacaagggt 120
caaagaacca cagccttaga agggtaagag ggcaccctat gaaatgaaat ggtgatttct 180
tgagtctctt tttccacgt ttaaggggcc atggcaggac tttagattgc gagttaagac 240
tgacagagggc tagagaatta tttcatacag gctttgaggc caccatgtc acttatcccg 300
tataccctct caccatcccc ttgtctactc tgatgcccc aagatgcaac tgggcagcta 360
gttgggcccca taattctggg cctttgttgt ttgttttaat tacttgggca tcccaggaag 420
ctttccagtg atctcctacc atggggcccc ctctctggat caagccccctc ccaggccctg 480
tcccagccc ctctgcccc agcccacccg cttgccttgg tgctcagccc tccattggg 540
agcaggtt 548

```

```

<210> 401
<211> 355
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(355)
<223> n = A,T,C or G

```

```

<400> 401
actgtttcca tggtatgttt ctacacattg ctacctcagt gctcctggaa acttagcttt 60
tgatgtctcc aagtagtcca ccttcattta actctttgaa actgtatcat ctttgccaag 120
taagagtggg ggcctatttc agctgctttg acaaaatgac tggctcctga cttacgttc 180
tataaatgaa tgtgtgaag caaagtggcc atgggtggcg cgaagaagan aaagatgtgt 240
tttgttttgg actctctgtg gtcccttcca atgctgnggg tttccaacca ggggaagggt 300
cccttttgc tggccaagtg ccataacat gagcactact ctaccatggn tctgc 355

```

```

<210> 402
<211> 407
<212> DNA
<213> Homo sapiens

```

130

<220>
<221> misc_feature
<222> (1)...(407)
<223> n = A,T,C or G

<400> 402
atggggcaag ctggataaag aaccaagacc cactggagta tgctgtcttc aagaaaccca 60
tctcacatgc ggtggcatac ataggctcaa aataaaggaa tggagaaaaa tatttcaagc 120
aaatggaaaa cagaaaaaag cagggtgttg actcctactt tctgacaaaa cagactatgc 180
gaataaagat aaaaaagaga aggacattac aaagggtggtc ctgacctttg ataaatctca 240
ttgcttgata ccaacctggg ctgttttaat tgcccaaacc aaaaggataa tttgctgagg 300
ttgtggagct tctccctgc agagagtccc tgatctccca aaatttggtt gagatgtaag 360
gntgattttg ctgacaactc cttttctgaa gttttactca tttccaa 407

<210> 403
<211> 303
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(303)
<223> n = A,T,C or G

<400> 403
cagtatttat agccnaactg aaaagctagt agcaggcaag tctcaaatcc aggcaccaa 60
tcctaagcaa gagccatggc atggtgaaaa tgcaaaagga gagtctggcc aatctacaaa 120
tagagaacaa gacctactca gtcataaaca aaaaggcaga caccaacatg gatctcatgg 180
gggattggat attgtaatta tagagcagga agatgacagt gatcgtcatt tggcacaaca 240
tcttaacaac gaccgaaacc cattatttac ataaacctcc attcggtaac catgttgaaa 300
gga 303

<210> 404
<211> 225
<212> DNA
<213> Homo sapiens

<400> 404
aagtgttaact tttaaaaatt tagtggattt tgaaaattct tagaggaaag taaaggaaaa 60
attgttaatg cactcattta cctttacatg gtgaaagttc tctcttgatc ctacaaacag 120
acattttcca ctctgtgttc catagtgtt aagtgtatca gatgtgttg gcatgtgaat 180
ctccaagtgc ctgtgtaata aataaagtat ctttatttca ttcatt 225

<210> 405
<211> 334
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(334)
<223> n = A,T,C or G

<400> 405
gagctgttat actgtgagtt ctactaggaa atcatcaaat ctgagggttg tctggaggac 60
ttcaatacac ctccccccat agtgaatcag cttccagggg gtccagtccc tctccttact 120
tcatccccat cccatgccaa aggaagaccc tccctccttg gctcacagcc ttctctaggg 180
ttcccagtg ctccaggaca gagtgggtta tgttttcagc tccatccttg ctgtgagtg 240
ctgggtgcgtg tgtgcctcca gcttctgctc agtgccttcat ggacagtgtc cagcccatgt 300
cactctccac tctctcanng tggatcccac ccct 334

131

<210> 406
 <211> 216
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(216)
 <223> n = A,T,C or G

<400> 406
 tttcatacct aatgagggag ttganatnac atnnaaccag gaaatgcatg gatctcaang 60
 gaaacaaaca cccaataaac tcggagtggc agactgacaa ctgtgagaca tgcaacttgct 120
 acnaaacaca aatttnatgt tgcacccttg tttctacacc tgtgggttat gacaaagaca 180
 actgccaaag aatnttcaag aaggaggact gccant 216

<210> 407
 <211> 413
 <212> DNA
 <213> Homo sapiens

<400> 407
 gctgacttgc tagtattcatc tgcattcatt gaagcacaag aacttcatgc cttgactcat 60
 gtaaatgcaa taggattaaa aaataaattt gatattacat ggaaacagac aaaaaatatt 120
 gtacaacatt gcaccagtg tcagattcta cacctggcca ctcaggaagc aagagttaat 180
 cccagagggtc tatgtcctaa tgtgttatgg caaatggatg tcatgcaagt accttcattt 240
 ggaaaattgt catttgtcca tgtgacagtt gatacttatt cacatttcat atgggcaacc 300
 tgccagacag gaaaaagtct tcccatgtta aaagacattt attatcttgt tttcctgtca 360
 tgggagttcc agaaaaagt taaaacagaca atgggccagg ttctgtagta aag 413

<210> 408
 <211> 183
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(183)
 <223> n = A,T,C or G

<400> 408
 ggagctngcc ctcaattcct ccatntctat gttancatat ttaatgtctt ttgnnattaa 60
 tncttaacta gtaatacctt aaagggtan ntaatcctta actagtccct ccattgtgag 120
 cattatcctt ccagtatctn cttctnttt tatttactcc ttccctggcta cccatgtact 180
 ntt 183

<210> 409
 <211> 250
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(250)
 <223> n = A,T,C or G

<400> 409
 cccacgcag ataagctctt tatttctgta agtcttgcta ggaaatcatc aaatctgacg 60
 gtgggtttgg ggacctgaac aaacctcctg taattaatca gctttcagtt tctccccta 120
 gtccctcctt caacaacata ggaggatcct ccccttctt ctgtcacagg ccttatctag 180
 gcttcccagt gccccagga cagcgtgggc tatgtttaca gcgntcctt gctggggggg 240
 ggcentatgc 250

<210> 410
<211> 306
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(306)
<223> n = A,T,C or G

<400> 410
ggctgggttg caagaatgaa atgaatgatt ctacagctag gacttaacct tgaaatggaa 60
agtcttgcaa tcccatttgc aggatccgtc tgtgcacatg cctctgtaga gagcagcatt 120
cccagggacc ttggaaacag ttggcactgt aagggtgcttg ctccccaaga cacatcctaa 180
aagggtgttg aatgggtgaaa accgcttcct tctttattgc cccttcttat ttatgtgaac 240
nactgggttg ctttttttgn atctttttta aactggaaa gttcaattgng aaaatgaata 300
tcntgc 306

<210> 411
<211> 261
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(261)
<223> n = A,T,C or G

<400> 411
agagatattn cttaggtnaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaatgtc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa gngaggcaa a 261

<210> 412
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 412
gttcaatggtt acctgacatt tctacaacac ccactcacc gatgtattcg ttgcccagtg 60
ggaacatacc agcctgaatt tggaaaaaat aattgtgttt cttgccagc aaatactacg 120
actgactttg atggctccac aaacataacc cagtgtaaaa acagaagatg tggaggggag 180
ctgggagatt tcaactggga cattgaattc ccaaactacc cangcaatta ccagccaac 240
a 241

<210> 413
<211> 231
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(231)
<223> n = A,T,C or G

<400> 413
aactcttaca atccaagtga ctcatctgtg tgcttgaatc ctttccactg tctcatctcc 60
ctcatccaag tttctagtag cttctctttg ttgtgaagga taatcaaact gaacaacaaa 120
aagtttactc tcctcatttg gaacctaaaa actctcttct tcctgggtct gagggctcca 180
agaatccttg aatcanttct cagatcattg gggacaccan atcaggaacc t 231

<210> 414
<211> 234
<212> DNA
<213> Homo sapiens

<400> 414
actgtccatg aagcactgag cagaagctgg aggcacaacg caccagacac tcacagcaag 60
gatggagctg aaaacataac ccactctgtc ctggaggcac tgggaagcct agagaaggct 120
gtgagccaag gagggagggt cttccttttg catgggatgg ggatgaagta aggagagggg 180
ctggaccccc tggaagctga ttcactatgg ggggaggtgt attgaagtcc tcca 234

<210> 415
<211> 217
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(217)
<223> n = A,T,C or G

<400> 415
gcataggatt aagactgagt atcttttcta cattctttta acttttctaag gggcacttct 60
caaaacacag accaggtagc aaatctccac tgctctaagg ntctcaccac cacttttcta 120
cacctagcaa tagtagaatt cagtcctact tctgaggcca gaagaatggt tcagaaaaat 180
antggattat aaaaaataac aattaagaaa aataatc 217

<210> 416
<211> 213
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(213)
<223> n = A,T,C or G

<400> 416
atgcataatnt aaagganact gcctcgcttt tagaagacat ctggnetgct ctctgcatga 60
ggcacagcag taaagctctt tgattcccag aatcaagaac tctccccttc agactattac 120
cgaatgcaag gtggttaatt gaaggccact aattgatgct caaatagaag gatattgact 180
atattggaac agatggagtc tctactacaa aag 213

<210> 417
<211> 303
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(303)
<223> n = A,T,C or G

<400> 417
nagtcttcag gcccatcagg gaagttcaca ctggagagaa gtcatacata tgtactgtat 60

134

```

gtgggaaagg ctttactctg agttcaaadc ttcaagccca tcagagagtc cacactggag 120
agaagccata caaatgcaat gagtgtggga agagcttcag gagggattcc cattatcaag 180
ttcatctagt ggtccacaca ggagagaaac cctataaatg tgagatatgt gggaagggt 240
tcantcaaag ttcgtatctt caaatccatc ngaaggncca cagtatanan aaacctttta 300
agt 303

```

<210> 418
 <211> 328
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(328)
 <223> n = A,T,C or G

```

<400> 418
tttttgccg tgggtgggca gggacgggac angagtctca ctctgttgcc caggctggag 60
tgcacaggca tgatctcggc tcactacaac ccctgcctcc catgtccaag cgattcttgt 120
gcctcagcct tccctgtagc tagaattaca ggcacatgcc accacacca gctagttttt 180
gtatttttag tagagacagg gtttcacat gttggccagg ctggtctcaa actcctnacc 240
tcagnngtca ggctggtctc aaactcctga cctcaagtga tctgcccacc tcagcctccc 300
aaagtgtan gattacaggc cgtgagcc 328

```

<210> 419
 <211> 389
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(389)
 <223> n = A,T,C or G

```

<400> 419
cctcctcaag acggcctgtg gtccgcctcc cggcaaccaa gaagcctgca gtgcatatg 60
accctgagc catggactgg agcctgaaag gcagcgtaca ccctgtcctc gatcttgctg 120
cttgtttcct ctctgtggct ccattcatag cacagttggt gcaactgaggc ttgtgcaggc 180
cgagcaaggc caagctggct caaagagcaa ccagtcaact ctgccacggg gtgccaggca 240
ccggtttctc agccaaccaac ctcaactcgt cccgcaaatt gcacatcagt tcttctaccc 300
taaaggtagg accaaagggc atctgctttt ctgaagtcct ctgctctatc agccatcacg 360
tggcagccac tcnggctgtg tcgacgcgg 389

```

<210> 420
 <211> 408
 <212> DNA
 <213> Homo sapiens

```

<400> 420
gttctctcta actcctgcca gaaacagctc tcctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgacttttgt gtttcggcat ggagaccgaa 180
gtcccattga cacctttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtccatata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg aagtgtctatg acaaacctgg caagcccg 408

```

<210> 421
 <211> 352
 <212> DNA
 <213> Homo sapiens

135

<220>
<221> misc_feature
<222> (1)...(352)
<223> n = A,T,C or G

<400> 421
gctcaaaaat ctttttactg atnggcatgg ctacacaatc attgactatt acggaggcca 60
gaggagaatg aggcctggcc tgggagccct gtgcctacta naagcacatt agattatcca 120
ttcactgaca gaacaggtct tttttgggtc cttcttctcc accacnatac acttgcaagtc 180
ctccttcttg aagattcttt ggcagttgtc tttgtcataa cccacaggtg tagaaacaag 240
ggtgcaacat gaaatttctg tttcgtagca agtgcagtgc tcacaagttg gcangtctgc 300
cactccgagt ttattgggtg tttgtttcct ttgagatcca tgcatttcct gg 352

<210> 422
<211> 337
<212> DNA
<213> Homo sapiens

<400> 422
atgccaccat gctggcaatg cagcggggcg tgaaggcct gcatatccag cccaagctgg 60
cgatgatcga cggcaaccgt tgcccgaagt tgccgatgcc agccgaagcg gtggtcaagg 120
gcgatagcaa ggtgccggcg atcgccggcg cgtcaatcct ggccaaggtc agccgtgac 180
gtgaaatggc agctgtcgaa ttgatctacc cgggttatgg catcgccggg cataagggtc 240
atccgacacc ggtgcacctg gaagccttgc agcggctggg gccgacgccg attcaccgac 300
gcttcttccg ccggtacggc tggcctatga aaattat 337

<210> 423
<211> 310
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(310)
<223> n = A,T,C or G

<400> 423
gctcaaaaat ctttttactg atatggcatg gctacacaat cattgactat tagaggccag 60
aggagaatga ggccctggcc gggagccctg tgcctactan aagcncatta gattatccat 120
tcactgacag aacaggtctt ttttgggtcc ttcttctcca ccacgatata cttgcagtc 180
tccttcttga agattctttg gcagttgtct ttgtcataac ccacaggtgt anaaacaagg 240
gtgcaacatg aaatttctgt ttcgtagcaa gtgcagtgtc cacagttgtc aagtcgtccc 300
tccgagttta 310

<210> 424
<211> 370
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(370)
<223> n = A,T,C or G

<400> 424
gctcaaaaat ctttttactg ataggcatgg ctacacaatc attgactatt agaggccaga 60
ggagaatgag gcctggccctg ggagccctgt gcctactaga agcacattag attatccatt 120
cactgacaga acaggtcttt tttgggtcct tcttctccac cacgatatac ttgcagtcct 180
ccttcttgaa gattctttg cagttgtctt tgtcataacc cacaggtgta gaaacatcct 240
ggttgaatct cctggaactc cctcattagg tatgaaatag catgatgcat tgcataaagt 300
cacgaagggt gcaaagatca caacgctgcc cagganaaca ttcattgtga taagcaggac 360
tccgtcgacg 370

136

<210> 425
 <211> 216
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(216)
 <223> n = A,T,C or G

<400> 425
 aattgctatn ntttattttg ccactcaaaa taattaccaa aaaaaaaaaa tnttaaataga 60
 taacaacnca acatcaagg n aaananaaca ggaatggntg actntgcata aatnggccga 120
 anattatcca ttatnttaag ggttgacttc aggnacagc acacagacaa acatgcccgag 180
 gaggnntnca ggaccgctcg atgtntntg aggagg 216

<210> 426
 <211> 596
 <212> DNA
 <213> Homo sapiens

<400> 426
 cttccagtga ggataaacct gttgccccgg gccgagggtc tccattagge tctgattgat 60
 tggcagtcag tgatggaagg gtgttctgat cattccgact gcccgaaggg tcgctggcca 120
 gctctctgtt ttgctgagtt ggcagtagga cctaatttgt taattaagag tagatgggta 180
 gctgtccttg tattttgatt aacctaatgg ccttcccagc acgactcgga ttcagctgga 240
 gacatcacgg caacttttaa tgaatgatt tgaagggcc ttaagaggca cttcccgtta 300
 ttaggcagtt catctgcact gataacttct tggcagctga gctggtcgga gctgtggccc 360
 aaacgcacac ttggcttttg gttttgagat acaactctta atcttttagt catgcttgag 420
 ggtggatggc cttttcagct ttaacccaat ttgcactgcc ttggaagtgt agccaggaga 480
 atacactcat atactcgtgg gcttagaggc cacagcagat gtcattgggc tactgcctga 540
 gtcccgcgtg tcccatccca ggaccttcca tcggcgagta cctgggagcc cgtgct 596

<210> 427
 <211> 107
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(107)
 <223> n = A,T,C or G

<400> 427
 gaagaattca agtttagttt attcaaaggg cttacngaga atcctanacc caggncccag 60
 cccgggagca gccttanaga gctcctgttt gactgcccg ctcagng 107

<210> 428
 <211> 38
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(38)
 <223> n = A,T,C or G

<400> 428
 gaacttcna anaangactt tattcactat ttacatt 38

<210> 429

137

<211> 544
 <212> DNA
 <213> Homo sapiens

<400> 429
 ctttgctgga cggaataaaa gtggacgcaa gcatgacctc ctgatgaggg cgctgcattt 60
 attgaagagc ggctgcagcc ctgcggttca gattaaaatc cgagaattgt atagacgccg 120
 atatccacga actcttgaag gactttctga tttatccaca atcaaatcat cggttttcag 180
 tttggatggg ggctcatcac ctgtagaacc tgacttggcc gtggctggaa tccactcggt 240
 gccttccact tcagttacac ctcaactcacc atcctctcct gttggttctg tgcgtcttca 300
 agatactaag cccacatttg agatgcagca gccatctccc ccaattcctc ctgtccatcc 360
 tgatgtgcag ttaaaaaatc tgccctttta tgatgtcctt gatgttctca tcaagcccac 420
 gagtttagtt caaagcagta ttcagcgatt tcaagagaag ttttttattt ttgctttgac 480
 acctcaacaa gttagagaga tatgcatatc cagggtattt ttgccagggt gtaggagaga 540
 ttat 544

<210> 430
 <211> 507
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(507)
 <223> n = A,T,C or G

<400> 430
 cttatcncaa tggggctccc aaacttggct gtgcagtga aactccgggg gaattttgaa 60
 gaacactgac acccatcttc caccocgaca ctctgattta attgggctgc agtgagaaca 120
 gagcatcaat ttaaaaagct gcccagaatg ttntcctggg cagcgtttgt atctttgcn 180
 ccttcgtgac tttatgcaat gcatcatgct atttcatacc taatgaggga gttccaggag 240
 attcaaccag gatgtttcta cncctgtggg ttatgacaaa gacaactgcc aaagaatntt 300
 caagaaggag gactgcaagt atatcgtggg ggagaagaag gacccaaaaa agacctgttc 360
 tgtcagtga tggataatct aatgtgcttc tagtaggcac agggctcca gccaggcct 420
 cattctctc tggcctctaa tagtcaatga ttgtgtagcc atgcctatca gtaaaaagat 480
 ttttgagcaa aaaaaaaaaa aaaaaaa 507

<210> 431
 <211> 392
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(392)
 <223> n = A,T,C or G

<400> 431
 gaaaattcag aatggataaa aacaaatgaa gtacaaaata tttcagattt acatagcgat 60
 aaacaagaaa gcacttatca ggaggactta caaatggaag tacactctan aaccatcatc 120
 tatcatggct aaatgtgaga ttagcacagc tgtattattt gtacattgca aacacctaga 180
 aagagatggg aaacaaaatc ccaggagtgt tgtgtgtgga gtcctgggtt ttccaacaga 240
 catcattcca gcattctgag attagggnga ttggggatca ttctggagt ggaatgttca 300
 acaaaagtga tgttgttagg taaaatgtac aacttctgga tctatgcaga cattgaagggt 360
 gcaatgagtc tggcttttac tctgtgttt ct 392

<210> 432
 <211> 387
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature
<222> (1)...(387)
<223> n = A,T,C or G

<400> 432
ggtatccnta cataatcaaa tatagctgta gtacatgttt tcattggngt agattaccac 60
aaatgcaagg caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg 120
ngtagtccaa gctctcgna gtccagccac tgnгааacat gctcccttta gattaacctc 180
gtggacnctn ttgttgnatt gtctgaactg tagngccctg tattttgctt ctgtctgnga 240
attctgttgc ttctggggca ttctcttngn atgcagagga ccaccacaca gatgacagca 300
atctgaattg ntccaatcac agctgcgatt aagacatact gaaatcgtac aggaccgga 360
acaacgtata gaacactgga gtccttt 387

<210> 433
<211> 281
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(281)
<223> n = A,T,C or G

<400> 433
ttcaactagc anagaanact gcttcagggg gtgtaaaatg aaaggcttcc acgcagttat 60
ctgattaaag aacactaaga gagggacaag gctagaagcc gcaggatgtc tacactatag 120
caggcnctat ttgggttggc tggaggagct gtggaaaaca tggagagatt ggcgctggag 180
atcgccgtgg ctattcctcn ttgntattac accagnaggg ntctctgtnt gccactgggt 240
tnnaaaaccg ntatacaata atgatagaat aggacacaca t 281

<210> 434
<211> 484
<212> DNA
<213> Homo sapiens

<400> 434
ttttaaaata agcatttagt gctcagtcct tactgagtag tctttctctc ccctcctctg 60
aatttaattc tttcaacttg caatttgcaa ggattacaca tticactgtg atgtatatg 120
tggtgcacaa aaaaaaaagt gtctttgttt aaaattactt ggtttgtgaa tccatcttgc 180
tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa acatctgaag 240
agctagtcta tcagcatctg acaggtgaat tggatggttc tcagaacccat ttcacccaga 300
cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca taacaaaccc 360
tgctccaatc tgtcacataa aagtctgtga cttgaagtgt agtcagcacc cccaccaaac 420
tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataaag taccatgtc 480
ttta 484

<210> 435
<211> 424
<212> DNA
<213> Homo sapiens

<400> 435
gcgcgctca gagcaggtca ctttctgcct tccacgtcct cttcaagga agccccatgt 60
gggtagcttt caatatcgca ggttcttact cctctgcctc tataagctca aaccaccaa 120
cgatcgggca agtaaaccac ctcctcgcgc gacttcggaa ctggcgagag ttcagcgag 180
atgggcctgt ggggaggggg caagatagat gagggggagc ggcaggtgtc ggggtgaccc 240
cttgagaga ggaaaaaggc cacaagaggg gctgccaccg ccactaacgg agatggcct 300
ggtagagacc tttgggggtc tggaacctct ggactcccca tgctctaact cccacactct 360
gctatcagaa acttaaacct gaggattttc tctgtttttc actcgcaata aattcagagc 420
aaac 424

<210> 436

<211> 667
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(667)
<223> n = A,T,C or G

<400> 436
accttgggaa nactctcaca atataaaggg tcgtagactt tactccaaat tccaaaaagg 60
tcctggccat gtaatcctga aagttttccc aaggtagcta taaaatcctt ataaggggtgc 120
agcctcttct ggaattcctc tgattttcaaa gtctcactct caagttcttg aaaacgaggg 180
cagttcctga aaggcaggta tagcaactga tcttcagaaa gaggaactgt gtgcaccggg 240
atgggctgcc agagtaggat aggattccag atgctgacac cttctggggg aaacagggct 300
gccaggtttg tcatagcact catcaaagtc cggccaacgt ctgtgcttcg aatataaacc 360
tgttcatgtt tataggactc attcaagaat tttctatate tctttcttat atactctcca 420
agttcataat gctgctccat gccagctgg gtgagttggc caaatccttg tggccatgag 480
gattccttta tggggctcagt gggaaagggtg tcaatgggac ttcggtctcc atgccgaaac 540
accaaagtca caaacttcaa ctcttggtc agtacacttc ggtctagcca gaaaaaaagc 600
agaaacaaga agccaaggct aaggcttgct gccctgccag gaggaggggt gcagctctca 660
tgttgag 667

<210> 437
<211> 693
<212> DNA
<213> Homo sapiens

<400> 437
ctacgtctca accctcattt ttaggtaagg aatcttaagt ccaaagatat taagtgactc 60
acacagccag gtaaggaaag ctggattggc acactaggac tctaccatac cggtttttgt 120
taaagctcag gttaggaggc tgataagctt ggaaggaaact tcagacagct ttttcagatc 180
ataaaagata attcttagcc catgttcttc tccagagcag acctgaaatg acagcacagc 240
aggtaactct ctattttcac cctcttgct tctactctct ggcagtcaga cctgtgggag 300
gccatgggag aaagcagctc tctggatgtt tgtacagatc atggactatt ctctgtggac 360
catttctcca ggttacccta ggtgtcacta ttgggggggac agccagcatc tttagctttc 420
atgtgagttt ctgtctgtct tcagtagagg aaacttttgc tcttcacact tcacatctga 480
acacctaact gctgttgctc ctgaggtggt gaaagacaga tatagagctt acagtattta 540
tcctatttct aggcactgag ggctgtgggg taccttgtgg tgccaaaaca gatcctgttt 600
taaggacatg ttgcttcaga gatgtctgta actatctggg ggctctgttg gctctttacc 660
ctgcatcatg tgctctcttg gctgaaaatg acc 693

<210> 438
<211> 360
<212> DNA
<213> Homo sapiens

<400> 438
ctgcttatca caatgaatgt tctcctgggc agcgttggtga tctttgccac cttcgtgact 60
ttatgcaatg catcatgcta tttcatacct aatgagggag ttccaggaga ttcaaccagg 120
atgtttctac acctgtgggt tatgacaaag acaactgcca aagaatcttc aagaaggagg 180
actgcaagta tatctgtgtg agaagaagga cccaaaaaag acctgttctg tcagtgaatg 240
gataatctaa tgtgcttcta gtaggcacag ggctcccagg ccaggcctca ttctcctctg 300
gcctctaata gtcaataatt gtgtagccat gcctatcagt aaaaagattt ttgagcaaac 360

<210> 439
<211> 431
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature

140

<222> (1)...(431)

<223> n = A,T,C or G

<400> 439

```
gttcctnnta actcctgcc aaaacagctc tctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtcccattga cacttttccc actgaccca taaaggaaat ctcattggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gactcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag t 431
```

<210> 440

<211> 523

<212> DNA

<213> Homo sapiens

<400> 440

```
agagataaag cttaggtcaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaatgtc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaacca atttaccat cagttccagc 240
cttctctcaa ggagaggcaa agaaaggaga tacagtggag acatctggaa agttttctcc 300
actggaaaac tgctactatc tgtttttata tttctgttaa aatatatgag gctacagaac 360
taaaaattaa aacctctttg tgtcccttg tctgggaa tttatgttcc ttttaaagaa 420
acaaaaatca aactttacag aaagatttga tgtatgtaac acatatagca gctcttgaag 480
tatatatatc atagcaaata agtcatctga tgagaacaag cta 523
```

<210> 441

<211> 430

<212> DNA

<213> Homo sapiens

<400> 441

```
gttcctccta actcctgcc aaaacagctc tctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtcccattga cacttttccc actgaccca taaaggaaat ctcattggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gactcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag 430
```

<210> 442

<211> 362

<212> DNA

<213> Homo sapiens

<400> 442

```
ctaaggaatt agtagtggtc ccatcacttg tttggagtgt gctattctaa aagattttga 60
tttcttgga tgacaattat attttaactt tgggtgggga aagagttata ggaccacagt 120
cttcacttct gatacttgta aattaatctt ttattgcact tgttttgacc attaaactat 180
atgtttagaa atggtcattt tacggaaaaa ttagaaaaat tctgataata gtgcagaata 240
aatgaattaa tgttttactt aatttatatt gaactgtcaa tgacaaataa aaattctttt 300
tgattatttt ttgttttcat ttaccagaat aaaaactaag aattaaaagt ttgattacag 360
tc 362
```

<210> 443

<211> 624

<212> DNA

<213> Homo sapiens

141

<220>
<221> misc_feature
<222> (1)...(624)
<223> n = A,T,C or G

<400> 443
tttttttttt gcaacacaat atacatcaca gtgaaatgtg taatccttgc aaattgcaag 60
ttgaaagaat taaattcaga ggaggggaga gaaagagtag tcagtaggga ctgagcacta 120
aatgcttatt ttaaaagaaa tgtaaagagc agaaagcaat tcaggctacc ctgccttttg 180
tgctggctag tactccgggc ggtgtcagca gcacgtggca ttgaacattg caatgtggag 240
cccaaaccac agaaaatggg gtgaaattgg ccaactttct attaaacttg cttcctgttt 300
tataaaatat tgtgaataat atcacctact tcaaagggca gttatgaggc ttaaatgaac 360
taacgcctac aaaacactta aacatagata acataggtgc aagtactatg tatctgttac 420
atggtaaaca tccttattat taaagtcaac gctaaaatga atgtgtgtgc atatgcta 480
agtacagaga gagggcactt aaaccaacta agggcctgga gggaaaggtt cctggaaaaga 540
ngatgcttgt gctgggtcca aatcttggtc tactatgacc ttggccaaat tatttaaact 600
ttgtccctat ctgctaaaca gatc 624

<210> 444
<211> 425
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(425)
<223> n = A,T,C or G

<400> 444
gcacatcatt nntcttgcatt tctttgagaa taagaagatc agtaaatagt tcagaagtgg 60
gaagctttgt ccaggcctgt gtgtgaaccc aatgttttgc ttagaatatg aacaagtaag 120
ttcattgcta tagcataaca caaaatttgc ataagtgggt gtcagcaaat ccttgaatgc 180
tgcttaaatgt gagaggttgg taaaatcctt tgtgcaaac tctaactccc tgaatgtttt 240
gctgtgctgg gacctgtgca tgccagacaa ggccaagctg gctgaaagag caaccagcca 300
cctctgcaat ctgccacctc ctgctggcag gatttgtttt tgcacctgt gaagagccaa 360
ggaggcacca gggcataagt gagtagactt atggtcgacg cggccgcgaa tttagtagta 420
gtaga 425

<210> 445
<211> 414
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(414)
<223> n = A,T,C or G

<400> 445
catgtttatg nttttggatt actttgggca cctagtgttt ctaaatcgtc tatcattctt 60
ttctgttttt caaaagcaga gatggccaga gtctcaacaa actgtatctt caagtctttg 120
tgaaattctt tgcattgtgc agattattgg atgtagtctt ctttaactag catataaatc 180
tggtgtgttt cagataaatg aacagcaaaa tgtggtggaa ttaccatttg gaacattgtg 240
aatgaaaaat tgtgtctcta gattatgtaa caaataacta tttcctaacc attgatcttt 300
ggatttttat aatcctactc acaaatgact aggtctctcc tcttgatatt tgaagcagtg 360
tggtgtctgg attgataaaa aaaaaaaaaa tcgacgcggc cgcgaattta gtag 414

<210> 446
<211> 631
<212> DNA
<213> Homo sapiens

142

<220>
<221> misc_feature
<222> (1)...(631)
<223> n = A,T,C or G

<400> 446
acaaattaga anaaagtgcc agagaacacc acataccttg tccggaacat tacaatggct 60
tctgcatgca tgggaagtgt gagcattcta tcaatatgca ggagccatct tgcagggtgtg 120
atgctgggta tactggacaa cactgtgaaa aaaaggacta cagtgttcta tacgtttgttc 180
ccggtcctgt acgatttcag tatgtcttaa tcgcagctgt gatttgaaca attcagattg 240
ctgtcatctg tgtgggtggc ctctgcatca caaggggcaa actttaggta atagcattgg 300
actgagattt gtaaaccttc caaccttcca ggaaatgccc cagaagcaac agaattcaca 360
gacagaagca aaatacaggg cactacagtt cagacaatac aacaagagcg tccacgaggt 420
taatctaaag ggagcatgtt tcacagtggc tggactaccg agagcttgga ctacacaata 480
cagtattata gacaaaagaa taagacaaga gatctacaca tgttgccttg catttgtggg 540
aatctacacc aatgaaaaca tgtactacag ctatatattga ttatgtatgg atatatttga 600
aatagtatac attgtcttga tgttttttct g 631

<210> 447
<211> 585
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(585)
<223> n = A,T,C or G

<400> 447
ccttgggaaa antntcacia tataaagggt cgtagacttt actccaaatt ccaaaaagggt 60
cctggccatg taatcctgaa agttttccca aggtagctat aaaatcctta taagggtgca 120
gcctcttctg gaattcctct gatttcaaaag tctcactctc aagttcttga aaacgagggc 180
agttcctgaa aggcaggtat agcaactgat cttcagaaag aggaactgtg tgcaccggga 240
tgggctgcca gagtaggata ggattccaga tgctgacacc ttctggggga aacagggctg 300
ccaggtttgt catagcactc atcaaagtcg ggtcaacgtc tgtgcttcga atataaacct 360
gttcatgttt ataggactca ttcaagaatt ttctatatct ctttcttata tactctccaa 420
gttcataatg ctgctccatg cccagctggg tgagttggcc aaatccttgt ggccatgagg 480
attcctttat ggggtcagtg ggaaagggtg caatgggact tcggtctcca tgccgaaaca 540
ccaaagtcac aaacttcaac tccttggtca gtacacttcg gtcta 585

<210> 448
<211> 93
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(93)
<223> n = A,T,C or G

<400> 448
tgctcgtggg tcattctgan nnccgaactg accntgccag ccctgccgan gggccnccat 60
ggctccctag tgccctggag agganggggc tag 93

<210> 449
<211> 706
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature

<222> (1)...(706)

<223> n = A,T,C or G

<400> 449

```
ccaagttcat gctntgtgct ggacgctgga cagggggcaa aagcnnttgc tcgtgggtca 60
ttctgancac cgaactgacc atgccagccc tgccgatggt cctccatggc tccctagtgc 120
cctggagagg aggtgtctag tcagagagta gtccctggaag gtggcctctg ngaggagcca 180
cggggacagc atcctgcaga tggtcgggcg cgtoccattc gccattcagg ctgcgcaact 240
gttggaagg gcgatcggtg cgggcctctt cgctattacg ccagctggcg aaaggggat 300
gtgctgcaag gcgattaagt tgggtaacgc cagggttttc ccagtcncga cgttgtaaaa 360
cgacggccag tgaattgaat ttaggtgacn ctatagaaga gctatgacgt cgcgtgcacg 420
cgtacgtaag cttggatcct ctagagcggc cgctactac tactaaattc gcggccgcgt 480
cgacgtggga tccnactga gagagtggag agtgacatgt gctggacnct gtccatgaag 540
cactgagcag aagctggagg cacaacgcnc cagacactca cagctactca ggaggctgag 600
aacaggttga acctgggagg tggaggttgc aatgagctga gatcaggcnc ctgcncccca 660
gcatggatga cagagtga aa ctccatctta aaaaaaaaaa aaaaaa 706
```

<210> 450

<211> 493

<212> DNA

<213> Homo sapiens

<400> 450

```
gagacggagt gtcactctgt tgcccaggct ggagtgcagc aagacactgt ctaagaaaaa 60
acagttttta aaggtaaaac aacataaaaa gaaatatcct atagtggaaa taagagagtc 120
aaatgaggct gagaacttta caaagggatc ttacagacat gtcgccata tcaactgcatg 180
agcctaagta taagaacaac ctttggggag aaaccatcat ttgacagtga ggtacaattc 240
caagtcaggt agtgaaatgg gtggaattaa actcaaatta atcctgccag ctgaaacgca 300
agagacactg tcagagagtt aaaaagttag ttctatccat gaggtgattc cacagtcttc 360
tcaagtcaac acatctgtga actcacagac caagttctta aaccactgtt caaactctgc 420
tacacatcag aatcacctgg agagctttac aaactcccat tgccgagggc cgacgcggcc 480
ggaatttag tag 493
```

<210> 451

<211> 501

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(501)

<223> n = A,T,C or G

<400> 451

```
gggcgcgtcc cattcgccat tcaggctgcg caactgttgg gaagggcgat cgggtgcgggc 60
ctcttcgcta ttacgccagc tggcgaaagg gggatgtgct gcaaggcgat taagttgggt 120
aacgccaggg ttttcccagt cncgacgttg taaaacgacg gccagtgaat tgaatttagg 180
tgacnctata gaagagctat gacgtcgcat gcacgcgtac gtaagcttgg atcctctaga 240
gcggccgcct actactacta aattcgcggc cgcgtcgacg tgggatccnc actgagagag 300
tgagagagtga catgtgctgg acnctgtcca tgaagcactg agcagaagct ggaggcacia 360
cgcncacagc actcacagct actcaggagg ctgagaacag gttgaacctg ggaggtggag 420
gttgcaatga gctgagatca ggcnctgcn cccagcatg gatgacagag tgaaactcca 480
tcttaaaaaa aaaaaaaaaa a 501
```

<210> 452

<211> 51

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(51)

144

<223> n = A,T,C or G

<400> 452

agacgggtttc accntttacaa cncctttttag gatgggnntt ggggagcaag c 51

<210> 453

<211> 317

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(317)

<223> n = A,T,C or G

<400> 453

```
tacatcttgc tttttcccca ttggaactag tcattaacct atctctgaac tggtagaaaa 60
acatctgaag agctagtcta tcagcatctg gcaagtgaat tggatgggtc tcagaacct 120
ttcacccana cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca 180
taacaaacct tgctccaatc tgtcacataa aagtctgtga cttgaagttt antcagcacc 240
cccaccaaac tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataagg 300
taccatgtc tttatta 317
```

<210> 454

<211> 231

<212> DNA

<213> Homo sapiens

<400> 454

```
ttcgaggtag aatcaactct cagagtgtag tttccttcta tagatgagtc agcattaata 60
taagccacgc cagctcttg aaggagtctt gaattctcct ctgctcactc agtagaacca 120
agaagaccaa attcttctgc atcccagctt gcaaacaaaa ttgttcttct aggtctccac 180
ccttcctttt tcagtgttcc aaagctcctc acaatttcat gaacaacagc t 231
```

<210> 455

<211> 231

<212> DNA

<213> Homo sapiens

<400> 455

```
taccaaagag ggcataataa tcagtctcac agtaggggtc accatcctcc aagtgaataa 60
cattgttccg aatgggcttt ccacaggcta cacacacaaa acaggaaaca tgccaagttt 120
gtttcaacgc attgatgact tctccaagga tcttcctttg gcatcgacca cattcagggg 180
caaagaattt ctcatagcac agtcacaat acagggtcc tttctcctct a 231
```

<210> 456

<211> 231

<212> DNA

<213> Homo sapiens

<400> 456

```
ttggcaggta cccttcaaaa gaagacacca taccttatgc gttattaggt ggaataatca 60
ttccattcag tattatcggtt attattcttg gagaaacct gtctgtttac tgtaaccttt 120
tgactcaaaa ttccctttatc aggaataact acatagccac tatttcaaaa gccattggaa 180
cctttttatt tgggtgcagct gctagtcagt ccctgactga cattgccaaag t 231
```

<210> 457

<211> 231

<212> DNA

<213> Homo sapiens

<220>

145

<221> misc_feature
 <222> (1)...(231)
 <223> n = A,T,C or G

<400> 457
 cgaggtaccc aggggtctga aaatctctnn ttantagtc gatagcaaaa ttgttcatca 60
 gcattcctta atatgatctt gctataatta gatttttctc cattagagtt catacagttt 120
 tatttgattt tattagcaat ctctttcaga agacccttga gatcattaag ctttgtatcc 180
 agttgtctaa atcgatgcct catttctctt gaggtgtcgc tggcttttgt g 231

<210> 458
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 458
 aggtctggtt cccccactt ccactcccct ctactctctc taggactggg ctgggccaag 60
 agaagagggg tggttaggga agccgttgag acctgaagcc ccaccctcta ccttccttca 120
 acaccctaac ctgggtaac agcatttgga attatcattt gggatgagta gaatttccaa 180
 ggtcctgggt taggcatttt ggggggcccag accccaggag aagaagattc t 231

<210> 459
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 459
 ggtaccgagg ctgctgaca cagagaaacc ccaacgcgag gaaaggaatg gccagccaca 60
 ccttcgcgaa acctgtggtg gccaccagt cctaaccgga caggacagag agacagagca 120
 gccctgact gttttccctc caccacagcc atcctgtccc tcattggctc tgtgctttcc 180
 actatacaca gtcaccgtcc caatgagaaa caagaaggag caccctccac a 231

<210> 460
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 460
 gcaggtataa catgctgcaa caacagatgt gactaggaac ggccggtgac atggggaggg 60
 cctatcaccc tattcttggg ggctgcttct tcacagtgat catgaagcct agcagcaaat 120
 cccactccc cacacgcaca cggccagcct ggagccaca gaagggtcct cctgcagcca 180
 gtggagcttg gtccagcctc cagtcacccc ctaccaggtt taaggataga a 231

<210> 461
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 461
 cgaggtttga gaagctctaa tgtgcagggg agccgagaag caggcggcct agggagggtc 60
 gcgtgtgctc cagaagagtg tgtgcatgcc agaggggaaa caggcgcttg tgtgtcctgg 120
 gtggggttca gtgaggagtg ggaaattggt tcagcagaac caagccgttg ggtgaataag 180
 agggggattc catggcactg atagagccct atagtctcag agctgggaat t 231

<210> 462
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 462
 aggtaccctc attgtagcca tgggaaaatt gatgttcagt ggggatcagt gaattaaatg 60
 gggcatgca agtataaaaa ttaaaaaaaa aagacttcat gcccaatctc atatgatgtg 120

146

gaagaactgt tagagagacc aacagggtag tgggttagag atttccagag tcttacattt 180
tctagaggag gtatttaatt tcttctcact catccagtgt tgtatttagg a 231

<210> 463
<211> 231
<212> DNA
<213> Homo sapiens

<400> 463
tactccagcc tgggtgacaga gcgagaccct atcaccgccc cccacccccc caaaaaaaaa 60
actgagtaga cagggtgtcct cttggcatgg taagtcttaa gtcccctccc agatctgtga 120
catttgacag gtgtcttttc ctctggacct cgggtgtcccc atctgagtga gaaaaggcag 180
tggggagggtg gatcttccag tcgaagcggt atagaagccc gtgtgaaaag c 231

<210> 464
<211> 231
<212> DNA
<213> Homo sapiens

<400> 464
gtactctaag attttatcta agttgccttt tctgggtggg aaagttaac cttagtgtact 60
aaggacatca catatgaaga atgtttaagt tggagggtggc aacgtgaatt gcaaacaggg 120
cctgtctcag tgactgtgtg cctgtagtcc cagctactcg ggagtctgtg tgaggccagg 180
ggtgccagcg caccagctag atgctctgta acttctaggc cccattttcc c 231

<210> 465
<211> 231
<212> DNA
<213> Homo sapiens

<400> 465
catgttggtg tagctgtggt aatgctggct gcatctcaga cagggttaac ttcagctcct 60
gtggcaaatt agcaacaaat tctgacatca ttttatggt ttctgtatct ttgttgatga 120
aggatggcac aatttttgct tgtgttcata atatactcag attagtctcag ctccatcaga 180
taaactggag acatgcagga cattagggta gtgtgttagc tctggtaatg a 231

<210> 466
<211> 231
<212> DNA
<213> Homo sapiens

<400> 466
caggtaacct tttccattgg atactgtgct agcaagcatg ctctccgggg tttttttaat 60
ggccttcgaa cagaacttgc cacataccca ggtataatag tttctaacat ttgccaggga 120
cctgtgcaat caaatattgt ggagaattcc ctactgggag aagtcacaaa gactataggc 180
aataatggag accagtccca caagatgaca accagtcggt gtgtgcggct g 231

<210> 467
<211> 311
<212> DNA
<213> Homo sapiens

<400> 467
gtacaccctg gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg 60
tgggtgcttt tctccttttt catcaagact cctcagcagg gagcccagac cagcctgcac 120
tgtgccttaa cagaaggctt tgagattcta agtgggaatc atttcagtga ctgtcatgtg 180
gcatgggtct ctgcccaagc tcgtaatgag actatagcaa ggcggctgtg ggacgtcagt 240
tgtgacctgc tgggcctccc aatagactaa caggcagtgc cagttggacc caagagaaga 300
ctgcagcaga c 311

<210> 468
<211> 3112

<212> DNA

<213> Homo sapiens

<400> 468

```
cattgtgttg ggagaaaaac agaggggaga tttgtgtggc tgcagccgag ggagaccagg 60
aagatctgca tgggtgggaag gacctgatga tacagagttt gataggagac aattaaaggc 120
tggaaggcac tggatgcctg atgatgaagt ggactttcaa actggggcac tactgaaacg 180
atgggatggc cagagacaca ggagatgagt tggagcaagc tcaataacaa agtggttcaa 240
cgaggacttg gaattgcatg gagctggagc tgaagttagt cccaattgtt tactagttag 300
gtgaatgtgg atgattggat gatcatttct catctctgag cctcagggtc cccatccata 360
aaatgggata cacagtatga tctataaagt gggatatagt atgatctact tccactgggt 420
atttgaagga tgaattgaga taatttatat caggtgccta gaacaatgcc cagattagta 480
catttggtgg aactgagaaa tggcataaca ccaaatttaa tatatgtcag atgttactat 540
gattatcatt caatctcata gttttgtcat ggcccaattt atcctcactt gtgcctcaac 600
aaattgaaat gttacaacaa gaatctctgg tcctgggtaa tggctgagca cactgagca 660
tttccattcc agttggcttc ttgggtttgc tagctgcac actagtcac ttaataaata 720
gaagttttaa cattctcca gtgatttttt tatctcacct ttgaagatac tatgttatgt 780
gattaaataa agaacttgag aagaacaggt ttcattaaac ataaaatcaa tgtagacgca 840
aattttctgg atgggcaata cttatgttca caggaaatgc tttaaaatat gcagaagata 900
attaaatggc aatggacaaa gtgaaaaact tagacttttt tttttttttt ggaagtatct 960
ggatgttcct tagtcaacta aaggagaact gaaaaatagc agtgagttcc acataatcca 1020
acctgtgaga ttaaggctct ttgtggggaa ggacaaagat ctgtaaatat acagtttcc 1080
tccaaagcca acgtcgaatt ttgaaacata tcaaagctct tcttcaagac aaataatcta 1140
tagtacatct ttcttatggg atgcacttat gaaaaatggg ggctgtcaac atctagtac 1200
tttagctctc aaaatggttc attttaagag aaagttttag aatctcatat ttattcctgt 1260
ggaaggacag catttggtgct tggactttat aaggtcttta ttcaactaaa taggtgagaa 1320
ataagaaagg ctgctgactt taccatctga ggccacacat ctgctgaaat ggagataatt 1380
aacatcacta gaaacagcaa gatgacaata taatgtctaa gtagtgacat gtttttgca 1440
atttccagcc cctttaaata tccacacaca cagggaagc aaaaaggagc acagagatcc 1500
ctgggagaaa tggccggccg ccactctggg tcatcgatga gcctcgccct gtgcctgggtc 1560
ccgcttgtga gggaaaggaca ttgaaaaatg aattgatgtg ttccctaaag gatgggcagg 1620
aaaacagatc ctgttgtgga tatttatttg aacgggatta cagatttgaa atgaagtac 1680
aaagtgaaga ttaaccaatga gaggaacaaa gacgagaaaa tcttgatggc ttcacaagac 1740
atgcaacaaa caaaatggaa tactgtgatg acatgaggca gccaaagctg ggaggagata 1800
accacggggc agagggtcag gattctggcc ctgctgccta aactgtgcgt tcataacca 1860
atcatttcat atttctaacc ctcaaaacaa agctgttgta atatctgac tctacggtc 1920
cttctgggcc caacattctc catatatcca gccacactca tttttaatat ttagtccca 1980
gatctgtact gtgaccttcc tactctgtag aataacatta ctcatttgt tcaaagacc 2040
ttcgtgttgc tgcctaatat gtgctgactg gtttttcccta aggagtgttc tggccaggg 2100
gatctgtgaa caggctggga agcatctcaa gatctttcca gggttatact tactagcaca 2160
cagcatgac attacggagt gaattatcta atcaacatca tcctcagtg ctttgcccat 2220
actgaaatc atttcccact tttgtgcccc ttctcaagac ctcaaaatgt cattccatta 2280
atatcacagg attaactttt ttttttaacc tggaagaatt caatgttaca tgcagctatg 2340
ggaatttaat tacatatatt gttttccagt gcaaagatga ctaagtcctt tatccctccc 2400
ctttgtttga ttttttttcc agtataaagt taaaatgctt agccttgta tgaggctgta 2460
tacagccaca gccctcccc atccctccag ccttatctgt catcaccatc aaccctccc 2520
atgcacctaa acaaaatcta acttgtaatt ccttgaacat gtcaggcata cattattcct 2580
tctgcctgag aagctcttcc ttgtctctta aatctagaat gatgtaaagt tttgaataag 2640
ttgactatct tacttcatgc aaagaaggga cacatatgag attcatcatc acatgagaca 2700
gcaaatacta aaagtgtaat ttgattataa gagtttagat aaatatatga aatgcaagag 2760
ccacagagg aatgtttatg gggcacgttt gtaagcctgg gatgtgaagc aaaggcaggg 2820
aacctcatag tatcttatat aatatacttc atttctctat ctctatcaca atatccaaca 2880
agcttttcac agaattcatg cagtgcacaa ccccaaaggc aacctttatc catttcatgg 2940
tgagtgcgct ttagaatttt ggcaaatcat actggtcact tatctcaact ttgagatgtg 3000
tttgccttg tagttaattg aaagaaatag ggcaactctg tgagccactt tagggttcac 3060
tcctggcaat aaagaattta caaagagcaa aaaaaaaaaa aaaaaaaaaa aa 3112
```

<210> 469

<211> 2229

<212> DNA

<213> Homo sapiens

<400> 469

```

agctctttgt aaattcttta ttgccaggag tgaaccctaa agtggctcac aagagtgcc 60
tatttctttc aattaactac aaggacaaac acatctcaaa gttgagataa gtgaccagta 120
tgatttgcca aaattctaaa gcgcactcac catgaaatgg ataaagggtta cctttggga 180
tttgactgct atgaattctg tgaagagctt gttggatatt gtgatagaga tagagaaatg 240
aagtatatta tataagatac tatgagggttc cctgcctttg cttcacatcc caggcttaca 300
aacgtgcccc ataaacattc cctctgtggc tcttgcatct catatattta tctaaactct 360
tataatcaaa tacactttta gtatttgctg tctcatgtga tgatgaatct catatgtgtc 420
ccttctttgc atgaagtaag atagtcaact tattcaaaac tttacatcat tctagattta 480
agagacaagg aagagcttct caggcagaag gaataatgta tgctgacat gttcaaggaa 540
ttacaagtta gattttgttt aggtgcatgg gaggggttga tgggtgatgac agataaggct 600
ggagggatgg ggagaggctg tggtgtata cagcctcagt acaaggctaa gcattttaac 660
tttatactgg aaaaaaatac aaacaaaggg gagggataaa ggacttagtc atctttgcac 720
tggaatacaa aatatgtaat taaattccca tagctgcatg taacattgaa tctttccagg 780
ttaaaaaaaa agttaatcct gtgatattaa tggaatgaca ttttgaggctc ttgagaatgg 840
gcacaaaagt gggaatgaa ttccagtatg ggcaaagaca ctgaggatga tgttgattag 900
ataattcact ccgtaatgat catgctgtgt gctagtaagt ataaccctgg aaagatcttg 960
agatgcttcc cagcctgttc acagatcccc tgggccagaa cactccttag gaaaaacagt 1020
cagctacata ttaggcagca acacgaaggg tctttgaaca aaatgagtaa tgttattcta 1080
cagtgtagaa aggtcacagt acagatctgg gaactaaata ttaaaaatga gtgtggctgg 1140
atatatggag aatgttgggc ccagaaggaa ccgtagagat cagatattac aacagctttg 1200
ttttgagggt tagaaatatg aaatgatttg gttatgaacg cacagtttag gcagcagggc 1260
cagaatcctg accctctgcc ccgtggttat ctctcccca gcttggctgc ctcatgtcat 1320
cacagtattc cattttgttt gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt 1380
tttctctca ttgtaaatgc tcactttgtg acttcatttc aaatctgtaa tcccgttcaa 1440
ataaatatcc acaacaggat ctgttttctt gccatcctt taaggaaacac atcaattcat 1500
tttctaattg ccttccctca caagcgggac caggcacagg gcgaggctca tcatgacccc 1560
aagatggcgg cgggcattt ctcccaggga tctctgtgct tctttttgtg ctctctgtgt 1620
gtgtggatat ttaaaggggc tggaaatgtg caaaaacatg tcaactacta gacattatat 1680
tgtcatcttg ctgtttctag tgatgttaat tatctccatt tcagcagatg tgtggcctca 1740
gatggtaaag tcagcagcct ttcttatttc tcacctggaa atacatacga ccatttgagg 1800
agacaaatgg caaggtgtca gcataccctg aacttgagtt gagagctaca cacaatatta 1860
ttggtttcgg agcatcaca acaccctctc tgtttcttca ctgggcacag aattttaata 1920
cttatttcag tgggtgtttg gcaggaacaa atgaagcaat ctacataaag tcaactagtc 1980
agtgcctgac acacaccatt ctcttgaggt cccctctaga gatccacag gtcatatgac 2040
ttcttgggga gcagtggctc acacctgtaa tcccagcact ttgggaggct gaggcagggtg 2100
ggtcacctga ggtcaggagt tcaagaccag cctggccaat atggtgaaac cccatctcta 2160
ctaaaaatac aaaaatttagc tgggcgtgct ggtgcatgcc tgtaatccca gccccaacac 2220
aatggaatt
2229

```

<210> 470

<211> 2426

<212> DNA

<213> Homo sapiens

<400> 470

```

gtaaattctt tattgccagg agtgaacct aaagtggctc acaagagtgc cctatttctt 60
tcaattaaact acaaggacaa acacatctca aagttgagat aagtgaccag tatgatttgc 120
caaaattcta aagcgactc accatgaaat ggataaagggt tacctttggg gatttgcact 180
gcatgaattc tgtgaaaagc ttgttgata ttgtgataga gatagagaaa tgaagtatat 240
tatataagat actatgaggt tccctgcctt tgcttcacat cccaggctta caaacgtgcc 300
ccataaacat tccctctgtg gctcttgcac tcatatatt tatctaaact cttataatca 360
aattacactt ttagtatttg ctgtctcatg tgatgatgaa tctcatatgt gtcccttctt 420
tgcatgaagt aagatagtc acttattcaa aactttacat cattctagat ttaagagaca 480
aggaagagct tctcaggcag aaggaataat gtatgcctga catgttcaag gaattacaag 540
ttagattttg tttaggtgca tgggaggggt tgatggtgat gacagataag gctggaggga 600
tggggagagg ctgtggctgt atacagcctc agtacaaggc taagcatttt aactttatac 660
tggaaaaaaa atcaaacaaa ggggagggat aaaggactta gtcattcttt cactggaaaa 720
caaaatatgt aattaaattc ccatagctgc atgtaacatt gaattcttcc aggttaaaaa 780
aaaaagttaa tctgtgata ttaatggaat gacattttga ggtcttgaga atgggcacaa 840
aagtgggaaa tgaatttcag tatgggcaaa gacactgagg atgatgttga ttagataatt 900
cactccgtaa tgatcatgct gtgtgctagt aagtataacc ctggaaagat cttgagatgc 960

```

```

ttcccagcct gttcacagat cccctggggc agaacactcc ttaggaaaaa cagtcagcta 1020
catattaggc agcaacacga aggggtctttg aacaaaaatga gtaatgttat tctacagtgt 1080
agaaagggtca cagtcacagat ctgggaacta aatattaaaa atgagtgtgg ctggatatat 1140
ggagaatgtt gggcccagaa ggaaccgtag agatcagata ttacaacagc tttgttttga 1200
gggttagaaa tatgaaatga tttgtttatg aacgcacagt ttaggcagca gggccagaat 1260
cctgaccctc tgccccgtgg ttatctctct cccagcttgg ctgcctcatg tcatcacagt 1320
attccatttt gttgtttgca tgtcttgtga agccatcaag attttctcgt ctgttttctt 1380
ctcattggta atgtccactt tgtgacttca tttcaaatct gtaatcccgt tcaaatataat 1440
atccacaaca ggatctgttt tcttgcccat cctttaagga acacatcaat tcatttttcta 1500
atgtccttcc ctcaacagcg ggaccaggca cagggcgagg ctcatcgatg acccaagatg 1560
gcgccggggc atttctccca gggatctctg tgcctccttt tgtgttctct gtgtgtgtgg 1620
atattttaaag gggctggaaa tgtgcaaaaa catgtcacta cttagacatt atattgtcat 1680
cttgtctgtt ctagtgtatg taattatctc catttcagca gatgtgtggc ctccagatgg 1740
aaagtcagca gcctttctta tttctcacct ggaaatacat acgaccattt gaggagacaa 1800
atggcaagggt gtcagcatac cctgaacttg agttgagagc tacacacaat attattgggt 1860
tccgagcatc acaaacaccc tctctgtttc ttcactgggc acagaatttt aatacttatt 1920
tcagtgggct gttggcagga acaaatgaag caatctacat aaagtcacta gtgcagtggc 1980
tgacacacac cattctcttg aggtcccctc tagagatccc acaggtcata tgacttcttg 2040
gggagcagtg gctcacacct gtaatccag cactttggga ggctgaggca ggtgggtcac 2100
ctgaggtcag gagttcaaga ccagcctggc caatatggtg aaaccccatc tctactaaaa 2160
atacaaaaat tagctgggcg tgcgtgtgca tgcctgtaat cccagctact tgggaggctg 2220
aggcaggaga attgctggaa catgggagggc ggaggttgca gtgagctgta attgtgccat 2280
tgactctgaa cctgggcgac agagtggaac tctgtttoca aaaaaacaac aaacaaaaaa 2340
ggcatagtca gatacaacgt ggggtgggatg tgtaaataga agcaggatat aaagggcagt 2400
gggtgacggt tttgccaac acaatg

```

<210> 471
 <211> 812
 <212> DNA
 <213> Homo sapiens

```

<400> 471
gaacaaaatg agtaatgtta ttctacagtg tagaaaggct acagtacaga tctgggaact 60
aatattaaaa aatgagtgtg gctggatata tggagaatgt tgggccagga aggaaccgta 120
gagatcagat attacaacag ctttgttttg agggtagaa atatgaaatg atttggttat 180
gaacgcacag tttaggcagc agggccagaa tccctgaccct ctgcccctgt gttatctcct 240
ccccagcttg gctgcctcat gtcatcacag tattccattt tgtttgttgc atgtcttctg 300
aagccatcaa gattttctcg tctgttttcc tctcattggg aatgctcact ttgtgacttc 360
atttcaaatc tgaatcccc ttcaataaaa tatccacaac aggatctgtt ttctgcccc 420
tcctttaagg aacacatcaa ttcattttct aatgtccttc cctcacaaagc gggaccaggc 480
acagggcgag gtcctatgat gacccaagat ggccggcggg catttctccc agggatctct 540
gtgcttccct ttgtgcttcc tgtgtgtgtg gatattttaa ggggctggaa atgtgcaaaa 600
acatgtcact acctagacat tatattgtca tcttgtctgt tctagtgatg ttaattatct 660
ccatttccagc agatgtgtgg cctcagatgg taaaagtcagc agcctttctt atttctcacc 720
tctgtatcat caggctcctc ccaccatgca gatcttctct gtctccctcg gctgcagcca 780
cacaatctc ccctctgttt ttctgatgcc ag

```

<210> 472
 <211> 515
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(515)
 <223> n = A,T,C or G

```

<400> 472
acggagactt attttctgat attgtctgca tatgtatgtt ttaagagtc tggaaatagt 60
cttatgactt tcctatcatg cttattaata aataatacag cccagagaag atgaaaatgg 120
gttcagaaat tattggctct tgcagcccgg tgaatctcag caagaggaac caccaactga 180
caatcaggat attgaacctg gacaagagag agaaggaaca cctccgatcg aagaacgtaa 240

```

150

```

agtagaaggt gattgccagg aaatggatct ggaaaagact cggagtgagc gtggagatgg 300
ctctgatgta aaagagaaga ctccacctaa tcctaagcat gctaagacta aagaagcagg 360
agatgggcag ccataagtta aaaagaagac aagctgaagc tacacacatg gctgatgtca 420
cattgaaaat gtgactgaaa atttgaaaat tctctcaata aagtttgagt tttctctgaa 480
gaaaaaaaaa naaaaaaaaa aaanaaaan aaaaaa 515

```

<210> 473

<211> 750

<212> PRT

<213> Homo sapiens

<400> 473

```

Met Trp Asn Leu Leu His Glu Thr Asp Ser Ala Val Ala Thr Ala Arg
      5              10              15

Arg Pro Arg Trp Leu Cys Ala Gly Ala Leu Val Leu Ala Gly Gly Phe
      20              25              30

Phe Leu Leu Gly Phe Leu Phe Gly Trp Phe Ile Lys Ser Ser Asn Glu
      35              40              45

Ala Thr Asn Ile Thr Pro Lys His Asn Met Lys Ala Phe Leu Asp Glu
      50              55              60

Leu Lys Ala Glu Asn Ile Lys Lys Phe Leu Tyr Asn Phe Thr Gln Ile
      65              70              75              80

Pro His Leu Ala Gly Thr Glu Gln Asn Phe Gln Leu Ala Lys Gln Ile
      85              90              95

Gln Ser Gln Trp Lys Glu Phe Gly Leu Asp Ser Val Glu Leu Ala His
      100             105             110

Tyr Asp Val Leu Leu Ser Tyr Pro Asn Lys Thr His Pro Asn Tyr Ile
      115             120             125

Ser Ile Ile Asn Glu Asp Gly Asn Glu Ile Phe Asn Thr Ser Leu Phe
      130             135             140

Glu Pro Pro Pro Pro Gly Tyr Glu Asn Val Ser Asp Ile Val Pro Pro
      145             150             155             160

Phe Ser Ala Phe Ser Pro Gln Gly Met Pro Glu Gly Asp Leu Val Tyr
      165             170             175

Val Asn Tyr Ala Arg Thr Glu Asp Phe Phe Lys Leu Glu Arg Asp Met
      180             185             190

Lys Ile Asn Cys Ser Gly Lys Ile Val Ile Ala Arg Tyr Gly Lys Val
      195             200             205

Phe Arg Gly Asn Lys Val Lys Asn Ala Gln Leu Ala Gly Ala Lys Gly
      210             215             220

Val Ile Leu Tyr Ser Asp Pro Ala Asp Tyr Phe Ala Pro Gly Val Lys
      225             230             235             240

Ser Tyr Pro Asp Gly Trp Asn Leu Pro Gly Gly Gly Val Gln Arg Gly
      245             250             255

Asn Ile Leu Asn Leu Asn Gly Ala Gly Asp Pro Leu Thr Pro Gly Tyr

```


260					265					270					
Pro	Ala	Asn	Glu	Tyr	Ala	Tyr	Arg	Arg	Gly	Ile	Ala	Glu	Ala	Val	Gly
		275					280					285			
Leu	Pro	Ser	Ile	Pro	Val	His	Pro	Ile	Gly	Tyr	Tyr	Asp	Ala	Gln	Lys
	290					295					300				
Leu	Leu	Glu	Lys	Met	Gly	Gly	Ser	Ala	Pro	Pro	Asp	Ser	Ser	Trp	Arg
305					310					315					320
Gly	Ser	Leu	Lys	Val	Pro	Tyr	Asn	Val	Gly	Pro	Gly	Phe	Thr	Gly	Asn
				325					330					335	
Phe	Ser	Thr	Gln	Lys	Val	Lys	Met	His	Ile	His	Ser	Thr	Asn	Glu	Val
			340					345					350		
Thr	Arg	Ile	Tyr	Asn	Val	Ile	Gly	Thr	Leu	Arg	Gly	Ala	Val	Glu	Pro
	355						360					365			
Asp	Arg	Tyr	Val	Ile	Leu	Gly	Gly	His	Arg	Asp	Ser	Trp	Val	Phe	Gly
	370					375					380				
Gly	Ile	Asp	Pro	Gln	Ser	Gly	Ala	Ala	Val	Val	His	Glu	Ile	Val	Arg
385						390					395				400
Ser	Phe	Gly	Thr	Leu	Lys	Lys	Glu	Gly	Trp	Arg	Pro	Arg	Arg	Thr	Ile
				405					410					415	
Leu	Phe	Ala	Ser	Trp	Asp	Ala	Glu	Glu	Phe	Gly	Leu	Leu	Gly	Ser	Thr
			420					425					430		
Glu	Trp	Ala	Glu	Glu	Asn	Ser	Arg	Leu	Leu	Gln	Glu	Arg	Gly	Val	Ala
		435					440					445			
Tyr	Ile	Asn	Ala	Asp	Ser	Ser	Ile	Glu	Gly	Asn	Tyr	Thr	Leu	Arg	Val
	450					455					460				
Asp	Cys	Thr	Pro	Leu	Met	Tyr	Ser	Leu	Val	His	Asn	Leu	Thr	Lys	Glu
465						470					475				480
Leu	Lys	Ser	Pro	Asp	Glu	Gly	Phe	Glu	Gly	Lys	Ser	Leu	Tyr	Glu	Ser
				485					490					495	
Trp	Thr	Lys	Lys	Ser	Pro	Ser	Pro	Glu	Phe	Ser	Gly	Met	Pro	Arg	Ile
			500					505					510		
Ser	Lys	Leu	Gly	Ser	Gly	Asn	Asp	Phe	Glu	Val	Phe	Phe	Gln	Arg	Leu
		515					520					525			
Gly	Ile	Ala	Ser	Gly	Arg	Ala	Arg	Tyr	Thr	Lys	Asn	Trp	Glu	Thr	Asn
	530					535					540				
Lys	Phe	Ser	Gly	Tyr	Pro	Leu	Tyr	His	Ser	Val	Tyr	Glu	Thr	Tyr	Glu
545						550					555				560
Leu	Val	Glu	Lys	Phe	Tyr	Asp	Pro	Met	Phe	Lys	Tyr	His	Leu	Thr	Val
				565					570					575	
Ala	Gln	Val	Arg	Gly	Gly	Met	Val	Phe	Glu	Leu	Ala	Asn	Ser	Ile	Val
			580					585					590		

152

Leu Pro Phe Asp Cys Arg Asp Tyr Ala Val Val Leu Arg Lys Tyr Ala
 595 600 605
 Asp Lys Ile Tyr Ser Ile Ser Met Lys His Pro Gln Glu Met Lys Thr
 610 615 620
 Tyr Ser Val Ser Phe Asp Ser Leu Phe Ser Ala Val Lys Asn Phe Thr
 625 630 635 640
 Glu Ile Ala Ser Lys Phe Ser Glu Arg Leu Gln Asp Phe Asp Lys Ser
 645 650 655
 Asn Pro Ile Val Leu Arg Met Met Asn Asp Gln Leu Met Phe Leu Glu
 660 665 670
 Arg Ala Phe Ile Asp Pro Leu Gly Leu Pro Asp Arg Pro Phe Tyr Arg
 675 680 685
 His Val Ile Tyr Ala Pro Ser Ser His Asn Lys Tyr Ala Gly Glu Ser
 690 695 700
 Phe Pro Gly Ile Tyr Asp Ala Leu Phe Asp Ile Glu Ser Lys Val Asp
 705 710 715 720
 Pro Ser Lys Ala Trp Gly Glu Val Lys Arg Gln Ile Tyr Val Ala Ala
 725 730 735
 Phe Thr Val Gln Ala Ala Ala Glu Thr Leu Ser Glu Val Ala
 740 745 750

<210> 474

<211> 386

<212> PRT

<213> Homo sapiens

<400> 474

Met Arg Ala Ala Pro Leu Leu Leu Ala Arg Ala Ala Ser Leu Ser Leu
 5 10 15
 Gly Phe Leu Phe Leu Leu Phe Phe Trp Leu Asp Arg Ser Val Leu Ala
 20 25 30
 Lys Glu Leu Lys Phe Val Thr Leu Val Phe Arg His Gly Asp Arg Ser
 35 40 45
 Pro Ile Asp Thr Phe Pro Thr Asp Pro Ile Lys Glu Ser Ser Trp Pro
 50 55 60
 Gln Gly Phe Gly Gln Leu Thr Gln Leu Gly Met Glu Gln His Tyr Glu
 65 70 75 80
 Leu Gly Glu Tyr Ile Arg Lys Arg Tyr Arg Lys Phe Leu Asn Glu Ser
 85 90 95
 Tyr Lys His Glu Gln Val Tyr Ile Arg Ser Thr Asp Val Asp Arg Thr
 100 105 110
 Leu Met Ser Ala Met Thr Asn Leu Ala Ala Leu Phe Pro Pro Glu Gly
 115 120 125
 Val Ser Ile Trp Asn Pro Ile Leu Leu Trp Gln Pro Ile Pro Val His

153

130 135 140
 Thr Val Pro Leu Ser Glu Asp Gln Leu Leu Tyr Leu Pro Phe Arg Asn
 145 150 155 160
 Cys Pro Arg Phe Gln Glu Leu Glu Ser Glu Thr Leu Lys Ser Glu Glu
 165 170 175
 Phe Gln Lys Arg Leu His Pro Tyr Lys Asp Phe Ile Ala Thr Leu Gly
 180 185 190
 Lys Leu Ser Gly Leu His Gly Gln Asp Leu Phe Gly Ile Trp Ser Lys
 195 200 205
 Val Tyr Asp Pro Leu Tyr Cys Glu Ser Val His Asn Phe Thr Leu Pro
 210 215 220
 Ser Trp Ala Thr Glu Asp Thr Met Thr Lys Leu Arg Glu Leu Ser Glu
 225 230 235 240
 Leu Ser Leu Leu Ser Leu Tyr Gly Ile His Lys Gln Lys Glu Lys Ser
 245 250 255
 Arg Leu Gln Gly Gly Val Leu Val Asn Glu Ile Leu Asn His Met Lys
 260 265 270
 Arg Ala Thr Gln Ile Pro Ser Tyr Lys Lys Leu Ile Met Tyr Ser Ala
 275 280 285
 His Asp Thr Thr Val Ser Gly Leu Gln Met Ala Leu Asp Val Tyr Asn
 290 295 300
 Gly Leu Leu Pro Pro Tyr Ala Ser Cys His Leu Thr Glu Leu Tyr Phe
 305 310 315 320
 Glu Lys Gly Glu Tyr Phe Val Glu Met Tyr Tyr Arg Asn Glu Thr Gln
 325 330 335
 His Glu Pro Tyr Pro Leu Met Leu Pro Gly Cys Ser Pro Ser Cys Pro
 340 345 350
 Leu Glu Arg Phe Ala Glu Leu Val Gly Pro Val Ile Pro Gln Asp Trp
 355 360 365
 Ser Thr Glu Cys Met Thr Thr Asn Ser His Gln Gly Thr Glu Asp Ser
 370 375 380
 Thr Asp
 385

<210> 475
 <211> 261
 <212> PRT
 <213> Homo sapiens

<400> 475
 Met Trp Val Pro Val Val Phe Leu Thr Leu Ser Val Thr Trp Ile Gly
 5 10 15
 Ala Ala Pro Leu Ile Leu Ser Arg Ile Val Gly Gly Trp Glu Cys Glu
 20 25 30

154

Lys His Ser Gln Pro Trp Gln Val Leu Val Ala Ser Arg Gly Arg Ala
 35 40 45
 Val Cys Gly Gly Val Leu Val His Pro Gln Trp Val Leu Thr Ala Ala
 50 55 60
 His Cys Ile Arg Asn Lys Ser Val Ile Leu Leu Gly Arg His Ser Leu
 65 70 75 80
 Phe His Pro Glu Asp Thr Gly Gln Val Phe Gln Val Ser His Ser Phe
 85 90 95
 Pro His Pro Leu Tyr Asp Met Ser Leu Leu Lys Asn Arg Phe Leu Arg
 100 105 110
 Pro Gly Asp Asp Ser Ser His Asp Leu Met Leu Leu Arg Leu Ser Glu
 115 120 125
 Pro Ala Glu Leu Thr Asp Ala Val Lys Val Met Asp Leu Pro Thr Gln
 130 135 140
 Glu Pro Ala Leu Gly Thr Thr Cys Tyr Ala Ser Gly Trp Gly Ser Ile
 145 150 155 160
 Glu Pro Glu Glu Phe Leu Thr Pro Lys Lys Leu Gln Cys Val Asp Leu
 165 170 175
 His Val Ile Ser Asn Asp Val Cys Ala Gln Val His Pro Gln Lys Val
 180 185 190
 Thr Lys Phe Met Leu Cys Ala Gly Arg Trp Thr Gly Gly Lys Ser Thr
 195 200 205
 Cys Ser Gly Asp Ser Gly Gly Pro Leu Val Cys Asn Gly Val Leu Gln
 210 215 220
 Gly Ile Thr Ser Trp Gly Ser Glu Pro Cys Ala Leu Pro Glu Arg Pro
 225 230 235 240
 Ser Leu Tyr Thr Lys Val Val His Tyr Arg Lys Trp Ile Lys Asp Thr
 245 250 255
 Ile Val Ala Asn Pro
 260

<210> 476

<211> 1079

<212> PRT

<213> Homo sapiens

<400> 476

Met His His His His His Met Trp Val Pro Val Val Phe Leu Thr
 5 10 15
 Leu Ser Val Thr Trp Ile Gly Ala Ala Pro Leu Ile Leu Ser Arg Ile
 20 25 30
 Val Gly Gly Trp Glu Cys Glu Lys His Ser Gln Pro Trp Gln Val Leu
 35 40 45

155

Val Ala Ser Arg Gly Arg Ala Val Cys Gly Gly Val Leu Val His Pro
 50 55 60
 Gln Trp Val Leu Thr Ala Ala His Cys Ile Arg Asn Lys Ser Val Ile
 65 70 75 80
 Leu Leu Gly Arg His Ser Leu Phe His Pro Glu Asp Thr Gly Gln Val
 85 90 95
 Phe Gln Val Ser His Ser Phe Pro His Pro Leu Tyr Asp Met Ser Leu
 100 105 110
 Leu Lys Asn Arg Phe Leu Arg Pro Gly Asp Asp Ser Ser His Asp Leu
 115 120 125
 Met Leu Leu Arg Leu Ser Glu Pro Ala Glu Leu Thr Asp Ala Val Lys
 130 135 140
 Val Met Asp Leu Pro Thr Gln Glu Pro Ala Leu Gly Thr Thr Cys Tyr
 145 150 155 160
 Ala Ser Gly Trp Gly Ser Ile Glu Pro Glu Glu Phe Leu Thr Pro Lys
 165 170 175
 Lys Leu Gln Cys Val Asp Leu His Val Ile Ser Asn Asp Val Cys Ala
 180 185 190
 Gln Val His Pro Gln Lys Val Thr Lys Phe Met Leu Cys Ala Gly Arg
 195 200 205
 Trp Thr Gly Gly Lys Ser Thr Cys Ser Gly Asp Ser Gly Gly Pro Leu
 210 215 220
 Val Cys Asn Gly Val Leu Gln Gly Ile Thr Ser Trp Gly Ser Glu Pro
 225 230 235 240
 Cys Ala Leu Pro Glu Arg Pro Ser Leu Tyr Thr Lys Val Val His Tyr
 245 250 255
 Arg Lys Trp Ile Lys Asp Thr Ile Val Ala Asn Pro Gly Ser Met Ala
 260 265 270
 Thr Ala Gly Asn Pro Trp Gly Trp Phe Leu Gly Tyr Leu Ile Leu Gly
 275 280 285
 Val Ala Gly Ser Leu Val Ser Gly Ser Cys Ser Gln Ile Ile Asn Gly
 290 295 300
 Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met
 305 310 315 320
 Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val
 325 330 335
 Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly
 340 345 350
 Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu
 355 360 365
 Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu Ala
 370 375 380

156

Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp
 385 390 395 400
 Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn
 405 410 415
 Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met Pro
 420' 425 430
 Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu Val Cys
 435 440 445
 Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala Gly
 450 455 460
 Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly Pro
 465 470 475 480
 Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys Ala
 485 490 495
 Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu Cys Lys
 500 505 510
 Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser Glu Phe Met Val
 515 520 525
 Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala Gln Leu
 530 535 540
 Leu Leu Val Asn Leu Leu Thr Phe Gly Leu Glu Val Cys Leu Ala Ala
 545 550 555 560
 Gly Ile Thr Tyr Val Pro Pro Leu Leu Leu Glu Val Gly Val Glu Glu
 565 570 575
 Lys Phe Met Thr Met Val Leu Gly Ile Gly Pro Val Leu Gly Leu Val
 580 585 590
 Cys Val Pro Leu Leu Gly Ser Ala Ser Asp His Trp Arg Gly Arg Tyr
 595 600 605
 Gly Arg Arg Arg Pro Phe Ile Trp Ala Leu Ser Leu Gly Ile Leu Leu
 610 615 620
 Ser Leu Phe Leu Ile Pro Arg Ala Gly Trp Leu Ala Gly Leu Leu Cys
 625 630 635 640
 Pro Asp Pro Arg Pro Leu Glu Leu Ala Leu Leu Ile Leu Gly Val Gly
 645 650 655
 Leu Leu Asp Phe Cys Gly Gln Val Cys Phe Thr Pro Leu Glu Ala Leu
 660 665 670
 Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg Gln Ala Tyr Ser
 675 680 685
 Val Tyr Ala Phe Met Ile Ser Leu Gly Gly Cys Leu Gly Tyr Leu Leu
 690 695 700
 Pro Ala Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu Gly Thr

705		710		715		720
Gln Glu Glu Cys	Leu Phe Gly Leu Leu Thr	Leu Ile Phe Leu Thr Cys				
	725		730			735
Val Ala Ala Thr	Leu Leu Val Ala Glu Glu Ala Ala Leu Gly Pro Thr					
	740		745			750
Glu Pro Ala Glu Gly Leu Ser	Ala Pro Ser Leu Ser Pro His Cys Cys					
	755		760			765
Pro Cys Arg Ala Arg Leu Ala	Phe Arg Asn Leu Gly Ala Leu Leu Pro					
	770		775			780
Arg Leu His Gln Leu Cys Cys Arg Met Pro	Arg Thr Leu Arg Arg Leu					
	785		790			800
Phe Val Ala Glu Leu Cys Ser Trp Met	Ala Leu Met Thr Phe Thr Leu					
	805		810			815
Phe Tyr Thr Asp Phe Val Gly Glu Gly Leu Tyr Gln Gly Val Pro Arg						
	820		825			830
Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly Val Arg						
	835		840			845
Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile Ser Leu Val Phe						
	850		855			860
Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg Ala Val						
	865		870			875
Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala Thr Cys						
	885		890			895
Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu Thr Gly						
	900		905			910
Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr Leu Ala Ser Leu						
	915		920			925
Tyr His Arg Glu Lys Gln Val Phe Leu Pro Lys Tyr Arg Gly Asp Thr						
	930		935			940
Gly Gly Ala Ser Ser Glu Asp Ser Leu Met Thr Ser Phe Leu Pro Gly						
	945		950			955
Pro Lys Pro Gly Ala Pro Phe Pro Asn Gly His Val Gly Ala Gly Gly						
	965		970			975
Ser Gly Leu Leu Pro Pro Pro Pro Ala Leu Cys Gly Ala Ser Ala Cys						
	980		985			990
Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala Arg Val						
	995		1000			1005
Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp Ser Ala						
	1010		1015			1020
Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met Gly Ser Ile Val						
	1025		1030			1035
						1040

Gln Leu Ser Gln Ser Val Thr Ala Tyr Met Val Ser Ala Ala Gly Leu
1045 1050 1055

Gly Leu Val Ala Ile Tyr Phe Ala Thr Gln Val Val Phe Asp Lys Ser
1060 1065 1070

Asp Leu Ala Lys Tyr Ser Ala
1075